





SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	— Midi — Cox — Fox
PAD ADJUSTMENT	— 30 mm [1.2 in] side — 45 mm [1.8 in] backwards / forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES



.....
BeO 4D 12° (ALU) ADJUSTABLE PAD (FWD-BWD-SIDE)
- WITH MIDI SOFT PAD (PU) 4502521

TECHNICAL DRAWING

BE0 4D — 12° [ALU] MIDI ADJUSTABLE PAD (FWD-BWD-SIDE)



SURFACE COLOURS / FINISHES

BLACK NYLON
ARMRESTSRAL 7610 NYLON
BUTTONPOLISHED
ALUMINIUM
ARMRESTS BRACKET

RELATED PRODUCTS

TYPE-B
ARMREST INTERFACE
SEATS ONLYDONATI
MIDI, COX & FOX
PADS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA]	4500117
FIXED - W/O ARMBAR [EN1335]	4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA]	4501120
--	---------

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA]	4501703
-------------------------------------	---------

FOR SLIM — CONKA — FLAT — CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR	4501169

**FOX**

DxWxH mm/[in]	225 x 99 x 27 [8.9 x 3.9 x 1.1]
---------------	---------------------------------

PU	4700555
----	---------

**MIDI**

DxWxH mm/[in]	PU: 219 x 100 x 27 [8.6 x 3.9 x 1.1]
---------------	--------------------------------------

	PP: 210 x 91 x 16 [8.3 x 3.6 x 0.6]
--	-------------------------------------

PU	9000538
----	---------

PP	9000537
----	---------

**COX**

DxWxH mm/[in]	235 x 100 x 27 [9.3 x 4.0 x 1.1]
---------------	----------------------------------

PU	9000551
----	---------