



Ø 700 mm [27.56 IN]  
VERSION AVAILABLE

#### SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	656,0 mm [25.83 in]
GLIDES / CASTERS DIAMETER	610,0 mm [24.02 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	72,5 mm [2.85 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,89 Kg [4,17 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

#### PRODUCT CODES

.....	
<u>L1080</u>	
POLISHED	5010110
BLACK PAINTED	5010111
SANDBLASTED	5010112

TECHNICAL DRAWING


L1080



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



L2080 (ALUMINIUM)  
CODE: 5010115



Ø 656 mm [25.83 in]  
VERSION AVAILABLE

#### SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,0 mm [27.56 in]
GLIDES / CASTERS DIAMETER	654,0 mm [25.75 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	72,5 mm [2.85 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,06 Kg [4,54 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

#### PRODUCT CODES

.....	
<u>L2080</u>	
POLISHED	5010115
BLACK PAINTED	5010116
SANDBLASTED	5010117

## TECHNICAL DRAWING


## L2080



## NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper  $\varnothing$  50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

## SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

## RELATED PRODUCTS



L1080 (ALUMINIUM)  
CODE: 5010110