EPD
INTERNATIONAL EPD SYSTEM

Ø 700 mm [27.56 IN]
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	656,0 mm [25.83 in]
GLIDES / CASTERS DIAMETER	610,0 mm [24.02 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	72,5 mm [2.85 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,89 Kg [4,17 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

L1080

POLISHED	5010110
BLACK PAINTED	5010111
SANDBLASTED	5010112

TECHNICAL DRAWING

L1080





NOTES

— Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED

BLACK PAINTED

SANDBLASTED

RELATED PRODUCTS

L2080 (ALUMINIUM)
CODE: 5010115

EPD
INTERNATIONAL EPD SYSTEM

Ø 656 mm [25.83 in]
VERSION AVAILABLE

SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,0 mm [27.56 in]
GLIDES / CASTERS DIAMETER	654,0 mm [25.75 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	72,5 mm [2.85 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,06 Kg [4,54 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

L2080

POLISHED	5010115
BLACK PAINTED	5010116
SANDBLASTED	5010117

TECHNICAL DRAWING

L2080





NOTES

— Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED

BLACK PAINTED

SANDBLASTED

RELATED PRODUCTS

L1080 (ALUMINIUM)
CODE: 5010110

DONATI

Via Paderno, 15/F
25050 Rodengo Saiano (BS) Italy
www.donati.eu

phone +39.030.6818711
fax +39.030.6810448
info@donati.eu