EPD
INTERNATIONAL EPD SYSTEM

OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	220,8 mm [8.69 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,12 Kg [4,67 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

SUPERLEGGERA MEDIUM - 5 STAR

POLISHED	5010890
BLACK PAINTED	5010891
SANDBLASTED	5010892

TECHNICAL DRAWING

SUPERLEGGERA MEDIUM - 5 STAR



NOTES

— Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 40 / 44 mm [1.57 / 1.73 in].

— Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED

BLACK PAINTED

SANDBLASTED

RELATED PRODUCTS

SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION

SUPERLEGGERO
SUPPORT COLLECTION

TG C2 - 130 GAS SPRING
EXT. Ø50mm
BLACK: CODE 4501505
CHROME: CODE 4501504

SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4500085

Ø 40mm GAS
SPRING COVER
CODE: 4510166

Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100

Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101

TAPERED PLASTIC BUSHING
EXT. Ø50mm>INT. Ø40mm
CODE: 4510165

Via Paderno, 15/F
25050 Rodengo Saiano (BS) Italy
www.donati.eu

phone +39.030.6818711
fax +39.030.6810448
info@donati.eu