

SPECIFICATIONS	
TYPE	Gas spring
BASE CONNECTION DIAMETER	50,0 mm [1.97 in]
TAPER HEIGHT ∅ 50 mm	— 70,0 mm [2.76 in] (TGS 210 - NE/CR) — 105,0 mm [4.13 in] (TGS 210 - NC/CC) — 155,0 mm [6.10 in] (TGS 210 - NX/XX)
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	219,0 ~ 353,0 mm [8.62 ~ 13.90 in]
STROKE	134,0 mm [5.28 in]
GAS SPRING HEIGHT	252,0 ~ 386,0 mm [9.92 / 15.20 in]
CLASS	3
FORCE	400N
GAS SPRING SURFACE FINISH	— Chrome — Black
ITEMS PER BOX (MOQ)	20 / 600

PRODUCT CODES

.....
TGS 210 - NE/CR ∅ 50 mm

BLACK (NE) 4500087

CHROME (CR) 4500088

TGS 210 - NC/CC ∅ 50 mm

BLACK (NC) 4500089

CHROME (CC) 4500093


TGS 210 - NX/XX ∅ 50 mm

BLACK (NX) 4500084


CHROME (XX) 4500086

TECHNICAL DRAWING

TGS 210 - NE/CR GAS SPRING



SURFACE COLOURS / FINISHES




CHROME STEEL
GAS SPRING




BLACK PAINTED
GAS SPRING

TECHNICAL DRAWING

TGS 210 - NC/CC GAS SPRING



SURFACE COLOURS / FINISHES




CHROME STEEL HOUSING




BLACK PAINTED HOUSING

TECHNICAL DRAWING

TGS 210 - NX/XX GAS SPRING



SURFACE COLOURS / FINISHES



CHROME STEEL HOUSING



BLACK PAINTED HOUSING