


SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
SEAT DEPTH TRAVEL	<ul style="list-style-type: none"> — 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	<ul style="list-style-type: none"> — EN1335 — BIFMA
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Integrated with the mechanism
BACK BAR CONNECTION	Width 100,0 mm [3.94 in]
UPHOLSTERY FIXING	By quick connection upholstery plate
RELATED ARMREST	Complete Donati armrest family
MORSE CONE DIAMETER	28,0 mm [1.10 in]
OUTER FINISH	Black

PRODUCT CODES

.....	
<u>FRIENDLY 3 (SEAT INCLUDED)</u>	1063200
<u>UPHOLSTERY PLATE</u>	4515188

TECHNICAL DRAWING

FRIENDLY 3



SURFACE COLOURS / FINISHES



BLACK PLASTIC COVERS


ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR [EN1335 & BIFMA]

FOR Be0 ALUMINIUM ARMREST	4501120
FOR Be0 NYLON ARMREST	4501121

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES

BLACK PLASTIC
UPHOLSTERY PLATE