Technical Masterbook

Mechanisms

FIXED
TILT
SYNCHRO TILT
MULTI TILT
WEIGHT ACTIVATED

Bases

ALUMINUM
NYLON

Seats

QUICK CONNECTION
BOLT-ON
ADAPTER

Armrests

ALUMINUM
NYLON
PADS

Back Bars

ADJUSTABLE

DONATI


PRODUCT MAIN FEATURES

PRODUCT NAME

PRODUCT CATEGORY

FLEX TRAVEL RESTRICTION | D109 | WEIGHT ACTIVATED MECHANISM

PRODUCT IMAGE, DETAILS AND FUNCTION DESCRIPTION



DETAILED PRODUCT SPECIFICATIONS

SPECIFICATIONS	
TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	32
BOXES PER PALLET	4 boxes (128 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 FLEX TRAVEL RESTRICTION	1062705

PRODUCT CODES

DONATI

PAG 17

PRODUCT MAIN FEATURES

PRODUCT NAME

PRODUCT CATEGORY


FLEX TRAVEL RESTRICTION | **D109** | WEIGHT ACTIVATED MECHANISM

PRODUCT VERSION OR MAIN FEATURE

TECHNICAL DRAWING

D109 FLEX TRAVEL RESTRICTION

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])



SURFACE COLOURS / FINISHES

COLOURS AND FINISHES AVAILABLE OR POSSIBLE VARIATIONS



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS

RELATED SINGLE PRODUCTS OR PRODUCT FAMILIES



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220

TECHNICAL DATA SHEET | PAG 18

Tilt & fixed mechanisms

TILT & FIXED

ARMONICO
— 3D 09
— ALUMINIUM PLATE 12
— FIXING HOLES 70 X 90 MM 15
— FIXING HOLES 153 X 200 MM 24
D165 (KNEE TILT) 30
MPD38
— ALUMINIUM PLATE 32
— ALUMINIUM PLATE W/O KNOB 34
— METAL PLATE 36
— METAL PLATE W/O KNOB 38
— SINGLE / MULTIBLOCK 40
PF 44
SUPPORT
— FIXED 47
— SWIVEL 50

Synchro & multi tilt mechanisms

SYNCHRO & MULTI TILT

CORE 55
D165 (SYNCHRON) 57
DYNAMIC PLUS 59
EPRON
— SYNCHRON 61
— FLEX 63
— ASYNCHRON 65
EPRON PLUS
— SYNCHRON 67
— FLEX 69
— ASYNCHRON 71
EPRON RV
— SYNCHRON 73
— FLEX 76
— FORWARD TILT ADJUSTMENT 78
TECNO 80

Weight activated mechanisms

WEIGHT ACTIVATED

D109

— ENTRY LEVEL **85**

— SYNCHRON **89**

— TRAVEL RESTRICTION **93**

— FLEX **97**

— SEAT ANGLE ADJUSTMENT **101**

— CABLE ACTIVATION **105**

DOPOTUTTO **108**

FRIENDLY **110**

FRIENDLY 2 **114**

INEDITO

— SYNCHRON **116**

— TRAVEL RESTRICTION **120**

— FLEX **124**

— SEAT ANGLE ADJUSTMENT **128**

Aluminium bases

4 — 5 STAR

B.YOU **131**
B1 **133**
B1T **135**
DB1.6 **137**
DB1.8
— 4 STAR Ø 630 / 730 / 830 mm **139**
— 5 STAR **145**
DB1.9 **147**
DB1.13 **149**
DB1.17 **151**
DB2.6 **153**
DB2.13 **155**
K600 - K720 **157**
L1080 - L2080 **161**
METEORA / METEORA 2 **165**
OCTOPUS **169**
PRESTO **171**
SUPERLEGGERA
— 4 STAR Ø 700 mm **173**
— 4 STAR Ø 820 mm **175**
— 5 STAR **177**
UNICA **181**

Nylon bases

5 STAR

B1T **185**
DB1.6 **187**
DB1.8 **189**
DB1.9 **191**
DB1.13 **193**
DB2.6 **195**
DB2.13 **197**
METEORA **199**
PRESTO **201**

Quick connection seats & adapter

QUICK CONNECTON

TRASLA 2 **204**

TRASLA 2 CABLE **209**

TRASLA 3 **214**

TRASLA 4 **218**

ADAPTER

SLIDING PLATE ADAPTER **220**

Bolt-on seats

BOLT-ON

CONKA **223**

DASH **227**

FLAT **231**

SLIM **235**

Aluminium armrests

ALUMINIUM

BeO 4D
— 12° **240**
— STRAIGHT **243**
BeO FIXED **246**

Nylon armrests

NYLON

BeO 1D **250**
BeO 2D **253**
BeO FRIENDLY **268**
BeO 4D
— 12° **256**
— STRAIGHT **259**
— TRASLA **262**
BeO FIXED **265**

Pads

PU — PP

COX **272**
MIDI **272**
NPR **273**
SQUARE **273**
STANDARD **274**


Back bars

ADJUSTABLE

ACTIVA **276**
UP / DOWN **278**



Tilt & fixed mechanisms



SPECIFICATIONS

TYPE	3D tilt mechanism
TILT ANGLE	7° backward, 4° forward, ±4° side tilt
FACTORY SEAT SETUP	3° backward
(OPT.) HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (metal) — Black painted (metal) — Black (plastic)
COVER FINISH	— Black plastic — Grey plastic
ITEMS PER BOX	12
BOXES PER PALLET	15 boxes (180 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO 3D WITH HEIGHT ADJUSTMENT


POLISHED	1020501
BLACK PAINTED	1020500


ARMONICO 3D W/O HEIGHT ADJUSTMENT

POLISHED	1020511
BLACK PAINTED	1020510


TECHNICAL DRAWING

ARMONICO 3D WITH HEIGHT ADJUSTMENT





SURFACE COLOURS / FINISHES




POLISHED / CHROME ALUMINIUM HOUSING, LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER




BLACK PLASTIC LEVER, COVER




GREY PLASTIC COVER


TECHNICAL DRAWING

ARMONICO 3D W/O HEIGHT ADJUSTMENT





SURFACE COLOURS / FINISHES




POLISHED / CHROME
ALUMINIUM HOUSING




BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
COVER



GREY PLASTIC
COVER



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLE	7° backward, 4° forward
FACTORY SEAT SETUP	3° backward
HEIGHT ADJUSTMENT	By lever
(OPT.) TILT LOCKING	1 position, by lower button
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (metal)
	— Black painted (metal)
	— Black (plastic)
ITEMS PER BOX	20
BOXES PER PALLET	15 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO ALU PLATE WITH TILT LOCK


POLISHED	1020654
BLACK PAINTED	1020653


ARMONICO ALU PLATE W/O TILT LOCK

POLISHED	On request
BLACK PAINTED	On request


TECHNICAL DRAWING

ARMONICO ALUMINIUM PLATE WITH TILT LOCK





SURFACE COLOURS / FINISHES



POLISHED / CHROME
ALUMINIUM HOUSING,
LEVER, SEAT PLATE




BLACK PAINTED
ALUMINIUM HOUSING,
LEVER, SEAT PLATE




BLACK PLASTIC
LEVER, BUTTON


TECHNICAL DRAWING

ARMONICO ALUMINIUM PLATE W/O TILT LOCK






SURFACE COLOURS / FINISHES




POLISHED / CHROME ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LEVER




SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLE	7° backward, 4° forward
FACTORY SEAT SETUP	3° backward
(OPT.) HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 70 x 90 mm [2.76 x 3.54 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (metal)
	— Black painted (metal)
	— Black (plastic)
TILT ONLY	
ITEMS PER BOX	16
BOXES PER PALLET	15 boxes (240 items)
TILT WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	12
BOXES PER PALLET	15 boxes (180 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES


ARMONICO TILT WITH HEIGHT ADJUSTMENT	
POLISHED	1020404
BLACK PAINTED	1020403
ARMONICO TILT W/O HEIGHT ADJUSTMENT	
POLISHED	1020411
BLACK PAINTED	1020410

TECHNICAL DRAWING

ARMONICO TILT WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED / CHROME ALUMINIUM HOUSING, LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER




BLACK PLASTIC LEVER, COVER

TECHNICAL DRAWING

ARMONICO TILT W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED / CHROME
ALUMINIUM HOUSING



BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
COVER



SPECIFICATIONS

TYPE	Tilt mechanism with tilt lock button
TILT ANGLE	7° backward, 4° forward
FACTORY SEAT SETUP	3° backward
TILT LOCKING	1 position, by lower button
(OPT.) HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 70 x 90 mm [2.76 x 3.54 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (metal) — Black painted (metal) — Black (plastic)
ITEMS PER BOX	20
BOXES PER PALLET	15 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO TILT LOCK WITH HEIGHT ADJ.


POLISHED	1020603
BLACK PAINTED	1020604

ARMONICO TILT LOCK W/O HEIGHT ADJ.


POLISHED	1020611
BLACK PAINTED	1020610

TECHNICAL DRAWING

ARMONICO TILT LOCK WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED / CHROME ALUMINIUM HOUSING, LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER




BLACK PLASTIC LEVER, COVER, BUTTON

TECHNICAL DRAWING

ARMONICO TILT LOCK W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED / CHROME
ALUMINIUM HOUSING



BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
COVER, BUTTON



SPECIFICATIONS	
TYPE	Fixed mechanism
FACTORY SEAT SETUP	3° backward
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Bolt-on seat plate 70 x 90 mm [2.76 x 3.54 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (metal)
	— Black painted (metal)
	— Black (plastic)
FIXED ONLY	
ITEMS PER BOX	30
BOXES PER PALLET	15 boxes (450 items)
FIXED WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	25
BOXES PER PALLET	15 boxes (375 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO FIXED WITH HEIGHT ADJUSTMENT


POLISHED	1020454
BLACK PAINTED	1020453

ARMONICO FIXED W/O HEIGHT ADJUSTMENT


POLISHED	1020461
BLACK PAINTED	1020460

TECHNICAL DRAWING

ARMONICO FIXED WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED / CHROME ALUMINIUM HOUSING, LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER

TECHNICAL DRAWING

ARMONICO FIXED W/O HEIGHT ADJUSTMENT




SURFACE COLOURS / FINISHES



POLISHED / CHROME ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLE	7° backward, 4° forward
FACTORY SEAT SETUP	3° backward
(OPT.) HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (metal)
	— Black painted (metal)
	— Black (plastic)
TILT ONLY	
ITEMS PER BOX	16
BOXES PER PALLET	15 boxes (240 items)
TILT WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	12
BOXES PER PALLET	15 boxes (180 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO TILT WITH HEIGHT ADJUSTMENT


POLISHED	1020445
BLACK PAINTED	1020443

ARMONICO TILT W/O HEIGHT ADJUSTMENT


POLISHED	1020416
BLACK PAINTED	1020415

TECHNICAL DRAWING

ARMONICO TILT WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED / CHROME ALUMINIUM HOUSING, LEVER




BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE, LEVER




BLACK PLASTIC LEVER, COVER

TECHNICAL DRAWING

ARMONICO TILT W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED / CHROME
ALUMINIUM HOUSING



BLACK PAINTED
ALUMINIUM HOUSING,
SEAT PLATE



BLACK PLASTIC
COVER



SPECIFICATIONS

TYPE	Fixed mechanism
FACTORY SEAT SETUP	3° backward
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (metal)
	— Black painted (metal)
	— Black (plastic)
FIXED ONLY	
ITEMS PER BOX	16
BOXES PER PALLET	15 boxes (240 items)
FIXED WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	12
BOXES PER PALLET	15 boxes (180 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO FIXED WITH HEIGHT ADJUSTMENT


POLISHED	1020458
BLACK PAINTED	1020457


ARMONICO FIXED W/O HEIGHT ADJUSTMENT

POLISHED	1020466
BLACK PAINTED	1020465


TECHNICAL DRAWING

ARMONICO FIXED WITH HEIGHT ADJUSTMENT






SURFACE COLOURS / FINISHES



POLISHED / CHROME ALUMINIUM HOUSING, LEVER




BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE, LEVER




BLACK PLASTIC COVER


TECHNICAL DRAWING

ARMONICO FIXED W/O HEIGHT ADJUSTMENT






SURFACE COLOURS / FINISHES



POLISHED / CHROME
ALUMINIUM HOUSING



BLACK PAINTED
ALUMINIUM HOUSING



SPECIFICATIONS

TYPE	Knee-tilt mechanism with forward pivot point
TILT ANGLE	16° seat
TILT LOCKING	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment lever
SEAT CONNECTION	— Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
	— Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Black painted
	— Polished
LEVER FINISH	Black
COVER FINISH	RAL 7610
ITEMS PER BOX	34
BOXES PER PALLET	4 boxes (136 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D165 TILT BOLT-ON PLATE 153 X 200 mm

BLACK PAINTED	1020810
POLISHED	1020811


D165 TILT BOLT-ON PLATE 200 X 200 mm

BLACK PAINTED	1020830
POLISHED	1020831


TECHNICAL DRAWING

D165 TILT BOLT-ON PLATE 153 X 200 mm


D165 TILT BOLT-ON PLATE 200 X 200 mm



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING




POLISHED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS



RAL 7610 PLASTIC COVERS



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLES	16° seat
TILT LOCKING	1 position, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome
	— Black painted
LOWER KNOB FINISH	RAL 7610


PRODUCT CODES

MPD38 ALUMINIUM PLATE


POLISHED	1020191
BLACK PAINTED	1020190

TECHNICAL DRAWING

MPD38 ALUMINIUM PLATE



SURFACE COLOURS / FINISHES




POLISHED
HOUSING, LEVER,
SEAT PLATE



BLACK PAINTED
HOUSING, LEVER,
SEAT PLATE



RAL 7610 PLASTIC
LOWER KNOB, COVERS



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLES	13° seat
TILT LOCKING	1 position, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome
	— Black painted
COVER FINISH	RAL 7610
ITEMS PER BOX	84
BOXES PER PALLET	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

MPD38 ALUMINIUM PLATE W/O KNOB


POLISHED	1020301
BLACK PAINTED	1020300

TECHNICAL DRAWING

MPD38 ALUMINIUM PLATE W/O KNOB



SURFACE COLOURS / FINISHES




POLISHED HOUSING, LEVER, SEAT PLATE



BLACK PAINTED HOUSING, LEVER, SEAT PLATE



RAL 7610 PLASTIC COVERS



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLES	16° seat
TILT LOCKING	1 position, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome
	— Black painted
LOWER KNOB FINISH	Black
ITEMS PER BOX	84
BOXES PER PALLET	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

MPD38 METAL PLATE


POLISHED	1020181
BLACK PAINTED	1020180

TECHNICAL DRAWING

MPD38 METAL PLATE



SURFACE COLOURS / FINISHES




POLISHED
HOUSING, LEVER



BLACK PAINTED
HOUSING, LEVER,
SEAT PLATE



BLACK PLASTIC
LOWER KNOB, COVERS



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLES	13° seat
TILT LOCKING	1 position, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome
	— Black painted
COVER FINISH	Black
ITEMS PER BOX	84
BOXES PER PALLET	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

MPD38 METAL PLATE W/O KNOB


POLISHED	1020311
BLACK PAINTED	1020310

TECHNICAL DRAWING

MPD38 METAL PLATE W/O KNOB



SURFACE COLOURS / FINISHES




POLISHED
HOUSING, LEVER



BLACK PAINTED
HOUSING, LEVER,
SEAT PLATE



BLACK PLASTIC
COVERS



SPECIFICATIONS


TYPE	Tilt mechanism
TILT ANGLES	16° seat
TILT LOCKING	1 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
GAS LEVER FINISH	Black
LOWER KNOB FINISH	Black
ITEMS PER BOX	84
BOXES PER PALLET	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


MPD38 SINGLE LOCK	1020162
MPD38 SINGLE LOCK ECO (W/O COVERS)	1020161

TECHNICAL DRAWING

MPD38 SINGLE LOCK / ECO




SURFACE COLOURS / FINISHES



BLACK PAINTED
HOUSING,SEAT PLATE



BLACK PLASTIC
LEVER, COVERS



SPECIFICATIONS


TYPE	Tilt mechanism
TILT ANGLES	16° seat
TILT LOCKING	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
GAS LEVER FINISH	Black
LOWER KNOB FINISH	Black
ITEMS PER BOX	84
BOXES PER PALLET	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


MPD38 MULTIBLOCK	1020012

TECHNICAL DRAWING

MPD38 MULTIBLOCK




SURFACE COLOURS / FINISHES



BLACK PAINTED
HOUSING,SEAT PLATE



BLACK PLASTIC
LEVER, COVERS



SPECIFICATIONS

TYPE	Fixed mechanism
FACTORY SEAT SETUP	2° backward
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
ITEMS PER BOX	10
BOXES PER PALLET	15 boxes (150 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

PF WITH HEIGHT ADJUSTMENT	1050200
PF W/O HEIGHT ADJUSTMENT	1050201


TECHNICAL DRAWING

PF WITH HEIGHT ADJUSTMENT





SURFACE COLOURS / FINISHES



BLACK PAINTED STEEL PLATE, LEVER



BLACK PLASTIC SEAT RAILS, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY





DONATI SLIDING PLATE ADAPTER CODE: 4515220

TECHNICAL DRAWING


PF WITH HEIGHT ADJUSTMENT

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED STEEL PLATE



BLACK PLASTIC SEAT RAILS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220




SPECIFICATIONS	
TYPE	Fixed support
FACTORY SEAT SETUP	3° backward
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.02 x 7.87 in]
MECHANISM SURFACE FINISH	— Polished / Painted — Painted — Sandblasted
DESIGN	Marcello Ziliani
ITEMS PER BOX	25
BOXES PER PALLET	25 boxes (625 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


FIXED SUPPORT	1050520

TECHNICAL DRAWING

FIXED SUPPORT



SURFACE COLOURS



RAL 9002
(GREY WHITE)


RAL 9006
(WHITE ALUMINIUM)

RAL 3004
(PURPLE RED)

YW354F
(VERT SABLÉ)

NW300M
(ANTHRACITE FERRO)

SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT

SANDBLASTED
ALUMINIUM SUPPORT

PAINTED
ALUMINIUM SUPPORT

RELATED PRODUCTS




UNICA BASE COLLECTION



FIXING KIT
CODE: 4510155



TAPERED PLASTIC BUSHING
EXT. Ø44mm → INT. Ø 40mm
CODE: 4516007




SPECIFICATIONS	
TYPE	Swivel support
(OPT.) HEIGHT ADJUSTMENT	By lever
FACTORY SEAT SETUP	3° backward
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.02 x 7.87 in]
MECHANISM SURFACE FINISH	— Polished / Painted
	— Painted
	— Sandblasted
GAS LEVER SURFACE FINISH	— Chrome
	— Painted
DESIGN	Marcello Ziliani
ITEMS PER BOX	25
BOXES PER PALLET	20 boxes (500 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


SWIVEL SUPPORT WITH HEIGHT ADJUSTMENT	1050530
SWIVEL SUPPORT W/O HEIGHT ADJUSTMENT	1050540

TECHNICAL DRAWING


SWIVEL SUPPORT WITH HEIGHT ADJUSTMENT




SURFACE COLOURS




RAL 9002
(GREY WHITE)



RAL 9006
(WHITE ALUMINIUM)



RAL 3004
(PURPLE RED)




YW354F
(VERT SABLÉ)



NW300M
(ANTHRACITE FERRO)

SURFACE FINISHES




PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT



SANDBLASTED
ALUMINIUM SUPPORT




PAINTED
ALUMINIUM SUPPORT,
GAS LEVER




CHROME
GAS LEVER

TECHNICAL DRAWING

SWIVEL SUPPORT W/O HEIGHT ADJUSTMENT



SURFACE COLOURS



RAL 9002
(GREY WHITE)


RAL 9006
(WHITE ALUMINIUM)

RAL 3004
(PURPLE RED)

YW354F
(VERT SABLÉ)

NW300M
(ANTHRACITE FERRO)

SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT

SANDBLASTED
ALUMINIUM SUPPORT

PAINTED
ALUMINIUM SUPPORT

RELATED PRODUCTS

SWIVEL SUPPORT WITH HEIGHT ADJUSTMENT



UNICA BASE COLLECTION



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4510101

SWIVEL SUPPORT W/O HEIGHT ADJUSTMENT




UNICA BASE COLLECTION




SWIVEL FIXING KIT
EXT. Ø 40mm
CODE: 4510150



SWIVEL ADAPTER
EXT. Ø 40mm
CODE: 4510160



Synchro & multi tilt mechanisms



SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	26° backrest / 16° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
(OPT.) SEAT ANGLE ADJUSTMENT	5° backrest / 3° seat
COMFORT	Quick side tension adjustment knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	24
BOXES PER PALLET	4 boxes (96 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


CORE SYNCHRON	1025560
CORE SYNCHRON SEAT ANGLE ADJUSTMENT	1025561


TECHNICAL DRAWING

CORE SYNCHRON OR


CORE SYNCHRON SEAT ANGLE ADJUSTMENT

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS, SEAT RAILS


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS

TYPE	Synchro tilt mechanism with forward pivot point
TILT ANGLE	25° backrest / 16° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment lever
SEAT CONNECTION	— Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
	— Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	— Black painted
	— Polished
LEVER FINISH	Black
COVER FINISH	RAL 7610
ITEMS PER BOX	24
BOXES PER PALLET	4 boxes (96 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D165 SYNCHRON BOLT-ON PLATE 153 X 200 mm

BLACK PAINTED	1030810
POLISHED	1030811

D165 SYNCHRON BOLT-ON PLATE 200 X 200 mm


BLACK PAINTED	1030830
POLISHED	1030831


TECHNICAL DRAWING


D165 SYNCHRON BOLT-ON PLATE 153 X 200 mm

D165 SYNCHRON BOLT-ON PLATE 200 X 200 mm


RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])








SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



POLISHED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS



RAL 7610 PLASTIC COVERS


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] OR 200x200 mm [7.87x7.87 in] CONNECTION



SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	26° backrest / 10° seat
BACKREST TILT LOCK OR	— 11 positions, by lever
BACKREST TRAVEL RESTRICTION	— 4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	6° backrest / 2,4° seat
COMFORT	Side tension adjustment lever
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Customisable
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

DYNAMIC PLUS SYNCHRON	1080101
DYNAMIC PLUS SYNCHRON TRAVEL RESTRICTION	1080151


TECHNICAL DRAWING

DYNAMIC PLUS SYNCHRON OR

DYNAMIC PLUS SYNCHRON TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
LEVERS, COVER


RELATED PRODUCTS



DONATI BOLT-ON
SLIDING OR FIXED
SEAT FAMILY



BOLT-ON SEATS
153x200 mm [6.02x7.87 in]
CONNECTION



SPECIFICATIONS


TYPE	Synchro tilt mechanism
TILT ANGLE	21° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON SYNCHRON	1060604

TECHNICAL DRAWING

EPRON SYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220




SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	20° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON FLEX	1060640

TECHNICAL DRAWING

EPRON FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS


TYPE	Multi tilt mechanism
TILT ANGLE	15° backrest / 5 ° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	From 12° backward to 8° forward
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON ASYNCHRON	1060624

TECHNICAL DRAWING

EPRON ASYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS


TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 8,5° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	— Side tension adjustment lever
	— Side tension adjustment knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON PLUS SYNCHRON	1061815

TECHNICAL DRAWING

EPRON PLUS SYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 8,5° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0°
	— 5° forward
	— Free float
COMFORT	— Side tension adjustment lever
	— Side tension adjustment knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	33
BOXES PER PALLET	4 boxes (132 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON PLUS FLEX	1061715

TECHNICAL DRAWING

EPRON PLUS FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Multi tilt mechanism
TILT ANGLE	23° backrest / 5° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	From 12° backward to 8° forward
COMFORT	— Side tension adjustment lever
	— Side tension adjustment knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	32
BOXES PER PALLET	4 boxes (128 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON PLUS ASYNCHRON	1061760

TECHNICAL DRAWING

EPRON PLUS ASYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220




SPECIFICATIONS	
TYPE	Synchro tilt mech. with forward pivot point
TILT ANGLE	23° backrest / 10° seat
BACKREST TILT LOCK OR BACKREST TRAVEL RESTRICTION	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — RAL 7610
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON RV SYNCHRON	1061001
EPRON RV SYNCHRON TRAVEL RESTRICTION	1061055

TECHNICAL DRAWING

EPRON RV SYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOB



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION




DONATI SLIDING PLATE ADAPTER CODE: 4515220

TECHNICAL DRAWING

EPRON RV SYNCHRON TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220




SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	22° backrest / 11° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0°
	— 5° forward
	— Free float
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black
	— RAL 7610
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON RV FLEX	1061100

TECHNICAL DRAWING

EPRON RV FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOB



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220




SPECIFICATIONS	
TYPE	Synchro tilt mech. with forward pivot point
TILT ANGLE	21° backrest / 10° seat
BACKREST TILT LOCK OR BACKREST TRAVEL RESTRICTION	6 positions, by side knob
HEIGHT ADJUSTMENT	By lever
FORWARD TILT ADJUSTMENT	5° backrest / 2° seat
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — RAL 7610
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON RV FORWARD TILT ADJUSTMENT	1061001
EPRON RV FORWARD TILT ADJ. TRAVEL RESTRICTION	1061055

TECHNICAL DRAWING

EPRON RV FORWARD TILT ADJUSTMENT OR EPRON RV FORWARD TILT ADJUSTMENT TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOBS



RAL 7610 PLASTIC SIDE KNOBS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Synchro tilt mech. with forward pivot point
TILT ANGLE	22° backrest / 9° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment knob
SEAT CONNECTION	DONATI quick connection seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	26
BOXES PER PALLET	4 boxes (104 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

TECNO SYNCHRON (QUICK CONNECTION PLATE)	1080620


TECHNICAL DRAWING

TECNO SYNCHRON (QUICK CONNECTION PLATE)





SURFACE COLOURS / FINISHES



BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
LEVERS, COVER


RELATED PRODUCTS



DONATI QUICK
CONNECTION SLIDING
SEAT FAMILY



DONATI SLIDING
PLATE ADAPTER
CODE: 4515220



SPECIFICATIONS

TYPE	Synchro tilt mech. with forward pivot point
TILT ANGLE	22° backrest / 9° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	26
BOXES PER PALLET	4 boxes (104 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


TECNO SYNCHRON (BOLT-ON PLATE)	1080600

TECHNICAL DRAWING


TECNO SYNCHRON (BOLT-ON PLATE)

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVER


RELATED PRODUCTS




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



Weight activated mechanisms



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	3 positions, by push-button
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
PUSH-BUTTON FINISH	RAL 7610 (plastic)
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 ENTRY LEVEL (RAILS)	1062655

TECHNICAL DRAWING

D109 ENTRY LEVEL (RAILS)



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



RAL 7610 PLASTIC PUSH-BUTTON


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	3 positions, by push-button
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
PUSH-BUTTON FINISH	RAL 7610 (plastic)
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 ENTRY LEVEL (BOLT-ON PLATE)	1062615

TECHNICAL DRAWING

D109 ENTRY LEVEL (BOLT-ON PLATE)



MECHANISM SURFACE FINISH



BLACK PAINTED ALUMINIUM HOUSING, BOLT-ON PLATE



BLACK PLASTIC LEVERS, COVERS



RAL 7610 PLASTIC PUSH-BUTTON


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 SYNCHRON (RAILS)	1062650

TECHNICAL DRAWING

D109 SYNCHRON (RAILS)



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 SYNCHRON (BOLT-ON PLATE)	1062600

TECHNICAL DRAWING

D109 SYNCHRON (BOLT-ON PLATE)



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 TRAVEL RESTRICTION (RAILS)	1062850

TECHNICAL DRAWING

D109 TRAVEL RESTRICTION (RAILS)



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 TRAVEL RESTRICTION (BOLT-ON PLATE)	1062800

TECHNICAL DRAWING

D109 SYNCHRON TRAVEL RESTRICTION (BOLT-ON PLATE)



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
ITEMS PER BOX	28
BOXES PER PALLET	4 boxes (112 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 FLEX	1062700

TECHNICAL DRAWING

D109 FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	32
BOXES PER PALLET	4 boxes (128 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 FLEX TRAVEL RESTRICTION	1062705

TECHNICAL DRAWING

D109 FLEX TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	5° forward, by lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
ITEMS PER BOX	34
BOXES PER PALLET	4 boxes (136 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 SEAT ANGLE ADJUSTMENT	1062652

TECHNICAL DRAWING

D109 SEAT ANGLE ADJUSTMENT



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	5° forward, by lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	44
BOXES PER PALLET	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


D109 SEAT ANGLE ADJ. TRAVEL RESTRICTION	1062852

TECHNICAL DRAWING

D109 SEAT ANGLE ADJUSTMENT TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by button
HEIGHT ADJUSTMENT	By button
SEAT DEPTH ADJUSTMENT	By button
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI Trasla 2 Cable activation only (4515190 seat included)
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
SEAT FINISH	Black (plastic)
ITEMS PER BOX	16
BOXES PER PALLET	4 boxes (64 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 CABLE ACTIVATION	1062950
(TRASLA 2 CABLE SEAT 4515190 INCLUDED)	


OPTIONAL


SMALL UPHOLSTERY PLATE	4515173
LARGE UPHOLSTERY PLATE	4515171

TECHNICAL DRAWING


D109 CABLE ACTIVATION

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC SEAT, COVERS


RELATED PRODUCTS



DONATI TRASLA 2 CABLE ACTIVATION SEAT FAMILY


TECHNICAL DRAWING


SMALL UPHOLSTERY PLATE 4515173




TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE 4515171







SPACE-SAVING CLICK-ON HANDLES

SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	18° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
LEVER & COVER FINISH	Black
ITEMS PER BOX	75
BOXES PER PALLET	4 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


DOPOTUTTO	1062002

TECHNICAL DRAWING

DOPOTUTTO

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



SANDBLASTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	18° backrest / 2° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By integrated lever
COMFORT	Tension fine-tuning by hex key (provided)
SEAT CONNECTION	Integrated with the mechanism
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
ARMREST CONNECTION	DONATI BeO Friendly interface (Bolt-on)
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandbalsted aluminium
LEVER FINISH	— Chrome (plastic) — RAL 7610
OUTER SEAT COLOR	— Black — RAL 9002 (Grey white)
ITEMS PER BOX	24
BOXES PER PALLET	4 boxes (96 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


FRIENDLY WITH BLACK OUTER SEAT	1063001
FRIENDLY WITH WHITE OUTER SEAT	1063004
FRIENDLY W/O OUTER SEAT	1063002


OPTIONAL

UPHOLSTERY PLATE	4515187

TECHNICAL DRAWING

FRIENDLY WITH OUTER SEAT





SURFACE COLOURS / FINISHES



SANDBLASTED ALUMINIUM HOUSING




BLACK PLASTIC COVERS



RAL 9002 PLASTIC COVERS



RAL 7610 PLASTIC LEVERS



CHROME PLASTIC LEVERS


RELATED PRODUCTS



BeO FRIENDLY ARMREST FAMILY (BLACK OR WHITE)

TECHNICAL DRAWING

FRIENDLY W/O OUTER SEAT



SURFACE COLOURS / FINISHES



SANDBLASTED ALUMINIUM HOUSING




BLACK PLASTIC COVERS



RAL 9002 PLASTIC COVERS



RAL 7610 PLASTIC LEVERS



CHROME PLASTIC LEVERS


RELATED PRODUCTS



BeO FRIENDLY ARMREST FAMILY (BLACK OR WHITE)

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE




SPECIFICATIONS	
TYPE	Weight activated synchronized mechanism
TILT ANGLES	18° backrest / 2° seat
BACKREST TILT LOCK	3 positions, by cable activated lever
HEIGHT ADJUSTMENT	By cable activated lever
CABLE LENGTH	320 mm [12.6 in]
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Bolt-on seat rails 175 x 200 mm [6.89 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
LEVER FINISH	— Chrome (plastic) — RAL 7610
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

FRIENDLY 2	1063050

TECHNICAL DRAWING

FRIENDLY 2






SURFACE COLOURS / FINISHES



SANDBLASTED
ALUMINIUM HOUSING



RAL 7610 PLASTIC
LEVERS




CHROME PLASTIC
LEVERS

RELATED PRODUCTS



BOLT-ON SEATS
175x200 mm [6.89x7.87 in]
CONNECTION



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	36
BOXES PER PALLET	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


INEDITO SYNCHRON (RAILS)	1063650

TECHNICAL DRAWING


INEDITO SYNCHRON (RAILS)

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	36
BOXES PER PALLET	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


INEDITO SYNCHRON (BOLT-ON PLATE)	1062600

TECHNICAL DRAWING


INEDITO SYNCHRON (BOLT-ON PLATE)

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	36
BOXES PER PALLET	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


INEDITO TRAVEL RESTRICTION (RAILS)	1063850

TECHNICAL DRAWING


INEDITO TRAVEL RESTRICTION (RAILS)

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	36
BOXES PER PALLET	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


INEDITO TRAVEL RESTRICTION (BOLT-ON)	1062800

TECHNICAL DRAWING


INEDITO TRAVEL RESTRICTION (BOLT-ON PLATE)

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



RAL 7610 PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	28
BOXES PER PALLET	4 boxes (112 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


INEDITO FLEX	1063650

TECHNICAL DRAWING

INEDITO FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS


TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	28
BOXES PER PALLET	4 boxes (112 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


INEDITO FLEX TRAVEL RESTRICTION	1063705

TECHNICAL DRAWING

INEDITO FLEX TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220



SPECIFICATIONS

TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	5° forward, by lever
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	DONATI quick connection seat rails
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES


INEDITO SEAT ANGLE ADJUSTMENT	1063852

TECHNICAL DRAWING


INEDITO SEAT ANGLE ADJUSTMENT

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])





SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI SLIDING PLATE ADAPTER CODE: 4515220



Aluminium bases



SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	707,9 mm [27.87 in]
GLIDES / CASTERS DIAMETER	680 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	94 mm [3.70 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,557 Kg [5,64 lb]
ITEMS PER BOX	48
BOXES PER PALLET (MOQ)	2 boxes (96 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010215
BLACK PAINTED	5010216
SANDBLASTED	5010217


TECHNICAL DRAWING

B.YOU - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	682,6 mm [26.87 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	79 mm [3.11 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,734 Kg [3,82 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

POLISHED	5010200
BLACK PAINTED	5010201
SANDBLASTED	5010202


TECHNICAL DRAWING

B1 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



NYLON VERSION
AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	688,1 mm [27.09 in]
GLIDES / CASTERS DIAMETER	660 mm [25.98 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	127 mm [5.00 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,893 Kg [4,17 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010260
BLACK PAINTED	5010261
SANDBLASTED	5010264


TECHNICAL DRAWING

B1T - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



B1T - NYLON
CODE: 5012010



NYLON VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	— Aluminium — Anti-slip nylon inserts
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	683,4 mm [26.90 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	82 mm [3.23 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted — Sandblasted
WEIGHT	1,850 Kg [4,08 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

POLISHED / BLACK PAINTED	5010247
BLACK PAINTED	5010246
SANDBLASTED	5010241


TECHNICAL DRAWING

DB1.6 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.6 - NYLON
CODE: 5012007





OPTIONAL: CHORME
OR BLACK GLIDE


SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	631 mm [24.84 in]
GLIDES / CASTERS DIAMETER	602 mm [23.70 in]
MORSE CONE DIAMETER	— 40 mm [1.57 in]
	— 50 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
WEIGHT	1,652 Kg [3,64 lb]
ITEMS PER BOX	102
BOXES PER PALLET (MOQ)	2 boxes (204 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

MORSE CONE Ø 40 mm	
POLISHED	5010405
BLACK PAINTED	5010406
SANDBLASTED	5010407
MORSE CONE Ø 50 mm	
POLISHED	5010400
BLACK PAINTED	5010401
SANDBLASTED	5010402


TECHNICAL DRAWING

DB1.8 - ALUMINIUM - 4 STAR - Ø 630 mm



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 40 / 50 mm [1.57 / 1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - 4 STAR
BASE COLLECTION



CHROME GLIDE
CODE: 4510011



BLACK GLIDE
CODE: 4510010





OPTIONAL: CHORME
OR BLACK GLIDE


SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	731 mm [28.78 in]
GLIDES / CASTERS DIAMETER	702 mm [26.64 in]
MORSE CONE DIAMETER	— 40 mm [1.57 in]
	— 50 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
WEIGHT	1,902 Kg [4,19 lb]
ITEMS PER BOX	102
BOXES PER PALLET (MOQ)	2 boxes (204 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

MORSE CONE Ø 40 mm	
POLISHED	5010415
BLACK PAINTED	5010416
SANDBLASTED	5010417
MORSE CONE Ø 50 mm	
POLISHED	5010410
BLACK PAINTED	5010411
SANDBLASTED	5010412


TECHNICAL DRAWING

DB1.8 - ALUMINIUM - 4 STAR - Ø 730 mm



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 40 / 50 mm [1.57 / 1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - 4 STAR
BASE COLLECTION



CHROME GLIDE
CODE: 4510011



BLACK GLIDE
CODE: 4510010





OPTIONAL: CHORME
OR BLACK GLIDE


SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	831 mm [32.71 in]
GLIDES / CASTERS DIAMETER	802 mm [31.57 in]
MORSE CONE DIAMETER	— 40 mm [1.57 in]
	— 50 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
WEIGHT	2,236 Kg [4,93 lb]
ITEMS PER BOX	80
BOXES PER PALLET (MOQ)	2 boxes (160 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

MORSE CONE Ø 40 mm	
POLISHED	5010425
BLACK PAINTED	5010426
SANDBLASTED	5010427
MORSE CONE Ø 50 mm	
POLISHED	5010420
BLACK PAINTED	5010421
SANDBLASTED	5010422


TECHNICAL DRAWING

DB1.8 - ALUMINIUM - 4 STAR - Ø 830 mm



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 40 / 50 mm [1.57 / 1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - 4 STAR
BASE COLLECTION



CHROME GLIDE
CODE: 4510011



BLACK GLIDE
CODE: 4510010



NYLON VERSION
AVAILABLE



OPTIONAL: CHORME
OR BLACK GLIDE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	688,5 mm [27.10 in]
GLIDES / CASTERS DIAMETER	660 mm [25.98 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,021 Kg [4,46 lb]
ITEMS PER BOX	96
BOXES PER PALLET (MOQ)	2 boxes (192 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010280
BLACK PAINTED	5010281
SANDBLASTED	5010282


TECHNICAL DRAWING

DB1.8 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - NYLON
CODE: 5012030



CHROME GLIDE
CODE: 4510011



BLACK GLIDE
CODE: 4510010



NYLON VERSION
AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	711,4 mm [28.01 in]
GLIDES / CASTERS DIAMETER	680 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	69,1 mm [2.72 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted — Sandblasted
WEIGHT	1,980 Kg [4,37 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

POLISHED / BLACK PAINTED	5010290
BLACK PAINTED	5010291
SANDBLASTED	5010292


TECHNICAL DRAWING

DB1.9 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.9 - NYLON
CODE: 5012035



NYLON VERSION
AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	707,4 mm [27.85 in]
GLIDES / CASTERS DIAMETER	680 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	92,5 mm [3.64 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,172 Kg [4,79 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010300
BLACK PAINTED	5010301
SANDBLASTED	5010302

TECHNICAL DRAWING


DB1.13 - ALUMINIUM





— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.13 - NYLON
CODE: 5012045




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	699,2 mm [27.53 in]
GLIDES / CASTERS DIAMETER	670 mm [26.38 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	104,5 mm [4.11 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,229 Kg [4,91 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010340
BLACK PAINTED	5010341
SANDBLASTED	5010342


TECHNICAL DRAWING

DB1.17 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



NYLON VERSION AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	679,1 mm [26.74 in]
GLIDES / CASTERS DIAMETER	655 mm [25.79 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	85,1 mm [3.35 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,287 Kg [5,04 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

POLISHED	5010270
BLACK PAINTED	5010271
SANDBLASTED	5010272


TECHNICAL DRAWING

DB2.6 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB2.6 - NYLON
CODE: 5012015



NYLON VERSION
AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	677,9 mm [26.69 in]
GLIDES / CASTERS DIAMETER	655 mm [25.79 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	120 mm [4.72 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted
	— Black painted
WEIGHT	2,235 Kg [4,93 lb]
ITEMS PER BOX	66
BOXES PER PALLET (MOQ)	2 boxes (132 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]
DESIGN	Hans Thyge


PRODUCT CODES

POLISHED / BLACK PAINTED	5010715
BLACK PAINTED	5010716

TECHNICAL DRAWING


DB2.13 - ALUMINIUM





— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



DB2.13 - NYLON
CODE: 5012040




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	624,8 mm [24.60 in]
GLIDES / CASTERS DIAMETER	580 mm [22.83 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	73,1 mm [2.88 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,710 Kg [3,77 lb]
ITEMS PER BOX	102
BOXES PER PALLET (MOQ)	2 boxes (204 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

POLISHED	5010543
BLACK PAINTED	5010542
SANDBLASTED	5010549


TECHNICAL DRAWING

K600 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



K720 - ALUMINIUM
CODE: 5010541




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	720 mm [28.35 in]
GLIDES / CASTERS DIAMETER	675 mm [26.57 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	73,1 mm [2.88 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,194 Kg [4,84 lb]
ITEMS PER BOX	96
BOXES PER PALLET (MOQ)	2 boxes (192 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010541
BLACK PAINTED	5010540
SANDBLASTED	5010550


TECHNICAL DRAWING

K720 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



K600 - ALUMINIUM
CODE: 5010543




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	656 mm [25.83 in]
GLIDES / CASTERS DIAMETER	610 mm [24.02 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	72,6 mm [2.86 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,892 Kg [4,17 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

POLISHED	5010110
BLACK PAINTED	5010111
SANDBLASTED	5010112


TECHNICAL DRAWING

L1080 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



L2080 - ALUMINIUM
CODE: 5010115



SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	699,7 mm [27.95 in]
GLIDES / CASTERS DIAMETER	654,1 mm [25.75 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	72,6 mm [2.86 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,058 Kg [4,54 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

POLISHED	5010115
BLACK PAINTED	5010116
SANDBLASTED	5010117


TECHNICAL DRAWING

L2080 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



L1080 - ALUMINIUM
CODE: 5010110



METEORA 2: HIGHER
MORSE CONE VERSION



NYLON VERSION
AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	663 mm [26.10 in]
GLIDES / CASTERS DIAMETER	640 mm [25.20 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	92 mm [3.62 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,830 Kg [4,03 lb]
ITEMS PER BOX	48
BOXES PER PALLET (MOQ)	2 boxes (96 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

POLISHED	5010146
BLACK PAINTED	5010145
SANDBLASTED	5010147


TECHNICAL DRAWING

METEORA - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



METEORA - NYLON
CODE: 5012005



METEORA: LOWER
MORSE CONE VERSION



SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	663 mm [26.10 in]
GLIDES / CASTERS DIAMETER	640 mm [25.20 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	134,1 mm [5.28 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
WEIGHT	1,707 Kg [3,76 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

POLISHED	5010251
BLACK PAINTED	5010250


TECHNICAL DRAWING

METEORA 2 - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	667,7 mm [26.29 in]
GLIDES / CASTERS DIAMETER	640 mm [25.20 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	85,1 mm [3.35 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted — Sandblasted
WEIGHT	1,602 Kg [3,53 lb]
ITEMS PER BOX	54
BOXES PER PALLET (MOQ)	2 boxes (108 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

POLISHED / BLACK PAINTED	5010151
BLACK PAINTED	5010150
SANDBLASTED	5010152


TECHNICAL DRAWING

OCTOPUS - ALUMINIUM



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED



NYLON VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	682,4 mm [26.87 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	126 mm [4.72 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,078 Kg [4,58 lb]
ITEMS PER BOX	64
BOXES PER PALLET (MOQ)	2 boxes (128 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]


PRODUCT CODES

POLISHED	5010181
BLACK PAINTED	5010180
SANDBLASTED	5010182

TECHNICAL DRAWING


PRESTO - ALUMINIUM





— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



PRESTO - NYLON
CODE: 5012003



OPTIONAL: HARD FLOOR OR
CARPET FLOOR GLIDE





Ø 820 mm [32.30 IN]
VERSION AVAILABLE


SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	221 mm [8.70 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,911 Kg [4,21 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE (LXWXH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore

PRODUCT CODES

POLISHED	5010460
BLACK PAINTED	5010461
SANDBLASTED	5010462


TECHNICAL DRAWING

SUPERLEGGERA - ALUMINIUM - 4 STAR - Ø 700 mm



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



TAPERED PLASTIC BUSHING
EXT. Ø50mm → INT. Ø 40mm
CODE: 4510165



Ø 40mm GAS SPRING COVER
CODE: 4510166



HARD FLOOR
GLIDE (FELT)
CODE: 4510100



CARPET FLOOR
GLIDE (PU)
CODE: 4510101



OPTIONAL: HARD FLOOR OR
CARPET FLOOR GLIDE





Ø 700 mm [27.58 IN]
VERSION AVAILABLE

SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	820,5 mm [32.30 in]
GLIDES / CASTERS DIAMETER	800 mm [31.50 in]
MORSE CONE DIAMETER	— 40 mm [1.57 in]
	— 50 mm [1.97 in]
CONE TAPER HEIGHT	158 mm [6.22 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
WEIGHT	2,319 Kg [5,11 lb]
DESIGN	Alberto Lievore

PRODUCT CODES

MORSE CONE Ø 40 mm


POLISHED	5010470
BLACK PAINTED	5010472
SANDBLASTED	On request

MORSE CONE Ø 50 mm

POLISHED	5010465
BLACK PAINTED	5010467
SANDBLASTED	On request


TECHNICAL DRAWING

SUPERLEGGERA - ALUMINIUM - 4 STAR - Ø 820 mm



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 40 / 50 mm [1.57 / 1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



Ø 40mm GAS SPRING COVER
CODE: 4510166



HARD FLOOR
GLIDE (FELT)
CODE: 4510100



CARPET FLOOR
GLIDE (PU)
CODE: 4510101



OPTIONAL: HARD FLOOR OR
CARPET FLOOR GLIDE





Ø 640 mm [25.20 IN]
VERSION AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,4 mm [27.58 in]
GLIDES / CASTERS DIAMETER	679,9 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	162,5 mm [6.42 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,988 Kg [4,38 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore

PRODUCT CODES

POLISHED	5010320
BLACK PAINTED	5010321
SANDBLASTED	5010322


TECHNICAL DRAWING

SUPERLEGGERA - ALUMINIUM - 5 STAR - Ø 700 mm



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



TAPERED PLASTIC BUSHING
EXT. Ø50mm → INT. Ø 40mm
CODE: 4510165



Ø 40mm GAS SPRING COVER
CODE: 4510166



HARD FLOOR
GLIDE (FELT)
CODE: 4510100



CARPET FLOOR
GLIDE (PU)
CODE: 4510101



OPTIONAL: HARD FLOOR OR
CARPET FLOOR GLIDE





Ø 700 mm [27.57 IN]
VERSION AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	640,5 mm [25.22 in]
GLIDES / CASTERS DIAMETER	621,9 mm [24.41 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	162,5 mm [6.42 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,809 Kg [3,99 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore


PRODUCT CODES

POLISHED	5010330
BLACK PAINTED	5010331
SANDBLASTED	5010332

TECHNICAL DRAWING


SUPERLEGGERA - ALUMINIUM - 5 STAR - Ø 640 mm





— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



TAPERED PLASTIC BUSHING
EXT. Ø50mm → INT. Ø 40mm
CODE: 4510165



Ø 40mm GAS SPRING COVER
CODE: 4510166



HARD FLOOR
GLIDE (FELT)
CODE: 4510100



CARPET FLOOR
GLIDE (PU)
CODE: 4510101





OPTIONAL: HARD FLOOR OR CARPET FLOOR GLIDE

SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	725,4 mm [28.56 in]
GLIDES / CASTERS DIAMETER	700 mm [27.56 in]
MORSE CONE DIAMETER	— 40 mm [1.57 in]
	— 44 mm [1.73 in]
CONE TAPER HEIGHT	309 mm [12.17 in]
SURFACE COLOURS / FINISHES	— Polished / Painted
	— Painted
	— Sandblasted
WEIGHT	2,760 Kg [6.08 lb]
ITEMS PER BOX	54 / 60
BOXES PER PALLET (MOQ)	2 boxes (108 / 120 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN BY	Marcello Ziliani

PRODUCT CODES

MORSE CONE Ø 40 mm


POLISHED / BLACK PAINTED	5010430
BLACK PAINTED	5010434
SANDBLASTED	5010433

MORSE CONE Ø 44 mm

POLISHED / SILVER PAINTED	5010447


TECHNICAL DRAWING

UNICA - ALUMINIUM




— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 40 / 44 mm [1.57 / 1.73 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]


SURFACE COLOURS




RAL 9002
(GREY WHITE)



RAL 9006
(WHITE ALUMINIUM)



RAL 3004
(PURPLE RED)




YW354F
(VERT SABLÉ)



NW300M
(ANTHRACITE FERRO)

SURFACE FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPPORT COLLECTION



SWIVEL FIXING KIT
EXT. Ø 40mm
CODE: 4510150



SWIVEL ADAPTER
EXT. Ø 40mm
CODE: 4510160



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4510101



TAPERED PLASTIC BUSHING
EXT. Ø44mm → INT. Ø 40mm
CODE: 4516007



HARD FLOOR
GLIDE (FELT)
CODE: 4510100



CARPET FLOOR
GLIDE (PU)
CODE: 4510101



Nylon bases



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	687,6 mm [27.07 in]
GLIDES / CASTERS DIAMETER	660 mm [25.98 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	127 mm [5.00 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 140)
WEIGHT	1,541 Kg [3,40 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]

PRODUCT CODES

NYLON	5012010

TECHNICAL DRAWING

B1T - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 140)

RELATED PRODUCTS



B1T - ALUMINIUM
CODE: 5010260



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	681,2 mm [26.82 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	82 mm [3.23 in]
SURFACE COLOURS / FINISHES	— Base: photoengraved (Novatex 716) — Inserts: Photoengraved (Novatex 016)
WEIGHT	1,631 Kg [3,60 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

NYLON	5012007

TECHNICAL DRAWING

DB1.6 - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



BASE: PHOTOENGRAVED
(NOVATEX 716)



INSERTS: PHOTOENGRAVED
(NOVATEX 016)

RELATED PRODUCTS



DB1.6 - ALUMINIUM
CODE: 5010247



ALUMINIUM
VERSION AVAILABLE



OPTIONAL: CHORME
OR BLACK GLIDE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	708,5 mm [27.89 in]
GLIDES / CASTERS DIAMETER	680 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 136)
WEIGHT	1,607 Kg [3,54 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

NYLON	5012030

TECHNICAL DRAWING

DB1.8 - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 136)

RELATED PRODUCTS



DB1.8 - ALUMINIUM
CODE: 5010280



CHROME GLIDE
CODE: 4510011



BLACK GLIDE
CODE: 4510010



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	711,8 mm [28.02 in]
GLIDES / CASTERS DIAMETER	679,8 mm [26.76 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	69,1 mm [2.72 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 716)
WEIGHT	1,701 Kg [3,75 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

NYLON	5012035

TECHNICAL DRAWING

DB1.9 - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 716)

RELATED PRODUCTS



DB1.9 - ALUMINIUM
CODE: 5010290



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	707,4 mm [27.85 in]
GLIDES / CASTERS DIAMETER	680 mm [26.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	92,5 mm [3.64 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 7381)
WEIGHT	1,651 Kg [3,64 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

NYLON	5012045

TECHNICAL DRAWING

DB1.13 - NYLON





— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES




PHOTOENGRAVED
(NOVATEX 7381)

RELATED PRODUCTS



DB1.13 - ALUMINIUM
CODE: 5010300



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	678,1 mm [26.70 in]
GLIDES / CASTERS DIAMETER	655 mm [25.79 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	85,1 mm [3.35 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 140)
WEIGHT	1,650 Kg [3,64 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

NYLON	5012015

TECHNICAL DRAWING

DB2.6 - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 140)

RELATED PRODUCTS



DB2.6 - ALUMINIUM
CODE: 5010270



ALUMINIUM
VERSION AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	677,9 mm [26.69 in]
GLIDES / CASTERS DIAMETER	655 mm [25.79 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	120 mm [4.72 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 7381)
WEIGHT	1,600 Kg [3,53 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]
DESIGN	Hans Thyge

PRODUCT CODES

NYLON	5012040


TECHNICAL DRAWING

DB2.13 - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)

RELATED PRODUCTS



DB2.13 - ALUMINIUM
CODE: 5010715



ALUMINIUM
VERSION AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	663 mm [26.10 in]
GLIDES / CASTERS DIAMETER	640 mm [25.20 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	92 mm [3.62 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 140)
WEIGHT	1,535 Kg [3,38 lb]
ITEMS PER BOX	48
BOXES PER PALLET (MOQ)	2 boxes (96 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]

PRODUCT CODES

NYLON	5012005

TECHNICAL DRAWING

METEORA - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 140)

RELATED PRODUCTS



METEORA - ALUMINIUM
CODE: 5010146



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	682,4 mm [26.87 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50 mm [1.97 in]
CONE TAPER HEIGHT	126 mm [4.72 in]
SURFACE COLOURS / FINISHES	Photoengraved (Novatex 140)
WEIGHT	1,599 Kg [3,53 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]

PRODUCT CODES

NYLON	5012003

TECHNICAL DRAWING

PRESTO - NYLON



— Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
— Minimum recommended distance between gas cylinder and floor: Aluminium bases 15~20 mm [0.59 ~ 0.79 in] / Nylon bases 30~35 mm [1.18 ~ 1.38 in]

SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 140)

RELATED PRODUCTS



PRESTO - ALUMINIUM
CODE: 5010181



Quick connection seats



SPECIFICATIONS

TYPE	Quick connection seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50 mm [1.97 in] (with 2 clips) — 70 mm [2.76 in] (with 1 clip) — 100 mm [3.94 in] (without clips)
CERTIFICATIONS	— EN1335 — BIFMA (Seat w/o width adj. armrest excluded)
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	— DONATI quick connection sliding seat rails — DONATI universal seat plate
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

TRASLA 2 SEAT


WITH WIDTH ADJUSTABLE ARMREST CONN.	4515193
W/O WIDTH ADJUSTABLE ARMREST CONN.	4515196
WITH BeO 4D TRASLA ARMREST CONNECTION	4515195

UPHOLSTERY PLATE

SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055

TECHNICAL DRAWING

TRASLA 2 - WITH WIDTH ADJUSTABLE ARMREST CONN.



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE


ARMREST FIXING KIT CODES

FIXING KIT WITH ECO ARMBAR (EN1335)	
FOR BeO ALUMINIUM & NYLON ARMREST	4500167
FIXING KIT WITH ARMBAR (BIFMA)	
FOR BeO ALUMINIUM ARMREST	4500117
FOR BeO NYLON ARMREST	4500169
FIXING KIT W/O ARMBAR	On request

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS

TECHNICAL DRAWING

TRASLA 2 - W/O WIDTH ADJUSTABLE ARMREST CONN.



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES


FIXING KIT W/O ARMBAR (EN1335)

FOR Be0 ALUMINIUM – NYLON ARMREST	4501700

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS

TECHNICAL DRAWING

TRASLA 2 - WITH BeO 4D TRASLA ARMREST CONNECTION



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR (BIFMA)

FOR BeO 4D TRASLA ARMREST	4501111

RELATED PRODUCTS



DONATI SEAT RAILS CONNECTION MECHANISMS




DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



BeO 4D TRASLA ARMREST CODE: 4500580


TECHNICAL DRAWING


SMALL UPHOLSTERY PLATE 4515173



TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE 4515171





SPECIFICATIONS

TYPE	Cable activation seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50 mm [1.97 in] (with 2 clips) — 70 mm [2.76 in] (with 1 clip) — 100 mm [3.94 in] (without clips)
INTEGRATED FUNCTIONS	— Height adjustment, by lever — Backrest tilt lock, by lever
CERTIFICATIONS	— EN1335 — BIFMA (Seat w/o width adj. armrest excluded)
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	D109 Cable activation only (1062950)
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

TRASLA 2 - WITH WIDTH ADJUSTABLE ARMREST CONN.

WITH HEIGHT ADJUSTMENT	4515192
WITH HEIGHT ADJUSTMENT & TILT LOCK	4515190

TRASLA 2 - W/O WIDTH ADJUSTABLE ARMREST CONN.

WITH HEIGHT ADJUSTMENT	4515198
WITH HEIGHT ADJUSTMENT & TILT LOCK	4515197

TRASLA 2 - WITH BeO 4D TRASLA ARMREST CONNECTION


WITH HEIGHT ADJUSTMENT	4515194
WITH HEIGHT ADJUSTMENT & TILT LOCK	4515191

UPHOLSTERY PLATE

SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055

TECHNICAL DRAWING

TRASLA 2 - WITH WIDTH ADJUSTABLE ARMREST CONN.



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT WITH ECO ARMBAR (EN1335)	
FOR BeO ALUMINIUM & NYLON ARMREST	4500167
FIXING KIT WITH ARMBAR (BIFMA)	
FOR BeO ALUMINIUM ARMREST	4500117
FOR BeO NYLON ARMREST	4500169
FIXING KIT W/O ARMBAR	On request


RELATED PRODUCTS



DONATI D109 CABLE ACTIVATION MECHANISM
CODE: 1062950

TECHNICAL DRAWING

TRASLA 2 - W/O WIDTH ADJUSTABLE ARMREST CONN.



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR (EN1335)

FOR BeO ALUMINIUM – NYLON ARMREST	4501700


RELATED PRODUCTS



DONATI D109 CABLE
ACTIVATION MECHANISM
CODE: 1062950

TECHNICAL DRAWING

TRASLA 2 - WITH BeO 4D TRASLA ARMREST CONNECTION



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR (BIFMA)

FOR BeO 4D TRASLA ARMREST	4501111

RELATED PRODUCTS




DONATI D109 CABLE ACTIVATION MECHANISM
CODE: 1062950



BeO 4D TRASLA ARMREST
CODE: 4500580


TECHNICAL DRAWING


SMALL UPHOLSTERY PLATE 4515173



TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE 4515171





SPECIFICATIONS

TYPE	Quick connection seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50 mm [1.97 in] (with 2 clips) — 70 mm [2.76 in] (with 1 clip) — 100 mm [3.94 in] (without clips)
CERTIFICATIONS	— EN1335 — BIFMA
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	— DONATI quick connection sliding seat rails — DONATI universal seat plate
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

TRASLA 3 SEAT


WITH WIDTH ADJUSTABLE ARMREST CONN.	4515240
WITH BeO 4D TRASLA ARMREST CONNECTION	4515241

UPHOLSTERY PLATE

SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055

TECHNICAL DRAWING

TRASLA 3 - WITH WIDTH ADJUSTABLE ARMREST CONN.



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR (EN1335 & BIFMA)

FOR BeO ALUMINIUM ARMREST	4501121
FOR BeO NYLON ARMREST	4501120

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS

TECHNICAL DRAWING

TRASLA 3 - WITH BeO 4D TRASLA ARMREST CONNECTION



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR (BIFMA)

FOR BeO 4D TRASLA ARMREST	4501111

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS


TECHNICAL DRAWING


SMALL UPHOLSTERY PLATE 4515173



TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE 4515171





SPECIFICATIONS


TYPE	Quick connection seat for draw string
SEAT DEPTH ADJUSTMENT	— 50 mm [1.97 in] (with 2 clips) — 70 mm [2.76 in] (with 1 clip) — 100 mm [3.94 in] (without clips)
CERTIFICATIONS	— EN1335 — BIFMA
UPHOLSTERY FIXING	By draw string, directly on the seat
ARMREST CONNECTION	Universal, by T-nuts
RELATED ARMREST	BeO 1D (4500750)
MECHANISM CONNECTION	— DONATI quick connection sliding seat rails — DONATI universal seat plate
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

TRASLA 4 SEAT	4515210
PU FOAM	4580072

TECHNICAL DRAWING

TRASLA 4 SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT


RELATED PRODUCTS




BeO 1D ARMREST
CODE: 4500750



DONATI SEAT RAILS
CONNECTION MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



SPECIFICATIONS


TYPE	Sliding plate for wooden / plastic seats
MATERIAL	Nylon
SEAT DEPTH ADJUSTMENT	50 mm [1.97 in], by button
MECHANISM CONNECTION	— DONATI quick connection sliding seat rails — DONATI universal seat plate
ITEMS PER BOX	130
BOXES PER PALLET (MOQ)	4 boxes (520 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

SLIDING PLATE ADAPTER	4515220

TECHNICAL DRAWING

SLIDING PLATE ADAPTER



SURFACE COLOURS / FINISHES




BLACK PLASTIC
SLIDING PLATE


RELATED PRODUCTS




DONATI SEAT RAILS
CONNECTION MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



Bolt-on seats



SPECIFICATIONS

TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed
	— 50 mm [1.97 in], by lever
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
OUTER ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	— DONATI universal seat plate
	— Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
	— Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
FIXED SEAT	
ITEMS PER BOX	70
BOXES PER PALLET	4 boxes (240 items)
SLIDING SEAT	
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]


PRODUCT CODES

CONKA SEAT	
FIXED	4515110
SLIDING (FIXING HOLES 153 X 200 mm)	4515111
SLIDING (FIXING HOLES 200 X 200 mm)	4515114
UPHOLSTERY PLATE	4515112

TECHNICAL DRAWING

CONKA SLIDING SEAT - FIXING HOLES 153 X 200 mm OR

FIXING HOLES 153 X 200 mm



SURFACE COLOURS / FINISHES




PHOTOENGRAVED
(NOVATEX 7381)
SEAT


ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR	
FOR BeO ALUMINIUM ARMREST	4500118
FOR BeO NYLON ARMREST	4500162
FIXING KIT W/O ARMBAR	
FOR BeO ALUMINIUM ARMREST	4500165
FOR BeO NYLON ARMREST	4500164

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

CONKA FIXED SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST	4500118
FOR BeO NYLON ARMREST	4500162


FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST	4500165
FOR BeO NYLON ARMREST	4500164

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE




SPECIFICATIONS	
TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed
	— 80 mm [3.15 in], by lever
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	— DONATI universal seat plate
	— Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
FIXED SEAT	
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
SLIDING SEAT	
ITEMS PER BOX	35
BOXES PER PALLET	4 boxes (140 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

DASH SEAT	
FIXED	4515147
SLIDING	4515144
UPHOLSTERY PLATE	4515141

TECHNICAL DRAWING

DASH SLIDING SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT

ARMREST FIXING KIT CODES


FIXING KIT WITH ECO ARMBAR (EN1335)

FOR BeO ALUMINIUM & NYLON ARMREST	4500167


FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST	4501169
FOR BeO NYLON ARMREST	4501117

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

DASH FIXED SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT

ARMREST FIXING KIT CODES


FIXING KIT WITH ECO ARMBAR (EN1335)

FOR BeO ALUMINIUM & NYLON ARMREST	4500167


FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST	4501169
FOR BeO NYLON ARMREST	4501117

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS

TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed — 100 mm [3.94 in], by lever
CERTIFICATIONS	— EN1335 — BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
OUTER ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	— DONATI universal seat plate — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]


PRODUCT CODES

FLAT SEAT	
FIXED	4515200
SLIDING (FIXING HOLES 153 X 200 mm)	4515201
SLIDING (FIXING HOLES 200 X 200 mm)	4515204
UPHOLSTERY PLATE	4515202

TECHNICAL DRAWING

FLAT SLIDING SEAT - FIXING HOLES 153 X 200 mm OR

FIXING HOLES 153 X 200 mm



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST	4500118
FOR BeO NYLON ARMREST	4500162


FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST	4500165
FOR BeO NYLON ARMREST	4500164

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

FLAT FIXED SEAT



SURFACE COLOURS / FINISHES




PHOTOENGRAVED
(NOVATEX 7381)
SEAT


ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR	
FOR BeO ALUMINIUM ARMREST	4500118
FOR BeO NYLON ARMREST	4500162
FIXING KIT W/O ARMBAR	
FOR BeO ALUMINIUM ARMREST	4500165
FOR BeO NYLON ARMREST	4500164

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS

TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed
	— 80 mm [3.15 in], by lever
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
OUTER ARMREST CONNECTION	Complete DONATI armrest family
MECHANISM CONNECTION	— DONATI universal seat plate
	— Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
	— Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
FIXED SEAT	
ITEMS PER BOX	70
BOXES PER PALLET	4 boxes (240 items)
SLIDING SEAT	
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]


PRODUCT CODES

SLIM SEAT	
FIXED	4515100
SLIDING (FIXING HOLES 153 X 200 mm)	4515101
SLIDING (FIXING HOLES 200 X 200 mm)	4515106
UPHOLSTERY PLATE	4515152

TECHNICAL DRAWING

SLIM SLIDING SEAT - FIXING HOLES 153 X 200 mm OR

FIXING HOLES 153 X 200 mm



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST	4500118
FOR BeO NYLON ARMREST	4500162


FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST	4500165
FOR BeO NYLON ARMREST	4500164

RELATED PRODUCTS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

SLIM FIXED SEAT



SURFACE COLOURS / FINISHES




PHOTOENGRAVED
(NOVATEX 7381)
SEAT


ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR	
FOR BeO ALUMINIUM ARMREST	4500118
FOR BeO NYLON ARMREST	4500162
FIXING KIT W/O ARMBAR	
FOR BeO ALUMINIUM ARMREST	4500165
FOR BeO NYLON ARMREST	4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



Aluminium armrests



SPECIFICATIONS


TYPE	Adjustable 12° armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.57 in] backwards / forwards
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 4D ARMREST (ALUMINIUM)	4500520

TECHNICAL DRAWING

BeO 4D ARMREST (ALUMINIUM)




SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS



POLISHED ALUMINIUM ARMRESTS BRACKET

ALUMINIUM ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500117
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501121
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500118
FIXING KIT W/O ARMBAR	4500165
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501169



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS


TYPE	Adjustable straight armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.57 in] backwards / forwards
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 4D STRAIGHT ARMREST (ALUMINIUM)	4500500

TECHNICAL DRAWING

BeO 4D STRAIGHT ARMREST (ALUMINIUM)




SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS



POLISHED ALUMINIUM ARMRESTS BRACKET

ALUMINIUM ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500117
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501121
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500118
FIXING KIT W/O ARMBAR	4500165
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501169



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS


TYPE	Fixed 12° armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	Fixed
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 432 mm [17.01 in] to 515 mm [20.28 in]
RELATED PAD	Midi only
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

BeO FIXED ARMREST (ALUMINIUM)	4500561


TECHNICAL DRAWING

BeO FIXED ARMREST (ALUMINIUM)





SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM
ARMRESTS

RELATED PRODUCTS



DONATI MIDI
PAD ONLY

ALUMINIUM ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500117
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501121
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500118
FIXING KIT W/O ARMBAR	4500165
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501169



MIDI	
D x W x H [mm]	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



Nylon armrests




SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed (29,0 mm [1.14 in] slot hole)
PAD TO PAD DISTANCE	According to the seat
RELATED PAD	— Midi
	— Cox
RELATED SEATS	— Trasla 4 seat
	— Customers' seat
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 1D ARMREST	4500750

TECHNICAL DRAWING

BeO 1D ARMREST



SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS

RELATED PRODUCTS



TRASLA 4 QUICK CONNECTION SEAT
CODE: 4515210



CUSTOMERS'S SEAT



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SPECIFICATIONS


TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 428 mm [16.85 in] to 512 mm [20.15 in]
RELATED PAD	— Midi
	— Cox
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 2D ARMREST	4500700

TECHNICAL DRAWING

BeO 2D ARMREST



SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS

RELATED PRODUCTS



DONATI MIDI & COX PADS ONLY

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501120
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500162
FIXING KIT W/O ARMBAR	4500164
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501117



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SPECIFICATIONS


TYPE	Adjustable 12° armrest
MATERIAL	Nylon
AVAILABLE ALSO IN	Aluminium
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.57 in] backwards / forwards
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 4D — 12° ARMREST (NYLON)	4500530

TECHNICAL DRAWING

BeO 4D ARMREST (NYLON)



SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501120
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500162
FIXING KIT W/O ARMBAR	4500164
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501117



MIDI	
D x W x H [mm]	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H [mm]	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H [mm]	216 x 112 x 27
D x W x H [in]	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H [mm]	235 x 100 x 27
D x W x H [in]	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H [mm]	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000547




SPECIFICATIONS	
TYPE	Adjustable straight armrest
MATERIAL	Nylon
AVAILABLE ALSO IN	Aluminium
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.57 in] backwards / forwards
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

BeO 4D — STRAIGHT ARMREST (NYLON)	4500510

TECHNICAL DRAWING

BeO 4D — STRAIGHT ARMREST (NYLON)





SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501120
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500162
FIXING KIT W/O ARMBAR	4500164
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501117



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS


TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	32 mm [1.26 in]
PAD TO PAD DISTANCE	From 394 mm [15.51 in] to 517 mm [20.35 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.57 in] backwards / forwards
RELATED SEAT	— Trasla 2 (4515195)
	— Trasla 2 Cable (4515191 / 4515194)
	— Trasla 3 (4515241)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 4D — TRASLA ARMREST	4500580

TECHNICAL DRAWING

BeO 4D — TRASLA ARMREST



SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT (BIFMA)	4501112
FOR TRASLA 3 (BIFMA)	4501111

RELATED PRODUCTS



DONATI TRASLA 2 / TRASLA 2 CABLE QUICK CONNECTION SEAT FAMILY



DONATI TRASLA 3 QUICK CONNECTION SEAT



MIDI	
D x W x H [mm]	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H [mm]	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H [mm]	216 x 112 x 27
D x W x H [in]	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H [mm]	235 x 100 x 27
D x W x H [in]	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H [mm]	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS


TYPE	Fixed 12° armrest
MATERIAL	Nylon
AVAILABLE ALSO IN	Aluminium
HEIGHT ADJUSTMENT	Fixed
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 432 mm [17.01 in] to 515 mm [20.28 in]
RELATED PAD	Midi only
RELATED SEAT	Complete Donati seat family (Trasla 4 excluded)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO FIXED ARMREST (NYLON)	4500552

TECHNICAL DRAWING

BeO FIXED ARMREST (NYLON)



SURFACE COLOURS / FINISHES



BLACK PLASTIC
ARMRESTS

RELATED PRODUCTS



DONATI MIDI
PAD ONLY

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT	
WITH WIDTH ADJUSTABLE CONN. (EN1335)	4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA)	4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335)	4501700
FOR TRASLA 3 (EN1335 — BIFMA)	4501120
SLIM — CONKA — FLAT — CUSTOMERS' SEAT	
FIXING KIT WITH ARMBAR	4500162
FIXING KIT W/O ARMBAR	4500164
DASH SEAT	
FIXING KIT WITH ARMBAR (EN1335)	4500167
FIXING KIT WITH ARMBAR	4501117



MIDI	
D x W x H [mm]	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



SPECIFICATIONS

TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
PAD TO PAD DISTANCE	From 455 mm [17.91 in] to 515 mm [20.28 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.57 in] backwards / forwards
RELATED MECHANISM	— Friendly
	— Friedly without outer seat
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

BeO FRIENDLY ARMREST

BLACK	4500590
WHITE (RAL 9002)	4500591

TECHNICAL DRAWING

BeO FRIENDLY ARMREST



SURFACE COLOURS / FINISHES



BLACK PLASTIC ARMRESTS



RAL 9002 PLASTIC ARMRESTS



RAL 7610 PLASTIC BUTTONS

RELATED PRODUCTS



FRIENDLY MECHANISM COLLECTION



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547

Pads





COX	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	235 x 100 x 27 mm [9.25 x 3.94 x 1.06 in]
RELATED ARMREST	— BeO 1D — BeO 2D — BeO Friendly — BeO 4D Aluminum family (12° / Straight) — BeO 4D Nylon family (12° / Straight / Trasla)

PRODUCT CODES

COX PAD - PU (SOFT)	9000551



MIDI	
TYPE	Pad for BeO armrests
AVAILABLE IN	— PU — PP
DIMENSIONS	219 x 100 x 27 mm [8.62 x 3.94 x 1.06 in]
RELATED ARMREST	— BeO 1D — BeO 2D — BeO Friendly — BeO 4D Aluminum family (12° / Straight) — BeO 4D Nylon family (12° / Straight / Trasla) — BeO Fixed aluminium — BeO Fixed nylon

PRODUCT CODES

MIDI PAD	
PU (SOFT)	9000538
PP (HARD)	9000537



NPR	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	216 x 112 x 27 mm [8.50 x 4.41 x 1.06 in]
RELATED ARMREST	— BeO Friendly
	— BeO 4D Aluminum family (12° / Straight)
	— BeO 4D Nylon family (12° / Straight / Trasla)

PRODUCT CODES

NPR PAD - PU (SOFT)	9000554



SQUARE	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	236 x 112 x 27 mm [9.29 x 4.41 x 1.06 in]
RELATED ARMREST	— BeO Friendly
	— BeO 4D Aluminum family (12° / Straight)
	— BeO 4D Nylon family (12° / Straight / Trasla)

PRODUCT CODES

SQUARE PAD - PU (SOFT)	9000547



STANDARD	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	236 x 112 x 27 mm [9.29 x 4.41 x 1.06 in]
RELATED ARMREST	— BeO Friendly — BeO 4D Aluminum family (12° / Straight) — BeO 4D Nylon family (12° / Straight / Trasla)

PRODUCT CODES

STANDARD PAD - PU (SOFT)	9000515

Back bars






SPECIFICATIONS	
TYPE	Adjustable back bar
MATERIAL	Nylon + GF
HEIGHT ADJUSTMENT	65 mm [2.56 in], by button
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
ANGLE	91°
ITEMS PER BOX	20
BOXES PER PALLET (MOQ)	16 boxes (320 items)
PALLET SIZE (LxWxH)	80 x 120 x 160 cm [31.5 x 47.2 x 63.0 in]

PRODUCT CODES

ACTIVA BACK BAR	4520950

TECHNICAL DRAWING

ACTIVA BACK BAR




SURFACE COLOURS / FINISHES



BLACK PLASTIC
BACK BAR



RAL 7610 PLASTIC
BUTTON




SPECIFICATIONS	
TYPE	Adjustable back bar
MATERIAL	Nylon + GF
HEIGHT ADJUSTMENT	65 mm [2.56 in], ratchet
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
ANGLE	— 83°
	— 88°
ITEMS PER BOX	15
BOXES PER PALLET (MOQ)	20 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 160 cm [31.5 x 47.2 x 63.0 in]

PRODUCT CODES

UP / DOWN BACK BAR - 83°	4520900
UP / DOWN BACK BAR - 88°	4520902

TECHNICAL DRAWING

UP / DOWN BACK BAR - 83°




SURFACE COLOURS / FINISHES



BLACK PLASTIC BACK BAR

TECHNICAL DRAWING

UP / DOWN BACK BAR - 88°



SURFACE COLOURS / FINISHES



BLACK PLASTIC
BACK BAR

DONATI

Donati S.p.A.
Via Paderno, 19
25050 Rodengo Saiano (BS)
phone +39.030.6818711
fax +39.030.6810448
info@donati.eu
www.donati.eu


Edition
January 2018 - REV000

Design
Studio Pitis

Graphic & rendering
Matteo Veneziani

Terms & conditions
Each DONATI product is made in Italy in accordance with a quality process meeting regulations 9001 ISO.
DONATI S.p.A. reserves the right to make changes to the products described in the catalogue, any time without prior notice.

Copyright Notice — Trademarks
® Donati is a registered trademark of Donati S.p.A. — All rights reserved. All information and content on this document is the property of Donati S.p.A. or its licensors. The content is protected by copyright laws, trademark and design rights. Any unauthorized use of the content will be considered a violation intellectual property rights. Unless otherwise stated in this document, no content may be copied, distributed, published or used in any way, in whole or in part, without prior written agreement from Donati S.p.A.



Donati S.p.A.

Via Paderno, 19
25050 Rodengo Saiano
(BS) Italy

phone +39.030.6818711
fax +39.030.6810448
info@donati.eu

www.donati.eu