Technical Masterbook

Mechanisms

FIXED
TILT
SYNCHRO TILT
MULTI TILT
WEIGHT ACTIVATED

Bases

ALUMINUM NYLON

Seats

QUICK CONNECTION BOLT-ON ADAPTER


Armrests


ALUMINUM NYLON PADS

Accessories

BACK BARS
FOOTREST
SWIVEL SUPPORTS
GAS SPRING

DONATI





.. ...

Tilt & fixed mechanisms

| ш |
|----------|
| \times |
| Η. |
| ш |
| ŏ |
| Η. |
| |

| ARMONICO | |
|----------------------------|----|
| - 3D | 09 |
| — ALUMINIUM PLATE | 12 |
| — FIXED (70 x 90 mm) | 15 |
| — FIXED (153 x 200 mm) | 18 |
| — TILT (70 x 90 mm) | 21 |
| — TILT (153 x 200 mm) | 27 |
| D165 (KNEE TILT) | 30 |
| INSTAR | |
| - TILT | 32 |
| — TILT CABLE ACTIVATION | 35 |
| MPD38 | |
| — ALUMINIUM PLATE | 38 |
| — ALUMINIUM PLATE W/O KNOB | 40 |
| - STEEL PLATE | 42 |
| — STEEL PLATE W/O KNOB | 44 |
| - SINGLE / MULTIBLOCK | 46 |
| PF | 50 |
| PLANE 100% | 53 |
| SPIDER | 56 |
| SUPERLEGGERO | 63 |

Synchro & multi tilt mechanisms

| - | |
|---------|--|
| - | |
| - | |
| - | |
| _ | |
| \neg | |
| Σ | |
| | |
| | |
| دة | |
| ري 0 | |
| | |
| 0 | |
| RO | |
| RO | |
| RO | |
| RO | |

| CORE | 69 |
|---------------------------|----|
| D165 (SYNCHRON) | 71 |
| DYNAMIC PLUS | 73 |
| EPRON | |
| - SYNCHRON | 75 |
| — FLEX | 77 |
| - ASYNCHRON | 79 |
| EPRON PLUS | |
| - SYNCHRON | 81 |
| — FLEX | 83 |
| - ASYNCHRON | 85 |
| EPRON RV | |
| - SYNCHRON | 87 |
| — FLEX | 90 |
| — FORWARD TILT ADJUSTMENT | 92 |
| EPRON SOLO | 94 |
| TECNO | 96 |

Weight activated mechanisms

| ш |
|----------|
| _ |
| ⋖ |
| > |
| н |
| ⊢ . |
| ပ |
| V |
| ⊢ |
| I |
| 9 |
| \vdash |
| ш |
| ≽ |
| |

| D109 | |
|-------------------------|-----|
| - ENTRY LEVEL | 101 |
| - SYNCHRON | 105 |
| - TRAVEL RESTRICTION | 109 |
| - FLEX | 113 |
| — SEAT ANGLE ADJUSTMENT | 117 |
| — CABLE ACTIVATION | 121 |
| DOPOTUTTO | 124 |
| FRIENDLY | 126 |
| FRIENDLY 2 | 130 |
| FRIENDLY 3 | 134 |
| INEDITO | |
| - SYNCHRON | 137 |
| - TRAVEL RESTRICTION | 141 |
| - FLEX | 145 |
| - SEAT ANGLE ADJUSTMENT | 149 |

Aluminium bases

| r | | |
|---|--|--|
| ⋖ | | |
| _ | | |
| n | | |
| Ω | | |

| B.KROS | 152 | |
|-------------------------------|-----|--|
| | | |
| B.YOU | 154 | |
| B1 | 156 | |
| B1T | 158 | |
| DB1.6 | 160 | |
| DB1.8 | | |
| - 4 STAR Ø 630 / 730 / 830 mm | 162 | |
| - 5 STAR | 168 | |
| DB1.9 | 170 | |
| DB1.13 | 172 | |
| DB1.17 | 174 | |
| DB2.6 | 176 | |
| DB2.13 | 178 | |
| K600 - K720 | 180 | |
| L1023 | 184 | |
| L1080 - L2080 | 186 | |
| METEORA / METEORA 2 | 190 | |
| OCTOPUS | 194 | |
| PRESTO | 196 | |
| QUOIN | | |
| - 4 STAR | 198 | |
| - 5 STAR | 200 | |
| SUPERLEGGERA | | |
| - 4 STAR LOW | 202 | |
| - 4 STAR MEDIUM | 204 | |
| — 4 STAR HIGH | 206 | |
| - 5 STAR Ø 700 / 640 mm | 209 | |
| TREVI | | |
| - 4 STAR | 213 | |
| - 5 STAR | 215 | |
| UNICA | 218 | |

Nylon bases

| B1T | 222 |
|---------|-----|
| DB1.6 | 224 |
| DB1.8 | 226 |
| DB1.9 | 228 |
| DB1.13 | 230 |
| DB2.6 | 232 |
| DB2.13 | 234 |
| METEORA | 236 |
| PRESTO | 238 |
| QUOIN | 240 |
| | |

| Quick | connection seats | | Armres | sts | |
|-----------------|------------------|-----|--|--------------|-----|
| N O | KITE | 243 | Σ | BeO FIXED | 284 |
| QUICK CONNECTON | TRASLA 2 | 245 | 243 W NI | BeO 4D | |
| X CON | TRASLA 2 CABLE | 250 | ALU | — 12° | 287 |
| DIUC | TRASLA 3 255 | | - STRAIGHT | 291 | |
| | TRASLA 4 | 259 | NO. | BeO FIXED | 295 |
| | | | NYLON | BeO 1D | 298 |
| | | | | BeO 2D | 302 |
| | | | | BeO 4D | |
| Bolt-o | n seats | | | — 12° | 306 |
| | | | | - STRAIGHT | 310 |
| N O | CONKA | 262 | | - TRASLA | 313 |
| BOLT-ON | DASH | 266 | | BeO FRIENDLY | 316 |
| _ | FLAT | 270 | | | |
| | SLIM | 274 | | | |
| | | | Pads | | |
| Adapt | ers | | 4 | сох | 320 |
| | | | P U | FOX | 320 |
| ER | PLATE ADAPTER | 279 | | MIDI | 321 |
| ADAPTER | MODULA 1 | 281 | | NPR | 321 |
| | | | | SQUARE | 322 |
| | | | | STANDARD | 322 |

Back bars

| BLE | ACTIVA | 324 |
|---------|-----------|-----|
| ADJUSTA | UP / DOWN | 326 |
| 4 | | |

Footrests


| BLE | D17 | 329 |
|------------|-------|-----|
| ADJUSTABLE | L1060 | 331 |
| ADJ | L1065 | 333 |
| | | |

Supports / Gas springs

| E | SWIVEL SUPPORT | 335 |
|-------|----------------------------|-----|
| - 50 | GAS SPRING SG215 (Ø 40 mm) | 338 |
| 0 7 0 | GAS SPRING TG205 (Ø 50 mm) | 340 |




Tilt & fixed mechanisms



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | 3D tilt mechanism |
| TILT ANGLE | 7° backwards, 4° forwards, ±4° side tilt |
| FACTORY SEAT SETUP | 3° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome (Zamak) |
| | — Black painted (Zamak) |
| | — Black (Nylon) |
| COVER FINISH | — Black |
| | — Window grey (RAL 7040) |
| ITEMS PER BOX | 12 |
| BOXES PER PALLET (MOQ) | 15 boxes (180 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| ARMONICO 3D WITH HEIGHT ADJUSTMENT | |
|------------------------------------|---------|
| POLISHED | 1020501 |
| BLACK PAINTED | 1020500 |
| ARMONICO 3D W/O HEIGHT ADJUSTMENT | |
| POLISHED | 1020511 |
| BLACK PAINTED | 1020510 |
| | |
| | |





POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER



BLACK PLASTIC LEVER, COVER



WINDOW GREY (RAL 7040) PLASTIC COVER

TECHNICAL DRAWING ARMONICO 3D W/O HEIGHT ADJUSTMENT - 196.5 [7.74] ---23.6 [0.93] - **153.0** [6.02] — − 86.5 [3.41] - Tilt: 7° backward, 4° farward ±4° side 0 0 0 0 0 0 200.0 [7.87] -246.8 [9.71] Ø28.0 mm [1.10 in] Morse cone angle 1°26'16" 00 9.0 [0.35] 0 - 12.0 [0.47] —3.0° 86.1 [3.39] — From seat plate to cone taper Ø28.0 mm [1.10 in]

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC COVER




WINDOW GREY (RAL 7040) PLASTIC COVER



| SPECIFICATIONS | |
|--------------------------|---|
| ТҮРЕ | — Tilt mechanism |
| | — Tilt mechanism with tilt lock |
| TILT ANGLE | 7° backwards, 4° forwards |
| (OPT.) TILT LOCKING | 1 position, by lower button |
| FACTORY SEAT SETUP | 3° backwards |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Aluminium plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome (Zamak) |
| | — Black painted (Zamak) |
| | — Black (Nylon) |
| ITEMS PER BOX | 20 |
| BOXES PER PALLET (MOQ) | 15 boxes (300 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| ARMONICO ALU PLATE WITH TILT LOCK | |
|-----------------------------------|------------|
| POLISHED | 1020654 |
| BLACK PAINTED | 1020653 |
| ARMONICO ALU PLATE W/O TILT LOCK | |
| POLISHED | On request |
| BLACK PAINTED | On request |
| | |
| | |
| | |
| | |





POLISHED ALUMINIUM HOUSING, SEAT PLATE



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LEVER, BUTTON

ARMONICO ALUMINIUM PLATE W/O TILT LOCK Titl: 7' backword, 4' forward 828.0 mm [1.15 in] Morrier come engle 1'120'36'' From seet plate to come toper #28.0 mm [1.10 in]

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, SEAT PLATE




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE

FIXING HOLES 70x90 mm



| SPECIFICATIONS | |
|------------------------------|---|
| TYPE | Fixed support |
| FACTORY SEAT SETUP | 3° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| SEAT CONNECTION | Bolt-on plate 70 x 90 mm [2.76 x 3.54 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome (Zamak) |
| | — Black painted (Zamak) |
| | — Black (Nylon) |
| FIXED WITH HEIGHT ADJUSTMENT | |
| ITEMS PER BOX | 25 |
| BOXES PER PALLET (MOQ) | 15 boxes (375 items) |
| FIXED W/O HEIGHT ADJUSTMENT | |
| ITEMS PER BOX | 30 |
| BOXES PER PALLET (MOQ) | 15 boxes (450 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| ARMONICO FIXED WITH HEIGHT ADJUSTMENT | |
|---------------------------------------|---------|
| POLISHED | 1020454 |
| BLACK PAINTED | 1020453 |
| ARMONICO FIXED W/O HEIGHT ADJUSTMENT | |
| POLISHED | 1020461 |
| BLACK PAINTED | 1020460 |
| | |
| | |

FIXED SUPPORT

ARMONICO FIXED WITH HEIGHT ADJUSTMENT 83.9 [252] 8280 nm [1.10 ln] Morae come angle 2 '20 15' From seel parte to a onetapper #280 nm [1.20 ln]

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER

TECHNICAL DRAWING

ARMONICO FIXED W/O HEIGHT ADJUSTMENT






SURFACE COLOURS / FINISHES

POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING




| SPECIFICATIONS | | |
|------------------------------|---|--|
| TYPE | Fixed support | |
| FACTORY SEAT SETUP | 3° backwards | |
| (OPT.) HEIGHT ADJUSTMENT | By lever | |
| SEAT CONNECTION | Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] | |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] | |
| MECHANISM SURFACE FINISH | — Polished | |
| | — Black painted | |
| GAS LEVER FINISH | — Chrome (Zamak) | |
| | — Black painted (Zamak) | |
| | — Black (Nylon) | |
| FIXED W/O HEIGHT ADJUSTMENT | | |
| ITEMS PER BOX | 16 | |
| BOXES PER PALLET (MOQ) | 15 boxes (240 items) | |
| FIXED WITH HEIGHT ADJUSTMENT | | |
| ITEMS PER BOX | 12 | |
| BOXES PER PALLET (MOQ) | 15 boxes (180 items) | |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] | |

FIXING HOLES 153 x 200 mm

PRODUCT CODES

| ARMONICO FIXED WITH HEIGHT ADJUSTMENT | |
|---------------------------------------|---------|
| POLISHED | 1020458 |
| BLACK PAINTED | 1020457 |
| ARMONICO FIXED W/O HEIGHT ADJUSTMENT | |
| POLISHED | 1020466 |
| BLACK PAINTED | 1020465 |
| | |
| | |





POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC COVER

TECHNICAL DRAWING ARMONICO FIXED W/O HEIGHT ADJUSTMENT - 184.0 [7.24] -17.6 [0.69] - 153.0 [6.02] --72.8 [2.87] 0 0 0 0 234.8 [9.24] Ø28.0 mm [1.10 in] Morse cone angle 1°26'16" 200.0 [7.87] 0 0 _3.0° 12.0 [0.47] 72.4 [2.85] From seat plate to cone taper Ø28.0 mm [1.10 in]


SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING




| SPECIFICATIONS | |
|-----------------------------|---|
| TYPE | Tilt mechanism |
| TILT ANGLE | 7° backwards, 4° forwards |
| FACTORY SEAT SETUP | 3° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Bolt-on plate 70 x 90 mm [2.76 x 3.54 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome (Zamak) |
| | — Black painted (Zamak) |
| | — Black (Nylon) |
| TILT WITH HEIGHT ADJUSTMENT | |
| ITEMS PER BOX | 12 |
| BOXES PER PALLET (MOQ) | 15 boxes (180 items) |
| TILT W/O HEIGHT ADJUSTMENT | |
| ITEMS PER BOX | 16 |
| BOXES PER PALLET (MOQ) | 15 boxes (240 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |
| | |

FIXING HOLES 70x90 mm

PRODUCT CODES

| ARMONICO TILT WITH HEIGHT ADJUSTMENT | |
|--------------------------------------|---------|
| POLISHED | 1020404 |
| BLACK PAINTED | 1020403 |
| ARMONICO TILT W/O HEIGHT ADJUSTMENT | |
| POLISHED | 1020411 |
| BLACK PAINTED | 1020410 |
| | |





POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER



BLACK PLASTIC LEVER, COVER






POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC COVER




| SPECIFICATIONS | |
|--------------------------|---|
| ТҮРЕ | Tilt mechanism with tilt lock button |
| TILT ANGLE | 7° backwards, 4° forwards |
| FACTORY SEAT SETUP | 3° backwards |
| TILT LOCKING | 1 position, by lower button |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Bolt-on plate 70 x 90 mm [2.76 x 3.54 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome (Zamak) |
| | — Black painted (Zamak) |
| | — Black (Nylon) |
| ITEMS PER BOX | 20 |
| BOXES PER PALLET (MOQ) | 15 boxes (300 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

FIXING HOLES 70x90 mm

PRODUCT CODES

| į | ARMONICO TILT LOCK WITH HEIGHT ADJ. | |
|---|-------------------------------------|---------|
| F | POLISHED | 1020604 |
| E | BLACK PAINTED | 1020603 |
| 1 | ARMONICO TILT LOCK W/O HEIGHT ADJ. | |
| F | POLISHED | 1020611 |
| E | BLACK PAINTED | 1020610 |
| | | |





POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER



BLACK PLASTIC LEVER, COVER, BUTTON






POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC COVER, BUTTON




| SPECIFICATIONS | |
|-----------------------------|---|
| TYPE | Tilt mechanism |
| TILT ANGLE | 7° backwards, 4° forwards |
| FACTORY SEAT SETUP | 3° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome (Zamak) |
| | — Black painted (Zamak) |
| | — Black (Nylon) |
| TILT WITH HEIGHT ADJUSTMENT | |
| ITEMS PER BOX | 12 |
| BOXES PER PALLET (MOQ) | 15 boxes (180 items) |
| TILT W/O HEIGHT ADJUSTMENT | |
| ITEMS PER BOX | 16 |
| BOXES PER PALLET (MOQ) | 15 boxes (240 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |
| | |

FIXING HOLES 153 x 200 mm

PRODUCT CODES

| ARMONICO TILT WITH HEIGHT ADJUSTMENT | |
|--------------------------------------|---------|
| POLISHED | 1020445 |
| BLACK PAINTED | 1020443 |
| ARMONICO TILT W/O HEIGHT ADJUSTMENT | |
| POLISHED | 1020416 |
| BLACK PAINTED | 1020415 |
| | |





POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LEVER, COVER






POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC COVER




| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Knee-tilt mechanism |
| TILT ANGLE | 16° |
| TILT LOCKING | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Side tension adjustment crank |
| SEAT CONNECTION | — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| | — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Black painted |
| | — Polished |
| LEVER FINISH | Black |
| COVER FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 34 |
| BOXES PER PALLET (MOQ) | 4 boxes (136 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

KNEE TILT

PRODUCT CODES

| D165 TILT BOLT-ON PLATE 153 X 200 mm | |
|--------------------------------------|---------|
| BLACK PAINTED | 1020810 |
| POLISHED | 1020811 |
| D165 TILT BOLT-ON PLATE 200 X 200 mm | |
| BLACK PAINTED | 1020830 |
| POLISHED | 1020831 |
| | |





BLACK PAINTED ALUMINIUM HOUSING



POLISHED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS



ANTHRACITE GREY (RAL 7016) PLASTIC COVERS



| — Tilt mechanism |
|---|
| — Tilt mechanism with tilt lock |
| - 7° backward, 4° forward (W/O tilt lock) |
| -7° backward (with tilt lock) |
| 1 position, by lever |
| - 2,5° backward (standard version) |
| — 6° backward (lounge version) |
| By lever |
| Factory setup |
| Bolt-on plate 153 x 153 mm [6.02 x 6.02 in] |
| 28,0 mm [1.10 in] |
| — Polished |
| — Black painted |
| — Chrome (Zamak) |
| — Black painted (Zamak) |
| Strand + Hvass |
| |

LEVER ACTIVATION

PRODUCT CODES

| ••••• | |
|----------------------------------|------------|
| INSTAR STANDARD - WITH TILT LOCK | |
| POLISHED | 1022601 |
| BLACK PAINTED | 1022600 |
| INSTAR STANDARD - W/O TILT LOCK | |
| POLISHED | 1022401 |
| BLACK PAINTED | 1022400 |
| INSTAR LOUNGE - WITH TILT LOCK | |
| POLISHED | On request |
| BLACK PAINTED | On request |
| INSTAR LOUNGE - W/O TILT LOCK | |
| POLISHED | 1022451 |
| BLACK PAINTED | 1022450 |
| | |
| | |

TECHNICAL DRAWING INSTAR STANDARD - WITH OR W/O TITL LOCK W/O TILT LOCK VERSION Tilt: 7° backward, 4° farward WITH TILT LOCK VERSION Tilt: 7° backward - 311.8 [12.28] ----- **195.7** [7.70] -76.3 [3.01] 43.8 [1.72] 153.0 [6.02] -60.2 [2.37] --238.0 [9.37] 153.0 [6.02] 7.0 [0.27] - 10.0 [0.39] 2.5°-Ø28.0 mm [1.10 in] Morse cone angle 1°26'16" 57.7 [2.27] From seat plate to cone taper Ø28.0 mm [1.10 in]

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER

INSTAR LOUNGE - WITH OR W/O TITL LOCK W/O TITLOCK VERSION Titl: 7" backward, 4" forward WITH TITLOCK VERSION Titl: 7" backward 311.8 [12.28] 95.8 [3.38] 69.7 [2.74] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.8 [3.58] 69.7 [2.74] 69.7 [2.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.8 [3.58] 69.7 [3.74] 69.8 [3.58] 69.8

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER




| SPECIFICATIONS | |
|--------------------------|---|
| ТҮРЕ | — Tilt mechanism |
| | — Tilt mechanism with tilt lock |
| TILT ANGLES | - 7° backward / 4° forward (W/O tilt lock) |
| | -7° backward (with tilt lock) |
| (OPT.) TILT LOCKING | 1 position, by Bowden cable |
| FACTORY SEAT SETUP | — 2,5° backward (standard version) |
| | — 6° backward (lounge version) |
| HEIGHT ADJUSTMENT | By Bowden cable |
| COMFORT | Factory setup |
| SEAT CONNECTION | Bolt-on plate 153 x 153 mm [6.02 x 6.02 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| DESIGN BY | Strand + Hvass |

CABLE ACTIVATION

PRODUCT CODES

| ••••• | |
|--|------------|
| INSTAR CABLE STANDARD - WITH TILT LOCK | |
| POLISHED | 1022701 |
| BLACK PAINTED | 1022700 |
| INSTAR CABLE STANDARD - W/O TILT LOCK | |
| POLISHED | 1022501 |
| BLACK PAINTED | 1022500 |
| INSTAR CABLE LOUNGE - WITH TILT LOCK | |
| POLISHED | On request |
| BLACK PAINTED | On request |
| INSTAR CABLE LOUNGE - W/O TILT LOCK | |
| POLISHED | On request |
| BLACK PAINTED | On request |
| | |

CABLE ACTIVATION Instar Cable TILT MECHANISM



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER



| SPECIFICATIONS | |
|---------------------------|---|
| ТҮРЕ | Tilt mechanism |
| TILT ANGLES | 16° |
| TILT LOCKING | 1 position, by lever |
| FACTORY SEAT SETUP | 1,5° backwards |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Aluminium plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome |
| | — Black painted |
| LOWER KNOB & COVER FINISH | — Black |
| | — Basalt grey (RAL 7012) |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 4 boxes (336 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| MPD38 ALUMINIUM PLATE | |
|-----------------------|---------|
| POLISHED | 1020191 |
| BLACK PAINTED | 1020190 |

MP038 ALUMINIUM PLATE 352.8 [13.89] 153.0 [8.02] 108.0 (4.25] 825.1 [2.5] Seet tilt: 18" Seet tilt: 18" From seet plate to come toper 928.0 mm [1.10 in]

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, SEAT PLATE



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BASALT GREY (RAL 7012) PLASTIC LOWER KNOB, COVERS



BLACK PLASTIC LOWER KNOB, COVERS



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Tilt mechanism |
| TILT ANGLES | 13° |
| TILT LOCKING | 1 position, by lever |
| FACTORY SEAT SETUP | 1,5° backwards |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Tension fine-tuning by hex key |
| SEAT CONNECTION | Aluminium plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome |
| | — Black painted |
| COVER FINISH | — Black |
| | — Basalt grey (RAL 7012) |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 4 boxes (336 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| MPD38 ALUMINIUM PLATE W/O KNOB | |
|--------------------------------|---------|
| POLISHED | 1020301 |
| BLACK PAINTED | 1020300 |

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, SEAT PLATE



- 12.0 [0.47]

CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE




81.4 [3.20] — From seat plate to cone taper Ø28.0 mm [1.10 in]

BASALT GREY (RAL 7012) PLASTIC COVERS



BLACK PLASTIC COVERS

TECHNICAL DATA SHEET PAG



| SPECIFICATIONS | |
|---------------------------|---|
| ТҮРЕ | Tilt mechanism |
| TILT ANGLES | 16° |
| TILT LOCKING | 1 position, by lever |
| FACTORY SEAT SETUP | 1,5° backwards |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Steel plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome |
| | — Black painted |
| LOWER KNOB & COVER FINISH | Black |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 4 boxes (336 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

STEEL PLATE

PRODUCT CODES

| MPD38 STEEL PLATE | |
|-------------------|---------|
| POLISHED | 1020181 |
| BLACK PAINTED | 1020180 |

MPD38 STEEL PLATE 352.5 [15.87] 183.0 [7.20] 183.0 [8.02] 155.0 [8.02] 155.0 [8.02] 75.6 [2.50] From seed picks to come taper \$22.0 mm [1.10 in]

SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LOWER KNOB, COVERS


STEEL PLATE W/O KNOB MPD38 TILT MECHANISM



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Tilt mechanism |
| TILT ANGLES | 13° |
| TILT LOCKING | 1 position, by lever |
| FACTORY SEAT SETUP | 1,5° backwards |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Tension fine-tuning by hex key |
| SEAT CONNECTION | Steel plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Black painted |
| GAS LEVER FINISH | — Chrome |
| | — Black painted |
| COVER FINISH | — Black |
| | — Basalt grey (RAL 7012) |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 4 boxes (336 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| MPD38 STEEL PLATE W/O KNOB | |
|----------------------------|---------|
| POLISHED | 1020311 |
| BLACK PAINTED | 1020310 |



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BASALT GREY (RAL 7012) PLASTIC COVERS



BLACK PLASTIC COVERS



| SPECIFICATIONS | |
|---------------------------|---|
| TYPE | Tilt mechanism |
| TILT ANGLES | 16° |
| TILT LOCKING | 1 position, by lever |
| FACTORY SEAT SETUP | 1,5° backwards |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| GAS LEVER FINISH | Black |
| LOWER KNOB & COVER FINISH | Black |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 4 boxes (336 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| MPD38 | |
|--------------------------------------|---------|
| SINGLE LOCK | 1020162 |
| SINGLE LOCK ECO (W/O PLASTIC COVERS) | 1020161 |

MPD38 SINGLE LOCK / ECD 335.8 [13.22] 185.0 [7.20] 197.3 [3.94] 77.3 [3.94] 88.0 [1.15 to] Morae cone angle 1 '26 15' From seet plate is come tayer \$2.50 mm [1.15 to]


SURFACE COLOURS / FINISHES







BLACK PLASTIC LEVER, COVERS



| SPECIFICATIONS | |
|---------------------------|---|
| TYPE | Tilt mechanism |
| TILT ANGLES | 16° |
| TILT LOCKING | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| GAS LEVER FINISH | Black |
| LOWER KNOB & COVER FINISH | Black |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 4 boxes (336 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

MPD38

MULTIBLOCK 1020012

MPD38 MULTIBLOCK MPD38 MULTIBLOCK 336.3 [13.24] 185.0 [7.20] 185.0 [8.02] 77.3 [5.04] 77.5 [5.04] From set plate to core taper \$78.8 mm [1.10 m]

SURFACE COLOURS / FINISHES









BLACK PLASTIC LEVER, COVERS





| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Fixed support |
| FACTORY SEAT SETUP | 2° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90 mm [3.5 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| ITEMS PER BOX | 10 |
| BOXES PER PALLET (MOQ) | 15 boxes (150 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| 1050200 |
|---------|
| 1050201 |
| |



SURFACE COLOURS / FINISHES







BLACK PLASTIC SEAT RAILS, LEVER COVER

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SURFACE COLOURS / FINISHES







BLACK PLASTIC SEAT RAILS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Swivel support |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| SEAT CONNECTION | Fixing holes 100 x 100 mm [3.94 x 3.94 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black |
| GAS LEVER FINISH | Black |


SWIVEL


PRODUCT CODES

| PLANE 100% | |
|------------------------|---------|
| WITH HEIGHT ADJUSTMENT | 4515225 |
| W/O HEIGHT ADJUSTMENT | 4515226 |
| | |
| OPTIONAL | |
| | |

GAS SPRING COVER KIT On request

PLANE 100% WITH HEIGHT ADJUSTMENT






SURFACE FINISHES


.....



BLACK PLASTIC SUPPORT AND LEVER

PLANE 100% W/O HEIGHT ADJUSTMENT






SURFACE FINISHES

.....




BLACK PLASTIC SUPPORT




| SPECIFICATIONS | |
|--------------------------|--|
| ТҮРЕ | Swivel support |
| FACTORY SEAT SETUP | 4° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| SEAT CONNECTION | Fixing holes 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished / Painted |
| | — Painted |
| | — Sandblasted |
| | — Other colours available on request |
| GAS LEVER SURFACE FINISH | — Chrome |
| | — Painted |
| DESIGN | Marcello Ziliani |
| ITEMS PER BOX | 25 |
| BOXES PER PALLET (MOQ) | 20 boxes (500 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| SPIDER SWIVEL WITH HEIGHT ADJUSTMEN | Ι |
|-------------------------------------|---------|
| POLISHED / BLACK PAINTED | 1050510 |
| POLISHED / SILVER PAINTED | 1050547 |
| WHITE (RAL 9002) PAINTED | 1050540 |
| GREY (RAL 9006) PAINTED | 1050541 |
| RED (RAL 3004) PAINTED | 1050544 |
| VERT SABLÉ (YW354F) PAINTED | 1050543 |
| ANTHRACITE (NW300M) PAINTED | 1050542 |
| BLACK PAINTED | 1050548 |
| SANDBLASTED | 1050513 |
| SPIDER SWIVEL W/O HEIGHT ADJUSTMENT | |
| POLISHED / BLACK PAINTED | 1050505 |
| POLISHED / SILVER PAINTED | 1050506 |
| WHITE (RAL 9002) PAINTED | 1050530 |
| GREY (RAL 9006) PAINTED | 1050531 |
| RED (RAL 3004) PAINTED | 1050534 |
| VERT SABLÉ (YW354F) PAINTED | 1050533 |
| ANTHRACITE (NW300M) PAINTED | 1050532 |
| BLACK PAINTED | 1050509 |
| SANDBLASTED | 1050508 |
| | |

SPIDER SWIVEL WITH HEIGHT ADJUSTMENT





SURFACE COLOURS



RAL 9002 (WHITE)



RAL 9006 (GREY)



RAL 3004 (RED)



YW354F (VERT SABLÉ)



NW300M (ANTHRACITE)

SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT





PAINTED ALUMINIUM SUPPORT, ZAMAK GAS LEVER



CHROME ZAMAK GAS LEVER

SPIDER SWIVEL W/O HEIGHT ADJUSTMENT





SURFACE COLOURS



RAL 9002 (WHITE)



RAL 9006 (GREY)



RAL 3004 (RED)



YW354F (VERT SABLÉ)



NW300M (ANTHRACITE)

SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



PAINTED ALUMINIUM SUPPORT

RELATED PRODUCTS

SPIDER SWIVEL WITH HEIGHT ADJUSTMENT



UNICA BASE COLLECTION

SG215 40 B CHROME GAS SPRING EXT. Ø44mm CODICE: 4500085

SPIDER SWIVEL W/O HEIGHT ADJUSTMENT





UNICA BASE COLLECTION


SWIVEL ADAPTERS EXT. Ø 40mm CODES: 4510160/1/2/3




| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Fixed support |
| FACTORY SEAT SETUP | 4° backwards |
| SEAT CONNECTION | Fixing holes 153 x 200 mm [6.02 x 7.87 in] |
| TAPERED PIN DIAMETER | 39,5 mm [1.56 in] |
| MECHANISM SURFACE FINISH | — Polished / Painted |
| | — Painted |
| | — Sandblasted |
| | — Other colours available on request |
| DESIGN | Marcello Ziliani |
| ITEMS PER BOX | 25 |
| BOXES PER PALLET (MOQ) | 25 boxes (625 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| SPIDER FIXED | |
|-----------------------------|------------|
| POLISHED / BLACK PAINTED | 1050500 |
| POLISHED / SILVER PAINTED | 1050501 |
| WHITE (RAL 9002) PAINTED | 1050520 |
| GREY (RAL 9006) PAINTED | 1050521 |
| RED (RAL 3004) PAINTED | 1050524 |
| VERT SABLÉ (YW354F) PAINTED | 1050523 |
| ANTHRACITE (NW300M) PAINTED | 1050522 |
| BLACK PAINTED | On request |
| SANDBLASTED | 1050503 |
| | |

SPIDER FIXED





SURFACE COLOURS



RAL 9002 (WHITE)



RAL 9006 (GREY)



RAL 3004 (RED)



YW354F (VERT SABLÉ)



NW300M (ANTHRACITE)

SURFACE FINISHES



PAINTED TOP POLISHED BOTTOM ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



PAINTED ALUMINIUM SUPPORT

RELATED PRODUCTS





UNICA BASE COLLECTION


FIXING KIT CODE: 4510155




| SPECIFICATIONS | |
|--------------------------|--|
| ТҮРЕ | Swivel support |
| FACTORY SEAT SETUP | 3° backwards |
| (OPT.) HEIGHT ADJUSTMENT | By lever |
| SEAT CONNECTION | Fixing holes 153 x 200 mm [6.02 x 7.87 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Polished |
| | — Painted |
| | — Sandblasted |
| | — Other colours available on request |
| GAS LEVER FINISH | — Chrome |
| | — Painted |

| SUPERLEGGERO SWIVEL WITH HEIGHT ADJUS | TMENT | |
|---|---------|--|
| POLISHED | 1050620 | |
| WHITE (RAL 9002) PAINTED | 1050621 | |
| SUPERLEGGERO SWIVEL W/O HEIGHT ADJUSTMENT | | |
| POLISHED | 1050610 | |
| WHITE (RAL 9002) PAINTED | 1050611 | |
| SANDBLASTED | 1050612 | |
| | | |

SUPERLEGGERO SWIVEL WITH HEIGHT ADJUSTMENT





SURFACE FINISHES



 ${\tt POLISHED}$ ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



WHITE PAINTED (RAL 9002) ALUMINIUM SUPPORT



CHROME ZAMAK GAS LEVER

RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION





SG215 40 B CHROME GAS SPRING EXT. Ø44mm CODE: 4500085



TAPERED PLASTIC BUSHING EXT. Ø50mm>INT. Ø40mm CODE: 4510165

SUPERLEGGERO SWIVEL W/O HEIGHT ADJUSTMENT





SURFACE FINISHES



POLISHED ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



WHITE PAINTED (RAL 9002) ALUMINIUM SUPPORT

RELATED PRODUCTS



SUPERLEGGERA 4 STAR [MORSE CONE Ø 40mm] BASE COLLECTION




SWIVEL ADAPTERS EXT. Ø 40mm CODES: 4510160/1/2/3




| TYPE Fixed support 5° backwards 5EAT CONNECTION Fixing holes 153 x 200 mm [6.02 x 7.87 in] TAPERED PIN DIAMETER 39,5 mm [1.56 in] MECHANISM SURFACE FINISH — Polished — Painted | SPECIFICATIONS | |
|---|--------------------------|--|
| SEAT CONNECTION Fixing holes 153 x 200 mm [6.02 x 7.87 in] TAPERED PIN DIAMETER 39,5 mm [1.56 in] MECHANISM SURFACE FINISH — Polished — Painted | TYPE | Fixed support |
| TAPERED PIN DIAMETER 39,5 mm [1.56 in] MECHANISM SURFACE FINISH — Polished — Painted | FACTORY SEAT SETUP | 3° backwards |
| MECHANISM SURFACE FINISH — Polished — Painted | SEAT CONNECTION | Fixing holes 153 x 200 mm [6.02 x 7.87 in] |
| — Painted | TAPERED PIN DIAMETER | 39,5 mm [1.56 in] |
| 1 4 | MECHANISM SURFACE FINISH | — Polished |
| | | — Painted |
| — Sandblasted | | — Sandblasted |
| — Other colours available on request | | — Other colours available on request |

| SUPERLEGGERO FIXED | |
|--------------------------|---------|
| POLISHED | 1050600 |
| WHITE (RAL 9002) PAINTED | 1050601 |

SUPERLEGGERO FIXED





SURFACE FINISHES



POLISHED ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



WHITE PAINTED (RAL 9002) ALUMINIUM SUPPORT

RELATED PRODUCTS




SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



FIXING KIT CODE: 4510155





| SPECIFICATIONS | |
|------------------------------|---|
| ТҮРЕ | Synchro tilt mechanism |
| TILT ANGLE | 26° backrest / 16° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| (OPT.) SEAT ANGLE ADJUSTMENT | 5° backrest / 3° seat |
| COMFORT | Quick side tension adjustment knob |
| SEAT CONNECTION | Donati quick connection seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 24 |
| BOXES PER PALLET (MOQ) | 4 boxes (96 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |


SYNCHRON

PRODUCT CODES

CORE

SYNCHRON 1025560

SYNCHRON SEAT ANGLE ADJUSTMENT 1025561



SURFACE COLOURS / FINISHES







BLACK PLASTIC LEVERS, COVERS, SEAT RAILS

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro knee-tilt mechanism |
| TILT ANGLE | 25° backrest / 16° seat |
| FACTORY SEAT SETUP | 3° farward |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Side tension adjustment crank |
| SEAT CONNECTION | — Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in] |
| | — Bolt-on plate 200,0 x 200,0 mm [7.87 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | — Black painted |
| | — Polished |
| LEVER FINISH | Black |
| COVER FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 24 |
| BOXES PER PALLET (MOQ) | 4 boxes (96 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

SYNCHRON

PRODUCT CODES

| D165 SYNCHRON BOLT-ON PLATE 153 X 200 mm | | |
|--|---------|--|
| BLACK PAINTED | 1030810 | |
| POLISHED | 1030811 | |
| D165 SYNCHRON BOLT-ON PLATE 200 X 200 mm | | |
| BLACK PAINTED | 1030830 | |
| POLISHED | 1030831 | |





BLACK PAINTED ALUMINIUM HOUSING



POLISHED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS



ANTHRACITE GREY (RAL 7016) PLASTIC COVERS

RELATED PRODUCTS




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] <u>OR</u> 200x200 mm [7.9X7.9 in] CONNECTION

TECHNICAL DATA SHEET PAG 7




| SPECIFICATIONS | |
|------------------------------|---|
| TYPE | Synchro tilt mechanism |
| TILT ANGLE | 26° backrest / 10° seat |
| BACKREST TILT LOCK <u>OR</u> | — 11 positions, by lever |
| BACKREST TRAVEL RESTRICTION | — 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| FORWARD TILT ADJUSTMENT | 6° backrest / 2,4° seat |
| COMFORT | Side tension adjustment crank |
| SEAT CONNECTION | Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Customisable |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

SYNCHRON

PRODUCT CODES

| DYNAMIC PLUS | |
|-----------------------------|---------|
| SYNCHRON | 1080101 |
| SYNCHRON TRAVEL RESTRICTION | 1080151 |









BLACK PLASTIC LEVERS, COVER

RELATED PRODUCTS








BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION


TECHNICAL DATA SHEET PAG 74



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro tilt mechanism |
| TILT ANGLE | 21° backrest / 11° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 44 |
| BOXES PER PALLET (MOQ) | 4 boxes (176 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

EPRON

SYNCHRON 1060604









BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro tilt mechanism |
| TILT ANGLE | 20° backrest / 11° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

EPRON
FLEX 1060770

DONATI





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Multi tilt mechanism |
| TILT ANGLE | 15° backrest |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | From 4° backward to 8° forward |
| COMFORT | Lower tension adjustment knob |
| SEAT CONNECTION | Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

EPRON

ASYNCHRON 1060624









BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS









BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION

TECHNICAL DATA SHEET PAG 80



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro tilt mechanism |
| TILT ANGLE | 23° backrest / 8,5° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | — Side tension adjustment crank <u>or</u> |
| | — Side tension adjustment knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 44 |
| BOXES PER PALLET (MOQ) | 4 boxes (176 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

EPRON PLUS
SYNCHRON 1061815





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro tilt mechanism |
| TILT ANGLE | 23° backrest / 8,5° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | — Side tension adjustment crank <u>or</u> |
| | — Side tension adjustment knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 33 |
| BOXES PER PALLET (MOQ) | 4 boxes (132 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

FLEX

PRODUCT CODES

EPRON PLUS

FLEX 1061715









BLACK PLASTIC LEVERS, SEAT PLATE, COVER



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|--------------------------|---|
| ТҮРЕ | Multi tilt mechanism |
| TILT ANGLE | 17,5° backrest |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | From 2,5° backward to 6,5° forward |
| COMFORT | — Side tension adjustment crank <u>or</u> |
| | — Side tension adjustment knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 32 |
| BOXES PER PALLET (MOQ) | 4 boxes (128 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

EPRON PLUS
ASYNCHRON 1061761





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|------------------------------|--|
| ТҮРЕ | Synchro tilt mechanism |
| TILT ANGLE | 23° backrest / 10° seat |
| BACKREST TILT LOCK <u>OR</u> | — 5 positions, by lever |
| BACKREST TRAVEL RESTRICTION | |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Quick side tension adjustment (7 steps) knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | — Black |
| | — Traffic grey (RAL 7043) |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

SYNCHRON

PRODUCT CODES

| EPRON RV | |
|-----------------------------|---------|
| SYNCHRON | 1061001 |
| SYNCHRON TRAVEL RESTRICTION | 1061055 |





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOB



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION




DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270


FLEX



| SPECIFICATIONS | |
|--------------------------|--|
| ТҮРЕ | Synchro tilt mechanism |
| TILT ANGLE | 22° backrest / 11° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | Quick side tension adjustment (7 steps) knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | — Black |
| | — Traffic grey (RAL 7043) |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

EPRON RY
FLEX 1061100





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOB



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|------------------------------|--|
| ТҮРЕ | Synchro tilt mechanism |
| TILT ANGLE | 21° backrest / 10° seat |
| BACKREST TILT LOCK <u>OR</u> | — 6 positions, by side knob |
| BACKREST TRAVEL RESTRICTION | |
| HEIGHT ADJUSTMENT | By lever |
| FORWARD TILT ADJUSTMENT | 5° backrest / 2° seat |
| COMFORT | Quick side tension adjustment (7 steps) knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | — Black |
| | — Traffic grey (RAL 7043) |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| EPRON RV | |
|--------------------------------------|---------|
| FORWARD TILT ADJUSTMENT | 1061200 |
| FORWARD TILT ADJ. TRAVEL RESTRICTION | 1061055 |





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOBS



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro tilt mechanism |
| TILT ANGLE | 21° backrest / 11° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Tension fine-tuning by hex key |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |

EPRON SOLO

SYNCHRON 1064604





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|--------------------------|---|
| ТҮРЕ | Synchro tilt mechanism with forward pivot point |
| TILT ANGLE | 22° backrest / 9° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Side tension adjustment knob |
| SEAT CONNECTION | Donati quick connection seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 26 |
| BOXES PER PALLET (MOQ) | 4 boxes (104 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

SYNCHRON

PRODUCT CODES

TECNO

QUICK CONNECTION SEAT PLATE 1080620





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270


TECHNICAL DATA SHEET PAG 97



| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Synchro tilt mechanism with forward pivot point |
| TILT ANGLE | 22° backrest / 9° seat |
| BACKREST TILT LOCK | 5 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Side tension adjustment knob |
| SEAT CONNECTION | Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 26 |
| BOXES PER PALLET (MOQ) | 4 boxes (104 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

TECNO

BOLT-ON PLATE 1080600









BLACK PLASTIC LEVERS, COVER

RELATED PRODUCTS








BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION

TECHNICAL DATA SHEET PAG 99



D109 WEIGHT-ACTIVATED MECHANISM




| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 3 positions, by push-pull button |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE BUTTON FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 44 |
| BOXES PER PALLET (MOQ) | 4 boxes (176 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

ENTRY LEVEL

PRODUCT CODES

D109 ENTRY LEVEL

QUICK CONNECTION SEAT RAILS 1062655





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC PUSH-BUTTON

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270

TECHNICAL DATA SHEET

D109 WEIGHT-ACTIVATED MECHANISM




| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 3 positions, by push-button |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE BUTTON FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 44 |
| BOXES PER PALLET (MOQ) | 4 boxes (176 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

ENTRY LEVEL

PRODUCT CODES

D109 ENTRY LEVEL

BOLT-ON SEAT PLATE 1062615





BLACK PAINTED ALUMINIUM HOUSING, BOLT-ON PLATE



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC PUSH-BUTTON

RELATED PRODUCTS




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION

TECHNICAL DATA SHEET PAG 104

D109 WEIGHT-ACTIVATED MECHANISM




| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension fine-tuning knob |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

TILT LOCK

PRODUCT CODES

D109 TILT LOCK

QUICK CONNECTION SEAT RAILS 1062650





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270

TECHNICAL DATA SHEET

D109 WEIGHT-ACTIVATED MECHANISM




| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Lower tension fine-tuning knob |
| SEAT CONNECTION | Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

TILT LOCK

PRODUCT CODES

D109 TILT LOCK

BOLT-ON SEAT PLATE 1062600









BLACK PLASTIC LEVERS, COVERS

RELATED PRODUCTS








BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION

D109 TRAVEL RESTRICTION WEIGHT-ACTIVATED MECHANISM



| SPF | CIFI | CATI | ONS |
|-------|---------|------|------|
| 9 I L | · · · · | | 0113 |

TYPE Weight-activated synchronized mechanism TILT ANGLES 20° backrest / 6,5° seat BACKREST TRAVEL RESTRICTION 4 positions, by side knob HEIGHT ADJUSTMENT By lever COMFORT Lower tension fine-tuning knob SEAT CONNECTION Donati quick connection sliding seat rails BACK BAR CONNECTION Donati standard (width 90,0 mm [3.54 in]) MORSE CONE DIAMETER 28,0 mm [1.10 in]

MECHANISM SURFACE FINISH Black painted LEVER FINISH

Black

SIDE KNOB FINISH Anthracite grey (RAL 7016)

ITEMS PER BOX

BOXES PER PALLET (MOQ) 4 boxes (176 items)


PALLET SIZE (LxWxH) 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 TRAVEL RESTRICTION

QUICK CONNECTION SEAT RAILS 1062850

DONATI PAG





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270

TRAVEL RESTRICTION D109 WEIGHT-ACTIVATED MECHANISM




| SP | EC | ΙFΙ | CA. | гіо | N S |
|----|----|-----|-----|-----|-----|
| | | | | | |

TYPE Weight-activated synchronized mechanism TILT ANGLES 20° backrest / 6,5° seat BACKREST TRAVEL RESTRICTION 4 positions, by side knob HEIGHT ADJUSTMENT By lever COMFORT Lower tension fine-tuning knob SEAT CONNECTION Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in] BACK BAR CONNECTION Donati standard (width 90,0 mm [3.54 in]) MORSE CONE DIAMETER 28,0 mm [1.10 in] MECHANISM SURFACE FINISH Black painted LEVER FINISH Black SIDE KNOB FINISH Anthracite grey (RAL 7016) ITEMS PER BOX BOXES PER PALLET (MOQ) 4 boxes (176 items) PALLET SIZE (LxWxH) 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 TRAVEL RESTRICTION

BOLT-ON SEAT PLATE 1062800





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS








BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION


FLEX TILT LOCK D109 WEIGHT-ACTIVATED MECHANISM



| SPECIFICATIONS | |
|--------------------------|---|
| ТҮРЕ | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | Lower tension fine-tuning knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 28 |
| BOXES PER PALLET (MOQ) | 4 boxes (112 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

D109 FLEX
TILT LOCK 1062700





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION




DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270

FLEX TRAVEL RESTRICTION D109 WEIGHT-ACTIVATED MECHANISM




| SPECIFICATIONS | |
|-----------------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TRAVEL RESTRICTION | 4 positions, by side knob |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | Lower tension fine-tuning knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 32 |
| BOXES PER PALLET (MOQ) | 4 boxes (128 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

D109 FLEX

TRAVEL RESTRICTION 1062705





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | 4° forward, by lever |
| COMFORT | Lower tension fine-tuning knob |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| ITEMS PER BOX | 34 |
| BOXES PER PALLET (MOQ) | 4 boxes (136 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

D109 SEAT ANGLE ADJUSTMENT

TILT LOCK 1062652









BLACK PLASTIC LEVERS, SEAT RAILS, COVERS

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPEC | IFICAT | IONS |
|---------|--------|------|
| 3 I L C | | |

TYPE Weight-activated synchronized mechanism TILT ANGLES 20° backrest / 6,5° seat BACKREST TRAVEL RESTRICTION 4 positions, by side knob HEIGHT ADJUSTMENT By lever SEAT ANGLE ADJUSTMENT 5° forward, by lever COMFORT Lower tension fine-tuning knob SEAT CONNECTION Donati quick connection sliding seat rails BACK BAR CONNECTION Donati standard (width 90,0 mm [3.54 in]) MORSE CONE DIAMETER 28,0 mm [1.10 in] MECHANISM SURFACE FINISH Black painted LEVER FINISH Black SIDE KNOB FINISH Anthracite grey (RAL 7016) ITEMS PER BOX 44 BOXES PER PALLET (MOQ) 4 boxes (176 items) PALLET SIZE (LxWxH) 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 SEAT ANGLE ADJUSTMENT

TRAVEL RESTRICTION 1062852





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270






| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by seat integrated lever |
| HEIGHT ADJUSTMENT | By seat integrated lever |
| SEAT DEPTH ADJUSTMENT | By seat integrated lever |
| COMFORT | Lower tension fine-tuning knob |
| SEAT CONNECTION | Donati Trasla 2 Cable only |
| | (seat included: 4515190) |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| SEAT FINISH | Black |
| ITEMS PER BOX | 16 |
| BOXES PER PALLET (MOQ) | 4 boxes (64 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| 1062950 |
|------------|
| |
| |
| 4515173 |
| 4515171 |
| 4580055 |
| 4580060 |
| |
| |
| |
| On request |
| |
| |
| |











BLACK PLASTIC SEAT, LEVERS, COVERS


RELATED PRODUCTS



DONATI TRASLA 2 CABLE ACTIVATION SEAT FAMILY








| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 18° backrest / 6° seat |
| BACKREST TILT LOCK | 3 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Factory setup |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| LEVER & COVER FINISH | Black |
| ITEMS PER BOX | 75 |
| BOXES PER PALLET (MOQ) | 4 boxes (300 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

SYNCHRON

PRODUCT CODES

<u>DOPOTUTTO</u> 1062002





BLACK PLASTIC LEVERS, SEAT PLATE, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 18° backrest / 1° seat |
| FACTORY SEAT SETUP | 1,5° backward |
| BACKREST TILT LOCK | 3 positions, by integrated lever |
| HEIGHT ADJUSTMENT | By seat integrated lever |
| COMFORT | Tension fine-tuning by hex key (provided) |
| SEAT CONNECTION | Integrated with the mechanism |
| BACK BAR CONNECTION | Width 100,0 mm [3.94 in] |
| RELATED ARMREST | Donati BeO Friendly |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| LEVER FINISH | Anthracite grey (RAL 7016) |
| OUTER SEAT COLOR | — Black |
| | — Grey white (RAL 9002) |
| ITEMS PER BOX | 24 |
| BOXES PER PALLET (MOQ) | 4 boxes (96 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| FRIENDLY | |
|-----------------------|---------|
| WITH BLACK OUTER SEAT | 1063001 |
| WITH WHITE OUTER SEAT | 1063004 |
| W/O OUTER SEAT | 1063002 |
| UPHOLSTERY PLATE | 4515187 |
| | |
| OPTIONAL | |
| | |
| BeO FRIENDLY ARMREST | |
| BLACK | 4500590 |
| GREY WHITE (RAL 9002) | 4500591 |
| | |
| | |
| | |
| | |





BLACK PLASTIC COVERS



GREY WHITE (RAL 9002) PLASTIC COVERS




ANTHRACITE GREY (RAL 7016) PLASTIC LEVERS

RELATED PRODUCTS



BeO FRIENDLY ARMREST FAMILY (BLACK OR WHITE)





BLACK PLASTIC COVERS



GREY WHITE (RAL 9002) PLASTIC COVERS




ANTHRACITE GREY (RAL 7016) PLASTIC LEVERS

RELATED PRODUCTS




BeO FRIENDLY ARMREST FAMILY (BLACK OR WHITE)





BLACK PLASTIC UPHOLSTERY PLATE




| SI | P E | СI | FΙ | C A | T I | 0 | N S | |
|----|-----|----|----|-----|-----|---|-----|--|
| | | | | | | | | |

CABLE ACTIVATION

| TYPE | Weight-activated synchronized mechanism |
|--------------------------|--|
| TILT ANGLES | 18° backrest / 1° seat |
| FACTORY SEAT SETUP | 1,5° backward |
| BACKREST TILT LOCK | 3 positions, by cable activated lever |
| HEIGHT ADJUSTMENT | By cable activated lever |
| CABLE LENGTH | 320 mm [12.6 in] |
| COMFORT | Tension fine-tuning by hex key |
| SEAT CONNECTION | Bolt-on seat rails 175 x 200 mm [6.89 x 7.87 in] |
| BACK BAR CONNECTION | — 0°, width 100,0 mm [3.94 in] |
| | — 16°, width 100,0 mm [3.94 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Sandblasted aluminium |
| LEVER FINISH | — Anthracite grey (RAL 7016) |
| | — Chrome (zamak) |
| | — Black painted (zamak) |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| FRIENDLY 2 [16° BACK BAR CONNECTION] | |
|--------------------------------------|---------|
| WITH ANTHRACITE LEVERS | 1063050 |
| WITH CHROME LEVERS | 1063056 |
| FRIENDLY 2 (0° BACK BAR CONNECTION) | |
| WITH CHROME LEVERS | 1063059 |
| MECHANISM COVER KIT | |
| WINDOW GREY | 4501219 |
| BLACK | 4501224 |
| CHROME LEVER COVER KIT | |
| WINDOW GREY | 4501222 |
| BLACK | 4501223 |
| | |
| | |
| | |
| | |
| | |
| | |





SANDBLASTED ALUMINIUM HOUSING



WINDOW GREY (RAL 7040) PLASTIC COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC LEVERS



CHROME ZAMAK LEVERS



CHROME ZAMAK LEVERS

RELATED PRODUCTS




BOLT-ON SEATS 175x200 mm [6.89x7.87 in] CONNECTION



MECHANISM COVER KIT




CHROME LEVER COVER KIT



| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 18° backrest / 1° seat |
| FACTORY SEAT SETUP | 1,5° backward |
| BACKREST TILT LOCK | 3 positions, by cable activated lever |
| HEIGHT ADJUSTMENT | By cable activated lever |
| CABLE LENGTH | 320 mm [12.6 in] |
| COMFORT | Tension fine-tuning by hex key |
| SEAT CONNECTION | Bolt-on seat rails 183 x 225 mm [7.20 x 8.86 in] |
| BACK BAR CONNECTION | 16°, width 100,0 mm [3.94 in] |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Sandblasted aluminium |
| COVER FINISH | Window grey (RAL 7040) |
| LEVER FINISH | — Chrome (zamak) |
| | — Black painted (zamak) |
| ITEMS PER BOX | 58 |
| BOXES PER PALLET (MOQ) | 4 boxes (232 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| FRIENDLY 2 ELLE (16° BACK BAR CONNECTION) | |
|---|---------|
| WITH CHROME LEVERS | 1063055 |
| W/O LEVERS (MEETING CHAIR VERSION) | 1063057 |
| MECHANISM COVER KIT | |
| WINDOW GREY | 4501219 |
| BLACK | 4501224 |
| CHROME LEVER COVER KIT | |
| WINDOW GREY | 4501222 |
| BLACK | 4501223 |
| | |
| | |
| | |
| | |
| | |
| | |





SANDBLASTED ALUMINIUM HOUSING



WINDOW GREY (RAL 7040) PLASTIC COVERS



BLACK PLASTIC COVERS



CHROME ZAMAK LEVERS



CHROME ZAMAK LEVERS

RELATED PRODUCTS







ELLE BOLT-ON SEAT 183x225 mm [7.20x8.86 in] CONNECTION




MECHANISM COVER KIT



CHROME LEVER COVER KIT

TECHNICAL DATA SHEET


PAG 1



| SPECIFICATIONS | |
|-----------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6° seat |
| FACTORY SEAT SETUP | 1,5° backward |
| BACKREST TILT LOCK | 3 positions, by integrated lever |
| HEIGHT ADJUSTMENT | By seat integrated lever |
| SEAT DEPTH ADJUSTMENT | By seat integrated lever |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| COMFORT | Tension fine-tuning by hex key |
| SEAT CONNECTION | Integrated with the mechanism |
| BACK BAR CONNECTION | Width 100,0 mm [3.94 in] |
| UPHOLSTERY FIXING | By quick connection upholstery plate |
| RELATED ARMREST | Complete Donati armrest family |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| OUTER FINISH | Black |

PRODUCT CODES

| FRIENDLY 3 (SEAT INCLUDED) | 1063200 |
|----------------------------|---------|
| UPHOLSTERY PLATE | 4515188 |




BLACK PLASTIC COVERS

ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR (EN1335 & BIFMA)


FOR BeO ALUMINIUM ARMREST 4501120
FOR BeO NYLON ARMREST 4501121

PAG 136



SURFACE COLOURS / FINISHES






| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

INEDITO TILT LOCK

QUICK CONNECTION SEAT RAILS 1063650





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270






| SPECIFICATIONS | |
|--------------------------|--|
| ТҮРЕ | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

INEDITO TILT LOCK

BOLT-ON SEAT PLATE 1063600





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION




| SPECIFICATIONS | |
|-----------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TRAVEL RESTRICTION | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

TRAVEL RESTRICTION

PRODUCT CODES

INEDITO TRAVEL RESTRICTION

QUICK CONNECTION SEAT RAILS 1063850





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|-----------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TRAVEL RESTRICTION | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in] |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

TRAVEL RESTRICTION

PRODUCT CODES

INEDITO TRAVEL RESTRICTION

BOLT-ON SEAT PLATE 1063800





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS








BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION

FLEX TILT LOCK Inedito WEIGHT-ACTIVATED MECHANISM




| SPECIFICATIONS | |
|--------------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 28 |
| BOXES PER PALLET (MOQ) | 4 boxes (112 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

INEDITO FLEX

TILT LOCK 1063700





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




| SPECIFICATIONS | |
|-----------------------------|---|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TRAVEL RESTRICTION | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | - 0° |
| | — 5° forward |
| | — Free float |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Donati universal seat plate |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 28 |
| BOXES PER PALLET (MOQ) | 4 boxes (112 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

FLEX TRAVEL RESTRICTION

PRODUCT CODES

INEDITO FLEX

TRAVEL RESTRICTION 1063705





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION




DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270






| SPECIFICATIONS | |
|--------------------------|--|
| TYPE | Weight-activated synchronized mechanism |
| TILT ANGLES | 20° backrest / 6,5° seat |
| BACKREST TILT LOCK | 4 positions, by lever |
| HEIGHT ADJUSTMENT | By lever |
| SEAT ANGLE ADJUSTMENT | 4° forward, by lever |
| COMFORT | Quick side tension fine-tuning knob |
| SEAT CONNECTION | Donati quick connection sliding seat rails |
| BACK BAR CONNECTION | Donati standard (width 90,0 mm [3.54 in]) |
| MORSE CONE DIAMETER | 28,0 mm [1.10 in] |
| MECHANISM SURFACE FINISH | Black painted |
| LEVER FINISH | Black |
| SIDE KNOB FINISH | Anthracite grey (RAL 7016) |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

<u>INEDITO</u>

SEAT ANGLE ADJUSTMENT 1063652





BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220




DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270





| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 644,5 mm [25.37 in] |
| GLIDES / CASTERS DIAMETER | 620,0 mm [24.41 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 80,0 mm [3.15 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,69 Kg [3,73 lb] |
| ITEMS PER BOX | 90 |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

| <u>B.KROS</u> | |
|---------------|------------|
| POLISHED | 5010225 |
| BLACK PAINTED | 5010226 |
| SANDBLASTED | On request |










POLISHED BLACK PAINTED

SANDBLASTED



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 708,0 mm [27.88 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 94,0 mm [3.70 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,56 Kg [5,64 lb] |
| ITEMS PER BOX | 48 |
| BOXES PER PALLET (MOQ) | 2 boxes (96 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

| <u>B.YOU</u> | |
|---------------|---------|
| POLISHED | 5010215 |
| BLACK PAINTED | 5010216 |
| SANDBLASTED | 5010217 |









BLACK PAINTED




 ${\tt SANDBLASTED}$





| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 682,5 mm [26.87 in] |
| GLIDES / CASTERS DIAMETER | 654,5 mm [25.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 79,0 mm [3.11 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,73 Kg [3,82 lb] |
| ITEMS PER BOX | 90 |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |

| <u>B1</u> | |
|---------------|---------|
| POLISHED | 5010200 |
| BLACK PAINTED | 5010201 |
| SANDBLASTED | 5010202 |










BLACK PAINTED




 ${\tt SANDBLASTED}$



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 688,0 mm [27.09 in] |
| GLIDES / CASTERS DIAMETER | 660,0 mm [25.98 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 127,0 mm [5.00 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,89 Kg [4,17 lb] |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 2 boxes (168 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

| B1T (ALUMINIUM) | |
|-----------------|---------|
| POLISHED | 5010260 |
| BLACK PAINTED | 5010261 |
| SANDBLASTED | 5010264 |





RELATED PRODUCTS



B1T (NYLON) CODE: 5012010






| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | — Aluminium |
| | — Anti-slip nylon inserts |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 683,5 mm [26.91 in] |
| GLIDES / CASTERS DIAMETER | 654,5 mm [25.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 82,0 mm [3.23 in] |
| SURFACE COLOURS / FINISHES | — Polished / Black painted |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,85 Kg [4,08 lb] |
| ITEMS PER BOX | 90 |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |
| DESIGN | Olle Lundberg |

DB1.6

PRODUCT CODES

| 5010247 |
|---------|
| 5010246 |
| 5010241 |
| |









BLACK PAINTED



 ${\tt SANDBLASTED}$



INSERTS: PHOTOENGRAVED (NOVATEX 016)

RELATED PRODUCTS




DB1.6 (NYLON) CODE: 5012007



CHROME GLIDE CODE: 4510011



BLACK GLIDE CODE: 4510010



| ТҮРЕ | 4 star base |
|----------------------------|---------------------|
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 631,0 mm [24.84 in] |
| GLIDES / CASTERS DIAMETER | 602,0 mm [23.70 in] |
| MORSE CONE DIAMETER | — 50,0 mm [1.97 in] |
| | — 40,0 mm [1.57 in] |
| CONE TAPER HEIGHT | 50,5 mm [1.99 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,65 Kg [3,64 lb] |
| ITEMS PER BOX | 102 |
| BOXES PER PALLET (MOQ) | 2 boxes (204 items) |

150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]


4 STAR - Ø 630 mm

SPECIFICATIONS

PALLET SIZE (LxWxH)

PRODUCT CODES

| 10400 |
|-------|
| 10401 |
| 10402 |
| |
| 10405 |
| 10406 |
| 10407 |
| |
| |
| |
| |
| |





RELATED PRODUCTS








CHROME GLIDE CODE: 4510011



BLACK GLIDE CODE: 4510010




| SP | E C I | I F I | CAT | 10 | N S |
|----|-------|-------|-----|----|-----|
| | | | | | |

4 STAR - Ø 730 mm

| ТҮРЕ | 4 star base | |
|----------------------------|--|--|
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 731,0 mm [28.78 in] | |
| GLIDES / CASTERS DIAMETER | 702,0 mm [26.64 in] | |
| MORSE CONE DIAMETER | — 50,0 mm [1.97 in] | |
| | — 40,0 mm [1.57 in] | |
| CONE TAPER HEIGHT | 50,5 mm [1.99 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 1,90 Kg [4,19 lb] | |
| ITEMS PER BOX | 102 | |
| BOXES PER PALLET (MOQ) | 2 boxes (204 items) | |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] | |

PRODUCT CODES

| DB1.8 - Ø 730 mm - MORSE CONE Ø 50 mm | |
|---------------------------------------|---------|
| POLISHED | 5010410 |
| BLACK PAINTED | 5010411 |
| SANDBLASTED | 5010412 |
| DB1.8 - Ø 730 mm - MORSE CONE Ø 40 mm | |
| POLISHED | 5010415 |
| BLACK PAINTED | 5010416 |
| SANDBLASTED | 5010417 |
| | |
| | |
| | |





RELATED PRODUCTS








CHROME GLIDE CODE: 4510011



BLACK GLIDE CODE: 4510010




| S D | FCI | FIC | ΛТΙ | ONS | : |
|-----|-----|-----|-----|-----|---|
| | | | | | |

4 STAR - Ø 830 mm

| ТҮРЕ | 4 star base | |
|----------------------------|--|--|
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 831,0 mm [32.71 in] | |
| GLIDES / CASTERS DIAMETER | 802,0 mm [31.57 in] | |
| MORSE CONE DIAMETER | — 50,0 mm [1.97 in] | |
| | — 40,0 mm [1.57 in] | |
| CONE TAPER HEIGHT | 50,5 mm [1.99 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 2,24 Kg [4,93 lb] | |
| ITEMS PER BOX | 80 | |
| BOXES PER PALLET (MOQ) | 2 boxes (160 items) | |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] | |

PRODUCT CODES

| DB1.8 - Ø 830 mm - MORSE CONE Ø 50 mm | |
|---------------------------------------|---------|
| POLISHED | 5010420 |
| BLACK PAINTED | 5010421 |
| SANDBLASTED | 5010422 |
| DB1.8 - Ø 830 mm - MORSE CONE Ø 40 mm | |
| POLISHED | 5010425 |
| BLACK PAINTED | 5010426 |
| SANDBLASTED | 5010427 |
| | |
| | |
| | |





RELATED PRODUCTS








CHROME GLIDE CODE: 4510011




BLACK GLIDE CODE: 4510010



| SP | FCI | EI | C 4 - | $\Gamma \cup \Omega$ | NC |
|----|-----|----|-------|----------------------|------|
| эг | | | CA | 110 | 1V 3 |

| TYPE | 5 star base | |
|----------------------------|--|--|
| MATERIAL | Aluminium | |
| AVAILABLE ALSO IN | Nylon + GF | |
| EXTERNAL DIAMETER | 688,5 mm [27.10 in] | |
| GLIDES / CASTERS DIAMETER | 660,0 mm [25.98 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 50,5 mm [1.99 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 2,02 Kg [4,46 lb] | |
| ITEMS PER BOX | 96 | |
| BOXES PER PALLET (MOQ) | 2 boxes (192 items) | |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] | |

| DB1.8 (ALUMINIUM) | |
|-------------------|---------|
| POLISHED | 5010280 |
| BLACK PAINTED | 5010281 |
| SANDBLASTED | 5010282 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





RELATED PRODUCTS








| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 711,5 mm [28.01 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 69,0 mm [2.72 in] |
| SURFACE COLOURS / FINISHES | — Polished / Black painted |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,98 Kg [4,37 lb] |
| ITEMS PER BOX | 90 |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN | Olle Lundberg |

| DB1.9 (ALUMINIUM) | |
|--------------------------|---------|
| POLISHED / BLACK PAINTED | 5010290 |
| BLACK PAINTED | 5010291 |
| SANDBLASTED | 5010292 |





RELATED PRODUCTS




DB1.9 (NYLON) CODE: 5012035



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 707,5 mm [27.85 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 92,5 mm [3.64 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,17 Kg [4,79 lb] |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 2 boxes (168 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

| DB1.13 (ALUMINIUM) | |
|--------------------|---------|
| POLISHED | 5010300 |
| BLACK PAINTED | 5010301 |
| SANDBLASTED | 5010302 |





RELATED PRODUCTS




DB1.13 (NYLON) CODE: 5012045



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 700,0 mm [27.56 in] |
| GLIDES / CASTERS DIAMETER | 670,0 mm [26.38 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 104,5 mm [4.11 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,23 Kg [4,91 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

| <u>DB1.17</u> | |
|---------------|---------|
| POLISHED | 5010340 |
| BLACK PAINTED | 5010341 |
| SANDBLASTED | 5010342 |






POLISHED








BLACK PAINTED ${\tt SANDBLASTED}$



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 679,0 mm [26.73 in] |
| GLIDES / CASTERS DIAMETER | 655,0 mm [25.79 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 85,0 mm [3.35 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,29 Kg [5,04 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |
| DESIGN | Olle Lundberg |

| DB2.6 (ALUMINIUM) | |
|-------------------|---------|
| POLISHED | 5010270 |
| BLACK PAINTED | 5010271 |
| SANDBLASTED | 5010272 |





RELATED PRODUCTS



DB2.6 (NYLON) CODE: 5012015




| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 678,0 mm [26.69 in] |
| GLIDES / CASTERS DIAMETER | 655,0 mm [25.79 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 120,0 mm [4.72 in] |
| SURFACE COLOURS / FINISHES | — Polished / Black painted |
| | — Black painted |
| WEIGHT | 2,24 Kg [4,93 lb] |
| ITEMS PER BOX | 66 |
| BOXES PER PALLET (MOQ) | 2 boxes (132 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |
| DESIGN | Hans Thyge |

DB2.13 (ALUMINIUM)

POLISHED / BLACK PAINTED 5010715

BLACK PAINTED 5010716



RELATED PRODUCTS







BLACK PAINTED



DB2.13 (NYLON) CODE: 5012040




| SPECIFICATIONS | | |
|----------------------------|--|--|
| TYPE | 5 star base | |
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 625,0 mm [24.61 in] | |
| GLIDES / CASTERS DIAMETER | 580,0 mm [22.83 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 73,0 mm [2.87 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 1,71 Kg [3,77 lb] | |
| ITEMS PER BOX | 102 | |
| BOXES PER PALLET (MOQ) | 2 boxes (204 items) | |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] | |

K600

PRODUCT CODES

| <u>K600</u> | |
|---------------|---------|
| POLISHED | 5010543 |
| BLACK PAINTED | 5010542 |
| SANDBLASTED | 5010549 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





RELATED PRODUCTS




K720 (ALUMINIUM) CODE: 5010541



| SPECIFICATIONS | | |
|----------------------------|--|--|
| TYPE | 5 star base | |
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 720,0 mm [28.35 in] | |
| GLIDES / CASTERS DIAMETER | 675,0 mm [26.57 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 73,0 mm [2.87 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 2,19 Kg [4,84 lb] | |
| ITEMS PER BOX | 96 | |
| BOXES PER PALLET (MOQ) | 2 boxes (192 items) | |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] | |

| <u>K720</u> | |
|---------------|---------|
| POLISHED | 5010541 |
| BLACK PAINTED | 5010540 |
| SANDBLASTED | 5010550 |
| | |
| | |
| | |
| | |
| | |
| | |



ALUMINIUM BASE

SURFACE COLOURS / FINISHES



RELATED PRODUCTS



K600 (ALUMINIUM) CODE: 5010543




| SPECIFICATIONS | | |
|----------------------------|--|--|
| TYPE | 5 star base | |
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 631,5 mm [24.86 in] | |
| GLIDES / CASTERS DIAMETER | 602,5 mm [23.72 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 68,0 mm [2.68 in] | |
| SURFACE COLOURS / FINISHES | IRFACE COLOURS / FINISHES — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 1,46 Kg [3,22 lb] | |
| ITEMS PER BOX | 204 | |
| BOXES PER PALLET (MOQ) | 2 boxes (102 items) | |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] | |

L1023

PRODUCT CODES

| 5010013 |
|---------|
| 5010012 |
| 5010010 |
| |









BLACK PAINTED




 ${\tt SANDBLASTED}$



| SPECIFICATIONS | | |
|----------------------------|--|--|
| TYPE | 5 star base | |
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 656,0 mm [25.83 in] | |
| GLIDES / CASTERS DIAMETER | 610,0 mm [24.02 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 72,5 mm [2.85 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 1,89 Kg [4,17 lb] | |
| ITEMS PER BOX | 90 | |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) | |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] | |

| <u>L1080</u> | |
|---------------|---------|
| POLISHED | 5010110 |
| BLACK PAINTED | 5010111 |
| SANDBLASTED | 5010112 |
| | |
| | |
| | |





RELATED PRODUCTS




L2080 (ALUMINIUM) CODE: 5010115



| SPECIFICATIONS | | |
|----------------------------|--|--|
| TYPE | 5 star base | |
| MATERIAL | Aluminium | |
| EXTERNAL DIAMETER | 700,0 mm [27.56 in] | |
| GLIDES / CASTERS DIAMETER | 654,0 mm [25.75 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 16HT 72,5 mm [2.85 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 2,06 Kg [4,54 lb] | |
| ITEMS PER BOX | 90 | |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) | |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] | |

| <u>L2080</u> | |
|---------------|---------|
| POLISHED | 5010115 |
| BLACK PAINTED | 5010116 |
| SANDBLASTED | 5010117 |
| | |






RELATED PRODUCTS




L1080 (ALUMINIUM) CODE: 5010110



| SPECIFICATIONS | | |
|----------------------------|--|--|
| ТҮРЕ | 5 star base | |
| MATERIAL | Aluminium | |
| AVAILABLE ALSO IN | Nylon + GF | |
| EXTERNAL DIAMETER | 663,0 mm [26.10 in] | |
| GLIDES / CASTERS DIAMETER | 640,0 mm [25.20 in] | |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] | |
| CONE TAPER HEIGHT | 92,0 mm [3.62 in] | |
| SURFACE COLOURS / FINISHES | — Polished | |
| | — Black painted | |
| | — Sandblasted | |
| WEIGHT | 1,83 Kg [4,03 lb] | |
| ITEMS PER BOX | 48 | |
| BOXES PER PALLET (MOQ) | 2 boxes (96 items) | |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] | |

| METEORA (ALUI | MINIUM) | |
|---------------|---------|---------|
| POLISHED | | 5010146 |
| BLACK PAINTED |) | 5010145 |
| SANDBLASTED | | 5010147 |
| | | |





RELATED PRODUCTS




METEORA (NYLON) CODE: 5012005



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 663,0 mm [26.10 in] |
| GLIDES / CASTERS DIAMETER | 640,0 mm [25.20 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 134,0 mm [5.28 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| WEIGHT | 1,71 Kg [3,76 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |

| METEORA 2 | |
|---------------|---------|
| POLISHED | 5010251 |
| BLACK PAINTED | 5010250 |








POLISHED

BLACK PAINTED



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 668,0 mm [26.29 in] |
| GLIDES / CASTERS DIAMETER | 640,0 mm [25.20 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 85,0 mm [3.35 in] |
| SURFACE COLOURS / FINISHES | — Polished / Black painted |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,60 Kg [3,53 lb] |
| ITEMS PER BOX | 54 |
| BOXES PER PALLET (MOQ) | 2 boxes (108 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |

| OCTOPUS | |
|--------------------------|---------|
| POLISHED / BLACK PAINTED | 5010151 |
| BLACK PAINTED | 5010150 |
| SANDBLASTED | 5010152 |
| | |









BLACK PAINTED




 ${\tt SANDBLASTED}$



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 682,5 mm [26.87 in] |
| GLIDES / CASTERS DIAMETER | 654,5 mm [25.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 126,0 mm [4.72 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,08 Kg [4,58 lb] |
| ITEMS PER BOX | 64 |
| BOXES PER PALLET (MOQ) | 2 boxes (128 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |

| PRESTO (ALUMINIUM) | |
|--------------------|---------|
| POLISHED | 5010181 |
| BLACK PAINTED | 5010180 |
| SANDBLASTED | 5010182 |





RELATED PRODUCTS




PRESTO (NYLON) CODE: 5012003



| SPECIFICATIONS | |
|----------------------------|---------------------|
| ТҮРЕ | 4 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 715,0 mm [28.15 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 71,5 mm [2.81 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | |

| QUOIN | |
|---------------|---------|
| POLISHED | 5010860 |
| BLACK PAINTED | 5010861 |



RELATED PRODUCTS




POLISHED






QUOIN 5 STAR ALUMINIUM & NYLON BASE COLLECTION

BASE COLLECTION



| SPECIFICATIONS | |
|----------------------------|---------------------|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon + GF |
| EXTERNAL DIAMETER | 715,0 mm [28.15 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 74,0 mm [2.91 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | |

| QUOIN (ALUMINIUM) | |
|-------------------|---------|
| POLISHED | 5010365 |
| BLACK PAINTED | 5010366 |



RELATED PRODUCTS







POLISHED BLACK PAINTED

QUOIN (NYLON) CODE: 5012055




OPTIONAL: HARD FLOOR OR CARPET FLOOR GLIDE



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 4 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 820,5 mm [32.30 in] |
| GLIDES / CASTERS DIAMETER | 800,0 mm [31.50 in] |
| MORSE CONE DIAMETER | — 50,0 mm [1.97 in] |
| | — 40,0 mm [1.57 in] |
| CONE TAPER HEIGHT | 158,0 mm [6.22 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,32 Kg [5,11 lb] |
| ITEMS PER BOX | 55 |
| BOXES PER PALLET (MOQ) | 2 boxes (110 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN | Alberto Lievore |

PRODUCT CODES

| ••••• | |
|---|---------|
| SUPERLEGGERA - LOW - MORSE CONE Ø 50 mm | |
| POLISHED | 5010465 |
| BLACK PAINTED | 5010467 |
| SANDBLASTED | 5010468 |
| SUPERLEGGERA - LOW - MORSE CONE Ø 40 mm | |
| POLISHED | 5010470 |
| BLACK PAINTED | 5010472 |
| SANDBLASTED | 5010473 |
| | |
| | |









BLACK PAINTED



 ${\tt SANDBLASTED}$

RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



Ø 40mm GAS SPRING COVER CODE: 4510166



HARD FLOOR GLIDE (FELT) CODE: 4510100



CARPET FLOOR GLIDE (PU) CODE: 4510101

4 STAR - MEDIUM




SPECIFICATIONS TYPE 4 star base MATERIAL AluminiumEXTERNAL DIAMETER 700,5 mm [27.58 in] GLIDES / CASTERS DIAMETER 680,0 mm [26.77 in] MORSE CONE DIAMETER — 50,0 mm [1.97 in] — 40,0 mm [1.57 in] CONE TAPER HEIGHT 221,0 mm [8.70 in] SURFACE COLOURS / FINISHES Polished - Black painted - Sandblasted WEIGHT 1,91 Kg [4,21 lb] ITEMS PER BOX 72 BOXES PER PALLET (MOQ) 2 boxes (144 items) PALLET SIZE (LxWxH) 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] DESIGN Alberto Lievore

PRODUCT CODES

| SUPERLEGGERA - MEDIUM - MORSE CONE | Ø 50 mm | |
|--|---------|--|
| POLISHED | 5010460 | |
| BLACK PAINTED | 5010461 | |
| SANDBLASTED | 5010462 | |
| SUPERLEGGERA - MEDIUM - MORSE CONE Ø 40 mm | | |
| POLISHED | 5010455 | |
| BLACK PAINTED | 5010456 | |
| SANDBLASTED | 5010457 | |
| | | |
| | | |
| | | |
| | | |
| | | |

ALUMINIUM BASE





RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



SUPERLEGGERO SUPPORT COLLECTION



Ø 40mm GAS SPRING COVER CODE: 4510166



HARD FLOOR GLIDE (FELT) CODE: 4510100 CARPET FLOOR GLIDE (PU) CODE: 4510101




TAPERED PLASTIC BUSHING EXT.Ø50mm>INT.Ø40mm CODE: 4510165



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 4 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 690,5 mm [27.18 in] |
| GLIDES / CASTERS DIAMETER | 670,0 mm [26.38 in] |
| MORSE CONE DIAMETER | — 40,0 mm [1.57 in] |
| | — 44,0 mm [1.73 in] |
| CONE TAPER HEIGHT | 308,0 mm [12.13 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 2,18 Kg [4,80 lb] |
| ITEMS PER BOX | 54 |
| BOXES PER PALLET (MOQ) | 2 boxes (108 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

| SUPERLEGGERA - HIGH - MORSE CONE Ø 40 mm | |
|---|---------|
| SUPERLEGGERA - HIGH - MURSE CONE # 40 IIIII | |
| POLISHED | 5010480 |
| BLACK PAINTED | 5010481 |
| SANDBLASTED | 5010482 |
| SUPERLEGGERA - HIGH - MORSE CONE Ø 44 mm | |
| POLISHED | 5010490 |
| BLACK PAINTED | 5010491 |
| SANDBLASTED | 5010492 |
| | |
| | |
| | |

Superleggera



SURFACE COLOURS / FINISHES







POLISHED

BLACK PAINTED

 ${\tt SANDBLASTED}$

RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



SUPERLEGGERO SUPPORT COLLECTION



SG215 40 B CHROME GAS SPRING EXT. Ø44mm CODE: 4500085



SWIVEL ADAPTERS EXT. Ø 40mm CODES: 4510160/1/2/3



Ø 40mm GAS SPRING COVER CODE: 4510166



HARD FLOOR GLIDE (FELT) CODE: 4510100



CARPET FLOOR GLIDE (PU) CODE: 4510101




TAPERED PLASTIC BUSHING EXT.Ø44mm>INT.Ø40mm CODE: 4516007



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 700,5 mm [27.58 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 162,5 mm [6.42 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,99 Kg [4,38 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN | Alberto Lievore |

| • | |
|---|---------|
| SUPERLEGGERA - Ø 700 mm | |
| POLISHED | 5010320 |
| BLACK PAINTED | 5010321 |
| SANDBLASTED | 5010322 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Superleggera



SURFACE COLOURS / FINISHES



RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



SUPERLEGGERO SUPPORT COLLECTION



Ø 40mm GAS SPRING COVER CODE: 4510166



HARD FLOOR GLIDE (FELT) CODE: 4510100 CARPET FLOOR GLIDE (PU) CODE: 4510101



TAPERED PLASTIC BUSHING EXT. Ø50mm>INT. Ø40mm CODE: 4510165

5 STAR - Ø 640 mm






| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 640,5 mm [25.22 in] |
| GLIDES / CASTERS DIAMETER | 621,9 mm [24.41 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 162,5 mm [6.42 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| | — Sandblasted |
| WEIGHT | 1,81 Kg [3,99 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN | Alberto Lievore |

PRODUCT CODES

| SUPERLEGGERA - Ø 640 mm | |
|-------------------------|---------|
| POLISHED | 5010330 |
| BLACK PAINTED | 5010331 |
| SANDBLASTED | 5010332 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



SUPERLEGGERO SUPPORT COLLECTION



Ø 40mm GAS SPRING COVER CODE: 4510166



HARD FLOOR GLIDE (FELT) CODE: 4510100 CARPET FLOOR GLIDE (PU) CODE: 4510101




TAPERED PLASTIC BUSHING EXT. Ø50mm>INT. Ø40mm CODE: 4510165



| SPECIFICATIONS | |
|----------------------------|---------------------|
| ТҮРЕ | 4 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 715,0 mm [28.15 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 65,5 mm [2.58 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| DESIGN | Alejandro Valdés |

| <u>TREVI</u> | |
|--------------------------|---------|
| POLISHED / BLACK PAINTED | 5010850 |
| BLACK PAINTED | 5010855 |



RELATED PRODUCTS







BLACK PAINTED




TREVI 4 AND 5 STAR BASE COLLECTION



| SPECIFICATIONS | |
|----------------------------|-----------------------|
| TYPE | 5 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | — 715,0 mm [28.15 in] |
| | — 655,0 mm [25.79 in] |
| GLIDES / CASTERS DIAMETER | — 680,0 mm [26.77 in] |
| | — 620,0 mm [24.41 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | — 66,0 mm [2.60 in] |
| | — 63,5 mm [2.50 in] |
| SURFACE COLOURS / FINISHES | — Polished |
| | — Black painted |
| DESIGN | Alejandro Valdés |

| TREVI - Ø 680 mm | |
|--------------------------|---------|
| POLISHED / BLACK PAINTED | 5010345 |
| BLACK PAINTED | 5010350 |
| TREVI - Ø 620 mm | |
| POLISHED / BLACK PAINTED | 5010355 |
| BLACK PAINTED | 5010360 |
| | |
| | |
| | |
| | |



RELATED PRODUCTS








BLACK PAINTED



TREVI 4 AND 5 STAR BASE COLLECTION



RELATED PRODUCTS







BLACK PAINTED




TREVI 4 AND 5 STAR BASE COLLECTION



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 4 star base |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 725,5 mm [28.56 in] |
| GLIDES / CASTERS DIAMETER | 700,0 mm [27.56 in] |
| MORSE CONE DIAMETER | — 40,0 mm [1.57 in] |
| | — 44,0 mm [1.73 in] |
| CONE TAPER HEIGHT | 309,0 mm [12.17 in] |
| SURFACE COLOURS / FINISHES | — Polished / Painted |
| | — Painted |
| | — Sandblasted |
| WEIGHT | 2,76 Kg [6.08 lb] |
| ITEMS PER BOX | 54 / 60 |
| BOXES PER PALLET (MOQ) | 2 boxes (108 / 120 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN BY | Marcello Ziliani |

| UNICA - MORSE CONE Ø 40 mm POLISHED / BLACK PAINTED POLISHED / SILVER PAINTED | 5010430 5010431 |
|---|--------------------|
| | |
| POLISHED / SILVER PAINTED | 5010431 |
| | |
| WHITE (RAL 9002) PAINTED | 5010435 |
| GREY (RAL 9006) PAINTED | 5010436 |
| RED (RAL 3004) PAINTED | 5010439 |
| VERT SABLÉ (YW354F) PAINTED | 5010438 |
| ANTHRACITE (NW300M) PAINTED | 5010437 |
| BLACK PAINTED | 5010434 |
| SANDBLASTED | 5010433 |
| UNICA - MORSE CONE Ø 44 mm | On request |
| | |



SURFACE COLOURS



SURFACE FINISHES



RELATED PRODUCTS



SPIDER SUPPORT COLLECTION



SWIVEL ADAPTERS EXT. Ø 40mm CODES: 4510160/1/2/3



SG215 40 B CHROME GAS SPRING EXT. Ø44mm CODE: 4500085



TAPERED PLASTIC
BUSHING
EXT.Ø44mm > INT.Ø40mm
CODE: 4516007



HARD FLOOR GLIDE (FELT) CODE: 4510100



CARPET FLOOR GLIDE (PU) CODE: 4510101








| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 687,5 mm [27.07 in] |
| GLIDES / CASTERS DIAMETER | 660,0 mm [25.98 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 127,0 mm [5.00 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 140) |
| WEIGHT | 1,54 Kg [3,40 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in] |

B1T (NYLON) 5012010



RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 140)



B1T (ALUMINIUM) CODE: 5010260



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 681,0 mm [26.81 in] |
| GLIDES / CASTERS DIAMETER | 654,5 mm [25.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 82,0 mm [3.23 in] |
| SURFACE COLOURS / FINISHES | — Base: photoengraved (Novatex 716) |
| | — Inserts: Photoengraved (Novatex 016) |
| WEIGHT | 1,63 Kg [3,60 lb] |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 2 boxes (168 items) |
| PALLET SIZE (LxWxH) | 103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in] |
| DESIGN | Olle Lundberg |

DB1.6 (NYLON) 5012007

RELATED PRODUCTS



BASE: PHOTOENGRAVED (NOVATEX 716)




Cone taper height: measured from ground floor (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
 Minimum recommended distance between gas cylinder and floor for nylon bases 30~35 mm [1.18 ~ 1.38 in].

INSERTS:
PHOTOENGRAVED
[NOVATEX 016]




DB1.6 (ALUMINIUM) CODE: 5010247



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 708,5 mm [27.89 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 50,5 mm [1.99 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 136) |
| WEIGHT | 1,61 Kg [3,54 lb] |
| ITEMS PER BOX | 90 |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

DB1.8 (NYLON) 5012030





PHOTOENGRAVED (NOVATEX 136)

RELATED PRODUCTS



DB1.8 (ALUMINIUM) CODE: 5010280



CHROME GLIDE CODE: 4510011




BLACK GLIDE CODE: 4510010



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 712,0 mm [28.02 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.76 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 69,0 mm [2.72 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 716) |
| WEIGHT | 1,70 Kg [3,75 lb] |
| ITEMS PER BOX | 84 |
| BOXES PER PALLET (MOQ) | 2 boxes (168 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN | Olle Lundberg |

DB1.9 (NYLON) 5012035



RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 716)




DB1.9 (ALUMINIUM) CODE: 5010290



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 707,5 mm [27.85 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 92,5 mm [3.64 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 7381) |
| WEIGHT | 1,65 Kg [3,64 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |

DB1.13 (NYLON) 5012045




RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 7381)




DB1.13 (ALUMINIUM) CODE: 5010300



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 678,0 mm [26.69 in] |
| GLIDES / CASTERS DIAMETER | 655,0 mm [25.79 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 85,0 mm [3.35 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 140) |
| WEIGHT | 1,65 Kg [3,64 lb] |
| ITEMS PER BOX | 90 |
| BOXES PER PALLET (MOQ) | 2 boxes (180 items) |
| PALLET SIZE (LxWxH) | 160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in] |
| DESIGN | Olle Lundberg |

5012015

DB2.6 (NYLON)



RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 140)




DB2.6 (ALUMINIUM) CODE: 5010270



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 678,0 mm [26.69 in] |
| GLIDES / CASTERS DIAMETER | 655,0 mm [25.79 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 120,0 mm [4.72 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 7381) |
| WEIGHT | 1,60 Kg [3,53 lb] |
| ITEMS PER BOX | 72 |
| BOXES PER PALLET (MOQ) | 2 boxes (144 items) |
| PALLET SIZE (LxWxH) | 103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in] |
| DESIGN | Hans Thyge |

DB2.13 (NYLON) 5012040



RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 7381)




DB2.13 (ALUMINIUM) CODE: 5010715



| SPECIFICATIONS | |
|----------------------------|--|
| TYPE | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 663,0 mm [26.10 in] |
| GLIDES / CASTERS DIAMETER | 640,0 mm [25.20 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 92,0 mm [3.62 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 140) |
| WEIGHT | 1,54 Kg [3,38 lb] |
| ITEMS PER BOX | 48 |
| BOXES PER PALLET (MOQ) | 2 boxes (96 items) |
| PALLET SIZE (LxWxH) | 103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in] |

METEORA (NYLON) 5012005



RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 140)




METEORA (ALUMINIUM) CODE: 5010146



| SPECIFICATIONS | |
|----------------------------|--|
| ТҮРЕ | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 677,0 mm [26.66 in] |
| GLIDES / CASTERS DIAMETER | 654,5 mm [25.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 126,0 mm [4.72 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 140) |
| WEIGHT | 1,60 Kg [3,53 lb] |
| ITEMS PER BOX | 78 |
| BOXES PER PALLET (MOQ) | 2 boxes (156 items) |
| PALLET SIZE (LxWxH) | 103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in] |

PRESTO (NYLON) 5012003




RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 140)




PRESTO (ALUMINIUM) CODE: 5010181



| SPECIFICATIONS | |
|----------------------------|------------------------------|
| ТҮРЕ | 5 star base |
| MATERIAL | Nylon + GF |
| AVAILABLE ALSO IN | Aluminium |
| EXTERNAL DIAMETER | 715,0 mm [28.15 in] |
| GLIDES / CASTERS DIAMETER | 680,0 mm [26.77 in] |
| MORSE CONE DIAMETER | 50,0 mm [1.97 in] |
| CONE TAPER HEIGHT | 74,0 mm [2.91 in] |
| SURFACE COLOURS / FINISHES | Photoengraved (Novatex 7381) |

Quoin

| PRODUCT CODES | |
|---------------|---------|
| | |
| QUOIN (NYLON) | 5012055 |



RELATED PRODUCTS



PHOTOENGRAVED (NOVATEX 7381)




QUOIN (ALUMINIUM) CODE: 5010365



Quick connection seats



| SPECIFICATIONS | |
|-----------------------|--|
| TYPE | Quick connection mesh seat |
| SEAT DEPTH ADJUSTMENT | — 50,0 mm [1.97 in] (with 2 clips) |
| | — 70,0 mm [2.76 in] (with 1 clip) |
| | — 100,0 mm [3.94 in] (without clips) |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| MESH FIXING | By quick fixing system |
| RELATED ARMREST | Complete Donati armrest family |
| | BeO 4D Trasla <u>excluded</u> |
| MECHANISM CONNECTION | — Donati quick connection sliding seat rails |
| | — Donati universal seat plate |





PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS



DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS

ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR [EN1335 & BIFMA]

FOR BeO ALUMINIUM / NYLON ARMREST

4501703

[BeO 4D TRASLA EXCLUDED]

SLIDING Trasla 2 QUICK CONNECTION SEAT




| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Quick connection seat with upholstery plate |
| SEAT DEPTH ADJUSTMENT | — 50,0 mm [1.97 in] (with 2 clips) |
| | — 70,0 mm [2.76 in] (with 1 clip) |
| | — 100,0 mm [3.94 in] (without clips) |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA (Fixed armrest conn. seat <u>excluded</u>) |
| UPHOLSTERY FIXING | By quick connection upholstery plate |
| RELATED ARMREST | Complete Donati armrest family |
| MECHANISM CONNECTION | — Donati quick connection sliding seat rails |
| | — Donati universal seat plate |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| TRASLA 2 | |
|-------------------------------------|---------|
| WIDTH ADJUSTABLE ARMREST CONNECTION | 4515193 |
| FIXED ARMREST CONNECTION | 4515196 |
| BeO 4D TRASLA ARMREST CONNECTION | 4515195 |
| UPHOLSTERY PLATE | |
| SMALL | 4515173 |
| LARGE | 4515171 |
| LARGE WITH PU FOAM | 4580055 |
| INSTRUCTION HOLDER | 4501028 |
| | |
| | |

SLIDING Trasla 2 QUICK CONNECTION SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT WITH ECO ARMBAR (EN1335)

FOR BeO ALUMINIUM & NYLON ARMREST 4500167

FIXING KIT WITH ARMBAR (BIFMA)

FOR BeO ALUMINIUM ARMREST 4500117
FOR BeO NYLON ARMREST 4500169

FIXING KIT W/O ARMBAR On request

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



INSTRUCTION HOLDER CODE: 4501028





PHOTOENGRAVED (NOVATEX 7381) SEAT

BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR (EN1335)

FOR BeO ALUMINIUM & NYLON ARMREST

4501700

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



INSTRUCTION HOLDER CODE: 4501028



ARMREST FIXING KIT CODES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

FIXING KIT WITH ARMBAR (BIFMA)

FOR BeO 4D TRASLA ARMREST

4501111

RELATED PRODUCTS



DONATI SEAT RAILS CONNECTION MECHANISMS




DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



INSTRUCTION HOLDER CODE: 4501028



BeO 4D TRASLA ARMREST CODE: 4500580






| SPECIFICATIONS | |
|------------------------|---|
| ТҮРЕ | Cable activation seat with upholstery plate |
| SEAT DEPTH ADJUSTMENT | — 50,0 mm [1.97 in] (with 2 clips) |
| | — 70,0 mm [2.76 in] (with 1 clip) |
| | — 100,0 mm [3.94 in] (without clips) |
| INTEGRATED FUNCTIONS | — Height adjustment, by lever |
| | — Backrest tilt lock, by lever |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA (Fixed armrest conn. seat <u>excluded</u>) |
| UPHOLSTERY FIXING | By quick connection upholstery plate |
| RELATED ARMREST | Complete Donati armrest family |
| MECHANISM CONNECTION | D109 Cable only (1062950) |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

SLIDING

PRODUCT CODES

| TRASLA 2 CABLE - WIDTH ADJ. ARMREST CO | ONNECTION | |
|---|-----------|--|
| WITH HEIGHT ADJUSTMENT | 4515192 | |
| WITH HEIGHT ADJUSTMENT & TILT LOCK | 4515190 | |
| TRASLA 2 CABLE - FIXED ARMREST CONNEC | TION | |
| WITH HEIGHT ADJUSTMENT | 4515198 | |
| WITH HEIGHT ADJUSTMENT & TILT LOCK | 4515197 | |
| TRASLA 2 CABLE - BeO 4D TRASLA ARMREST CONNECTION | | |
| WITH HEIGHT ADJUSTMENT | 4515194 | |
| WITH HEIGHT ADJUSTMENT & TILT LOCK | 4515191 | |
| UPHOLSTERY PLATE | | |
| SMALL | 4515173 | |
| LARGE | 4515171 | |
| LARGE WITH PU FOAM | 4580055 | |
| PORTA ISTRUZIONI | 4501028 | |

SLIDING Trasla 2 Cable QUICK CONNECTION SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT WITH ECO ARMBAR [EN1335]

FOR BeO ALUMINIUM & NYLON ARMREST 4500167

FIXING KIT WITH ARMBAR (BIFMA)

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500117
FOR BeO NYLON ARMREST 4500169

On request

RELATED PRODUCTS








INSTRUCTION HOLDER CODE: 4501028

SLIDING Trasla 2 Cable QUICK CONNECTION SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

RELATED PRODUCTS



DONATI D109 CABLE MECHANISM CODE: 1062950




INSTRUCTION HOLDER CODE: 4501028

ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR (EN1335)

FOR BeO ALUMINIUM & NYLON ARMREST

4501700



ARMREST FIXING KIT CODES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

FIXING KIT WITH ARMBAR (BIFMA)

FOR BeO 4D TRASLA ARMREST

4501111

RELATED PRODUCTS



DONATI D109 CABLE MECHANISM CODE: 1062950




INSTRUCTION HOLDER CODE: 4501028




BeO 4D TRASLA ARMREST CODE: 4500580


TECHNICAL DATA SHEET

PAG 253





SLIDING Trasla 3 QUICK CONNECTION SEAT



| TYPE | Quick connection seat with upholstery plate |
|------------------------|--|
| SEAT DEPTH ADJUSTMENT | — 50,0 mm [1.97 in] (with 2 clips) |
| | — 70,0 mm [2.76 in] (with 1 clip) |
| | — 100,0 mm [3.94 in] (without clips) |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| UPHOLSTERY FIXING | By quick connection upholstery plate |
| RELATED ARMREST | Complete Donati armrest family |
| MECHANISM CONNECTION | — Donati quick connection sliding seat rails |
| | — Donati universal seat plate |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| I . | |

80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


SPECIFICATIONS

PALLET SIZE (LxWxH)

PRODUCT CODES

| TRASLA 3 | |
|-------------------------------------|---------|
| WIDTH ADJUSTABLE ARMREST CONNECTION | 4515240 |
| BeO 4D TRASLA ARMREST CONNECTION | 4515241 |
| UPHOLSTERY PLATE | |
| SMALL | 4515173 |
| LARGE | 4515171 |
| LARGE WITH PU FOAM | 4580055 |
| INSTRUCTION HOLDER | 4501028 |
| | |
| | |
| | |

SLIDING Trasla 3 QUICK CONNECTION SEAT



SURFACE COLOURS / FINISHES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT W/O ARMBAR [EN1335 & BIFMA]

FOR BeO ALUMINIUM ARMREST

4501120

FOR BeO NYLON ARMREST

4501121

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



INSTRUCTION HOLDER CODE: 4501028



ARMREST FIXING KIT CODES



PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

FIXING KIT W/O ARMBAR (BIFMA)

FOR BeO 4D TRASLA ARMREST

4501111

RELATED PRODUCTS




DONATI SEAT RAILS CONNECTION MECHANISMS




DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



INSTRUCTION HOLDER CODE: 4501028



QUICK CONNECTION SEAT




SLIDING - W/O SEAT PLATE Trasla 4 QUICK CONNECTION SEAT



| SPECIFICATIONS | |
|------------------------|--|
| ТҮРЕ | Quick connection seat w/o upholstery plate |
| SEAT DEPTH ADJUSTMENT | — 50,0 mm [1.97 in] (with 2 clips) |
| | — 70,0 mm [2.76 in] (with 1 clip) |
| | — 100,0 mm [3.94 in] (without clips) |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| UPHOLSTERY FIXING | — By draw string |
| | — By staples |
| RELATED ARMREST | BeO 1D (4500750) |
| MECHANISM CONNECTION | — Donati quick connection sliding seat rails |
| | — Donati universal seat plate |
| ITEMS PER BOX | 36 |
| BOXES PER PALLET (MOQ) | 4 boxes (144 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| TRASLA 4 | |
|----------------------------------|---------|
| UPHOLSTERY FIXING BY DRAW STRING | 4515210 |
| UPHOLSTERY FIXING BY STAPLES | 4515211 |
| PU FOAM | 4580072 |
| INSTRUCTION HOLDER | 4501028 |
| | |





PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS



DONATI SEAT RAILS CONNECTION MECHANISMS




DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



INSTRUCTION HOLDER CODE: 4501028



BeO 1D ARMREST CODE: 4500750



Bolt-on seats






| SPECIFICATIONS | |
|-----------------------|---|
| TYPE | Bolt-on seat with upholstery plate |
| SEAT DEPTH ADJUSTMENT | — Fixed |
| | - 50,0 mm [1.97 in], by lever |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| UPHOLSTERY FIXING | By traditional upholstery plate (4 clips) |
| RELATED ARMREST | Complete Donati family (external connection) |
| MECHANISM CONNECTION | — Donati universal seat plate |
| | — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| | — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in] |
| FIXED SEAT | |
| ITEMS PER BOX | 70 |
| BOXES PER PALLET | 4 boxes (240 items) |
| SLIDING SEAT | |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| CONKA | |
|-------------------------------------|---------|
| FIXED | 4515110 |
| SLIDING (FIXING HOLES 153 x 200 mm) | 4515111 |
| SLIDING (FIXING HOLES 200 x 200 mm) | 4515114 |
| UPHOLSTERY PLATE | |
| SMALL | 4515112 |
| LARGE | 4515116 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS







DONATI BOLT-ON SEAT PLATE MECHANISMS

ARMREST FIXING KIT CODES


FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST 4500118
FOR BeO NYLON ARMREST 4500162

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500165

FOR BeO NYLON ARMREST 4500164





PHOTOENGRAVED (NOVATEX 7381) SEAT



BLACK PLASTIC UPHOLSTERY PLATE

ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST 4500118
FOR BeO NYLON ARMREST 4500162

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500165
FOR BeO NYLON ARMREST 4500164


RELATED PRODUCTS




DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



DONATI BOLT-ON SEAT PLATE MECHANISMS





SLIDING — FIXED Dash BOLT-ON SEAT




| SPECIFICATIONS | |
|-----------------------|---|
| TYPE | Bolt-on seat with upholstery plate |
| SEAT DEPTH ADJUSTMENT | — Fixed |
| | — 80,0 mm [3.15 in], by lever |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| UPHOLSTERY FIXING | By quick connection upholstery plate |
| RELATED ARMREST | Complete Donati armrest family |
| MECHANISM CONNECTION | — Donati universal seat plate |
| | — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| FIXED SEAT | |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET | 4 boxes (160 items) |
| SLIDING SEAT | |
| ITEMS PER BOX | 35 |
| BOXES PER PALLET | 4 boxes (140 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| DASH | |
|------------------|---------|
| FIXED | 4515147 |
| SLIDING | 4515144 |
| UPHOLSTERY PLATE | 4515141 |







PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS







DONATI BOLT-ON SEAT PLATE MECHANISMS

ARMREST FIXING KIT CODES

FIXING KIT WITH ECO ARMBAR (EN1335)


FOR BeO ALUMINIUM & NYLON ARMREST 4500167

FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST 4501169

FOR BeO NYLON ARMREST 4501117

TECHNICAL DATA SHEET PAG 267





PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS







DONATI BOLT-ON SEAT PLATE MECHANISMS

ARMREST FIXING KIT CODES


FIXING KIT WITH ECO ARMBAR (EN1335)

FOR BeO ALUMINIUM & NYLON ARMREST 4500167

FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST 4501169

FOR BeO NYLON ARMREST 4501117



BLACK PLASTIC UPHOLSTERY PLATE






| SPECIFICATIONS | |
|-----------------------|---|
| TYPE | Bolt-on seat with upholstery plate |
| SEAT DEPTH ADJUSTMENT | — Fixed |
| | — 100,0 mm [3.94 in], by lever |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| UPHOLSTERY FIXING | By traditional upholstery plate (4 clips) |
| RELATED ARMREST | Complete Donati family (external connection) |
| MECHANISM CONNECTION | — Donati universal seat plate |
| | — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| | — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in] |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| FLAT | |
|-------------------------------------|---------|
| FIXED | 4515200 |
| SLIDING (FIXING HOLES 153 x 200 mm) | 4515201 |
| SLIDING (FIXING HOLES 200 x 200 mm) | 4515204 |
| UPHOLSTERY PLATE | 4515202 |
| | |





PHOTOENGRAVED (NOVATEX 7381) SEAT

ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST 4500118
FOR BeO NYLON ARMREST 4500162

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500165
FOR BeO NYLON ARMREST 4500164


RELATED PRODUCTS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



DONATI BOLT-ON SEAT PLATE MECHANISMS





PHOTOENGRAVED (NOVATEX 7381) SEAT

ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR

FOR BeO ALUMINIUM ARMREST 4500118
FOR BeO NYLON ARMREST 4500162

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500165
FOR BeO NYLON ARMREST 4500164


RELATED PRODUCTS







DONATI BOLT-ON SEAT PLATE MECHANISMS



.....






SLIDING - FIXED



| SPECIFICATIONS | |
|-----------------------|---|
| TYPE | Bolt-on seat with upholstery plate |
| SEAT DEPTH ADJUSTMENT | — Fixed |
| | — 80,0 mm [3.15 in], by lever |
| CERTIFICATIONS | — EN1335 |
| | — BIFMA |
| UPHOLSTERY FIXING | By traditional upholstery plate (4 clips) |
| RELATED ARMREST | Complete Donati family (external connection) |
| MECHANISM CONNECTION | — Donati universal seat plate |
| | — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] |
| | — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in] |
| FIXED SEAT | |
| ITEMS PER BOX | 70 |
| BOXES PER PALLET | 4 boxes (240 items) |
| SLIDING SEAT | |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in] |

PRODUCT CODES

| SLIM | |
|-------------------------------------|---------|
| FIXED | 4515100 |
| SLIDING (FIXING HOLES 153 x 200 mm) | 4515101 |
| SLIDING (FIXING HOLES 200 x 200 mm) | 4515106 |
| UPHOLSTERY PLATE | 4515152 |





PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS







DONATI BOLT-ON SEAT PLATE MECHANISMS

ARMREST FIXING KIT CODES


| FIXING | KIT | WITH | ARMBAR |
|--------|-----|------|--------|
| | | | |

FOR BeO ALUMINIUM ARMREST 4500118
FOR BeO NYLON ARMREST 4500162

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500165

FOR BeO NYLON ARMREST 4500164





PHOTOENGRAVED (NOVATEX 7381) SEAT

RELATED PRODUCTS







DONATI BOLT-ON SEAT PLATE MECHANISMS

ARMREST FIXING KIT CODES

FIXING KIT WITH ARMBAR


FOR BeO ALUMINIUM ARMREST 4500118

FOR BeO NYLON ARMREST 4500162

FIXING KIT W/O ARMBAR

FOR BeO ALUMINIUM ARMREST 4500165


FOR BeO NYLON ARMREST 4500164








Seat adapters



| SPECIFICATIONS | |
|------------------------|--|
| TYPE | Sliding plate for wooden / plastic seats |
| MATERIAL | Nylon |
| SEAT DEPTH ADJUSTMENT | 50,0 mm [1.97 in], by lever |
| MECHANISM CONNECTION | — Donati quick connection sliding seat rails |
| | — Donati universal seat plate |
| ITEMS PER BOX | 130 |
| BOXES PER PALLET (MOQ) | 4 boxes (520 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

SLIDING ADAPTER PLATE 4515220





PHOTOENGRAVED (NOVATEX 7381) ADAPTER

RELATED PRODUCTS



DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION




| SPECIFICATIONS | |
|-----------------------|--|
| TYPE | Sliding plate for wooden seats |
| SEAT DEPTH ADJUSTMENT | 60,0 mm [2.36 in], by integrated lever |
| RELATED ARMREST | Bolt-on armrest family |
| MECHANISM CONNECTION | — Donati quick connection sliding seat rails |
| | — Donati universal seat plate |

SLIDING

| | |
|------|------|

PRODUCT CODES

MODULA 1 4515270





PHOTOENGRAVED (NOVATEX 7381) ADAPTER

RELATED PRODUCTS



DONATI SEAT RAILS CONNECTION MECHANISMS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



BOLT-ON ARMRESTS CONNECTION






| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Fixed 12° armrest |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon |
| HEIGHT ADJUSTMENT | Fixed |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) |
| PAD TO PAD DISTANCE | From 432 mm [17.01 in] to 515 mm [20.28 in] |
| RELATED PAD | Midi only |
| PAD ADJUSTMENT | Fixed |
| | 40 mm [1.6 in] backwards/forwards |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| BeO FIXED (ALUMINIUM) | |
|-----------------------|---------|
| FIXED PAD | 4500561 |
| SLIDING PAD | 4500555 |





POLISHED ALUMINIUM ARMRESTS

RELATED PRODUCTS



DONATI MIDI PAD ONLY ALUMINIUM ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500117
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT [EN1335 - BIFMA] 4501121

 $\underline{\texttt{FOR SLIM} - \texttt{CONKA} - \texttt{FLAT} - \texttt{CUSTOMERS'} \ \texttt{SEAT}}$

FIXING KIT WITH ARMBAR 4500118
FIXING KIT W/O ARMBAR 4500165

FOR DASH SEAT

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501169



| MIDI | |
|-----------|--------------------|
| DxWxH(mm) | 219 x 100 x 27 |
| DxWxH[in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Adjustable 12° armrest |
| MATERIAL | Aluminium |
| AVAILABLE ALSO IN | Nylon |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) |
| PAD TO PAD DISTANCE | From 364 mm [14.33 in] to 510 mm [20.08 in] |
| RELATED PAD | Complete Donati pad family |
| PAD ADJUSTMENT | — 30 mm [1.2 in] side |
| | — 45 mm [1.8 in] backwards / forwards |
| | — 360° rotation |
| | — 40 mm [1.6 in] backwards / forwards |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |


PRODUCT CODES


| BeO 4D - 12° [ALUMINIUM] | |
|---------------------------------|---------|
| SLIDING PAD (MIDI & COX ONLY) | 4502521 |
| ROTATING PAD WITH POSITION LOCK | 4500521 |

12° BeO 4D ALUMINIUM ARMREST

TECHNICAL DRAWING

BeO 4D - 12* (ALUMINIUM) - SLIDING PAD





SURFACE COLOURS / FINISHES





RAL 7610 NYLON BUTTON



POLISHED ALUMINIUM ARMRESTS BRACKET

ALUMINIUM ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500117
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT (EN1335 - BIFMA) 4501121

<u>FOR SLIM — CONKA — FLAT — CUSTOMERS' SEAT</u>

FIXING KIT WITH ARMBAR 4500118
FIXING KIT W/O ARMBAR 4500165


FOR DASH SEAT

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501169

RELATED PRODUCTS



DONATI MIDI, COX & FOX PADS ONLY



SURFACE COLOURS / FINISHES







RAL 7610 NYLON BUTTONS



POLISHED ALUMINIUM ARMRESTS BRACKET

ALUMINIUM ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167

WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500117

W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT [EN1335 - BIFMA] 4501121

FOR SLIM - CONKA - FLAT - CUSTOMERS' SEAT

FIXING KIT WITH ARMBAR 4500118
FIXING KIT W/O ARMBAR 4500165

FOR DASH SEAT

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501169



| FOX | |
|----------------|--------------------|
| D x W x H (mm) | 225 x 99 x 27 |
| D x W x H [in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| STANDARD | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| D x W x H [in] | 9.29 x 4.41 x 1.06 |
| PU | 9000515 |



| cox | |
|-----------|--------------------|
| DxWxH(mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| NPR | |
|----------------|--------------------|
| D x W x H (mm) | 216 x 112 x 27 |
| DxWxH[in] | 8.50 x 4.41 x 1.06 |
| PU | 9000554 |



| SQUARE | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| D x W x H [in] | 9.29 x 4.41 x 1.06 |
| PU | 9000547 |



| SPECIFICATIONS | | |
|--|---|--|
| TYPE | Adjustable straight armrest | |
| MATERIAL | Aluminium | |
| AVAILABLE ALSO IN | Nylon | |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] | |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) | |
| PAD TO PAD DISTANCE | From 364 mm [14.33 in] to 510 mm [20.08 in] | |
| RELATED PAD | Complete Donati pad family | |
| PAD ADJUSTMENT — 360° rotation | | |
| — 40 mm [1.57 in] backwards / forwards | | |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> | |
| ITEMS PER BOX | 40 | |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) | |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] | |

BeO 4D - STRAIGHT (ALUMINIUM) 4500501

STRAIGHT BeO 4D

Be0 4D — STRAIGHT (ALUMINIUM) Height edjectment: 100 mm (S94 in) Fed edjectment: 550° relation and 40 mm (1.07 in) backwards—ferveards

SURFACE COLOURS / FINISHES



BLACK NYLON ARMRESTS



RAL 7610 NYLON BUTTONS



POLISHED ALUMINIUM ARMRESTS BRACKET

ALUMINIUM ARM FIXING KIT CODES

ALUMINIUM ARMREST

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500117
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT (EN1335 - BIFMA) 4501121

<u>FOR SLIM — CONKA — FLAT — CUSTOMERS' SEAT</u>

FIXING KIT WITH ARMBAR 4500118
FIXING KIT W/O ARMBAR 4500165

FOR DASH SEAT

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501169



| FOX | |
|----------------|--------------------|
| D x W x H (mm) | 225 x 99 x 27 |
| D x W x H [in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| STANDARD | |
|----------------|--------------------|
| DxWxH(mm) | 236 x 112 x 27 |
| D x W x H [in] | 9.29 x 4.41 x 1.06 |
| PU | 9000515 |



| cox | |
|-----------|--------------------|
| DxWxH(mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| NPR | |
|----------------|--------------------|
| D x W x H (mm) | 216 x 112 x 27 |
| DxWxH[in] | 8.50 x 4.41 x 1.06 |
| PU | 9000554 |



| SQUARE | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000547 |



Nylon armrests

PAG 294




BeO

| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Fixed 12° armrest |
| MATERIAL | Nylon |
| AVAILABLE ALSO IN | Aluminium |
| HEIGHT ADJUSTMENT | Fixed |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) |
| PAD TO PAD DISTANCE | From 432 mm [17.01 in] to 515 mm [20.28 in] |
| RELATED PAD | Midi only |
| PAD ADJUSTMENT | Fixed |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

BeO FIXED (NYLON) 4500552



SURFACE COLOURS / FINISHES



BLACK NYLON ARMRESTS

RELATED PRODUCTS



DONATI MIDI PAD ONLY

NYLON ARM FIXING KIT CODES

| FOR | TRASLA | 2 - | TRASLA | 2 | CABLE S | SEAT |
|-----|--------|-----|--------|---|---------|------|

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT [EN1335 - BIFMA] 4501120

$\underline{\texttt{FOR SLIM} - \texttt{CONKA} - \texttt{FLAT} - \texttt{CUSTOMERS'} \ \texttt{SEAT}}$

FIXING KIT WITH ARMBAR 4500162
FIXING KIT W/O ARMBAR 4500164

$\underline{\mathsf{FOR}\;\mathsf{DASH}\;\mathsf{SEAT}}$

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501117




| MIDI | |
|-----------|--------------------|
| DxWxH(mm) | 219 x 100 x 27 |
| DxWxH[in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| SPECIFICATIONS | | |
|------------------------|---|--|
| TYPE | Adjustable 12° armrest | |
| MATERIAL | Nylon | |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] | |
| WIDTH ADJUSTMENT | Fixed (29,0 mm [1.14 in] slot hole) | |
| PAD TO PAD DISTANCE | According to the seat | |
| RELATED PAD | — Midi | |
| | — Cox | |
| PAD ADJUSTMENT | Fixed | |
| | — 30 mm [1.2 in] side | |
| | — 45 mm [1.8 in] backwards / forwards | |
| RELATED SEATS | — Trasla 4 seat | |
| | — Customers' seat | |
| ITEMS PER BOX | 40 | |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) | |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] | |

| <u>BeO 1D</u> | |
|---------------|---------|
| SLIDING PAD | 4502750 |
| FIXED PAD | 4500750 |




SURFACE COLOURS / FINISHES



RELATED PRODUCTS



DONATI MIDI, COX & FOX PADS ONLY TRASLA 4 QUICK CONNECTION SEAT CODE: 4515210 CUSTOMERS'S SEAT



SURFACE COLOURS / FINISHES



RELATED PRODUCTS



DONATI MIDI, COX & FOX PADS ONLY TRASLA 4 QUICK CONNECTION SEAT CODE: 4515210 CUSTOMERS'S SEAT



| FOX | |
|-----------|--------------------|
| DxWxH(mm) | 225 x 99 x 27 |
| DxWxH[in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| cox | |
|-----------|--------------------|
| DxWxH(mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |




| SPECIFICATIONS | | |
|------------------------|---|--|
| TYPE | Adjustable 12° armrest | |
| MATERIAL | Nylon | |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] | |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) | |
| PAD TO PAD DISTANCE | From 428 mm [16.85 in] to 512 mm [20.15 in] | |
| RELATED PAD | — Midi | |
| | — Cox | |
| PAD ADJUSTMENT | Fixed | |
| | — 30 mm [1.2 in] side | |
| | — 45 mm [1.8 in] backwards / forwards | |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> | |
| ITEMS PER BOX | 40 | |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) | |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] | |


| <u>BeO 2D</u> | |
|---------------|---------|
| SLIDING PAD | 4502700 |
| FIXED PAD | 4500700 |

ADJUSTABLE BeO 2D NYLON ARMREST

TECHNICAL DRAWING

BeO 2D - SLIDING PAD





SURFACE COLOURS / FINISHES





RAL 7610 NYLON BUTTONS

RELATED PRODUCTS



DONATI MIDI, COX & FOX PADS ONLY

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT (EN1335 - BIFMA) 4501120

FOR SLIM — CONKA — FLAT — CUSTOMERS' SEAT

FIXING KIT WITH ARMBAR 4500162
FIXING KIT W/O ARMBAR 4500164


FOR DASH SEAT


FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501117

ADJUSTABLE BeO 2D NYLON ARMREST

TECHNICAL DRAWING

BeO 2D — FIXED PAD





SURFACE COLOURS / FINISHES





RAL 7610 NYLON BUTTONS

RELATED PRODUCTS



DONATI MIDI, COX & FOX PADS ONLY

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT (EN1335 - BIFMA) 4501120

FOR SLIM - CONKA - FLAT - CUSTOMERS' SEAT

FIXING KIT WITH ARMBAR 4500162
FIXING KIT W/O ARMBAR 4500164

$\underline{\mathsf{FOR}\;\mathsf{DASH}\;\mathsf{SEAT}}$

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501117



| FOX | |
|-----------|--------------------|
| DxWxH(mm) | 225 x 99 x 27 |
| DxWxH[in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| cox | |
|-----------|--------------------|
| DxWxH(mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Adjustable 12° armrest |
| MATERIAL | Nylon |
| AVAILABLE ALSO IN | Aluminium |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) |
| PAD TO PAD DISTANCE | From 364 mm [14.33 in] to 510 mm [20.08 in] |
| RELATED PAD | Complete Donati pad family |
| PAD ADJUSTMENT | — 30 mm [1.2 in] side |
| | — 45 mm [1.8 in] backwards / forwards |
| | — 360° rotation |
| | — 40 mm [1.6 in] backwards / forwards |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |


| <u>BeO 4D — 12* (NYLON)</u> | |
|---------------------------------|---------|
| SLIDING PAD (MIDI & COX ONLY) | 4502531 |
| ROTATING PAD WITH POSITION LOCK | 4500531 |

12° BeO 4D NYLON ARMREST

TECHNICAL DRAWING

BeO 4D - 12° (NYLON) - SLIDING PAD





SURFACE COLOURS / FINISHES





RAL 7610 NYLON BUTTONS

RELATED PRODUCTS



DONATI MIDI, COX & FOX PADS ONLY

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 — TRASLA 2 CABLE SEAT

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT (EN1335 — BIFMA) 4501120

FOR SLIM - CONKA - FLAT - CUSTOMERS' SEAT

FIXING KIT WITH ARMBAR 4500162
FIXING KIT W/O ARMBAR 4500164

FOR DASH SEAT

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501117

BeO 4D NYLON ARMREST

Be0 40 - 12* (NYLON) - ROTATING PAD 2102 (828) 100 mm [5.94 in] 100 mm [5.94 in] Part of justment - 560* relation and 40 mm [1.57 in] backwards - farwards

SURFACE COLOURS / FINISHES

12°



NYLON ARM FIXING KIT CODES

| FOR TRASLA 2 — TRASLA 2 CABLE SEAT | |
|--|---------|
| WITH WIDTH ADJUSTABLE CONN. (EN1335) | 4500167 |
| WITH WIDTH ADJUSTABLE CONN. (BIFMA) | 4500169 |
| W/O WIDTH ADJUSTABLE CONN. [EN1335] | 4501700 |
| FOR TRASLA 3 SEAT [EN1335 — BIFMA] | 4501120 |
| FOR SLIM — CONKA — FLAT — CUSTOMERS' SEA | Ι |
| FIXING KIT WITH ARMBAR | 4500162 |
| FIXING KIT W/O ARMBAR | 4500164 |
| | |
| FOR DASH SEAT | |
| FIXING KIT WITH ARMBAR (EN1335) | 4500167 |

4501117

FIXING KIT WITH ARMBAR



| FOX | |
|----------------|--------------------|
| D x W x H (mm) | 225 x 99 x 27 |
| DxWxH[in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| STANDARD | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000515 |



| cox | |
|----------------|--------------------|
| D x W x H (mm) | 235 x 100 x 27 |
| D x W x H [in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| NPR | |
|-----------|--------------------|
| DxWxH(mm) | 216 x 112 x 27 |
| DxWxH[in] | 8.50 x 4.41 x 1.06 |
| PU | 9000554 |




| SQUARE | |
|-----------|--------------------|
| DxWxH(mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000547 |



| SPECIFICATIONS | |
|------------------------|---|
| ТҮРЕ | Adjustable straight armrest |
| MATERIAL | Nylon |
| AVAILABLE ALSO IN | Aluminium |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] |
| WIDTH ADJUSTMENT | 42 mm [1.65 in] (According to the seat / fixing) |
| PAD TO PAD DISTANCE | From 364 mm [14.33 in] to 510 mm [20.08 in] |
| RELATED PAD | Complete Donati pad family |
| PAD ADJUSTMENT | — 360° rotation |
| | — 40 mm [1.57 in] backwards / forwards |
| RELATED SEAT | Complete Donati seat family, Trasla 4 <u>excluded</u> |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

BeO 4D - STRAIGHT (NYLON) 4500511



SURFACE COLOURS / FINISHES







RAL 7610 NYLON BUTTONS

NYLON ARM FIXING KIT CODES

| FOR | TRASLA | 2 - | TRASLA | 2 | CABL | E S | EAT |
|-----|--------|-----|--------|---|------|-----|-----|

WITH WIDTH ADJUSTABLE CONN. (EN1335) 4500167
WITH WIDTH ADJUSTABLE CONN. (BIFMA) 4500169
W/O WIDTH ADJUSTABLE CONN. (EN1335) 4501700

FOR TRASLA 3 SEAT [EN1335 - BIFMA] 4501120

FOR SLIM — CONKA — FLAT — CUSTOMERS' SEAT

FIXING KIT WITH ARMBAR 4500162
FIXING KIT W/O ARMBAR 4500164

FOR DASH SEAT

FIXING KIT WITH ARMBAR (EN1335) 4500167
FIXING KIT WITH ARMBAR 4501117



| FOX | |
|-----------|--------------------|
| DxWxH(mm) | 225 x 99 x 27 |
| DxWxH[in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| STANDARD | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000515 |



| cox | |
|----------------|--------------------|
| D x W x H (mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| NPR | |
|-----------|--------------------|
| DxWxH(mm) | 216 x 112 x 27 |
| DxWxH[in] | 8.50 x 4.41 x 1.06 |
| PU | 9000554 |




| SQUARE | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| D x W x H [in] | 9.29 x 4.41 x 1.06 |
| PU | 9000547 |



| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Adjustable 12° armrest |
| MATERIAL | Nylon |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] |
| WIDTH ADJUSTMENT | 32 mm [1.26 in] |
| PAD TO PAD DISTANCE | From 394 mm [15.51 in] to 517 mm [20.35 in] |
| RELATED PAD | Complete Donati pad family |
| PAD ADJUSTMENT | — 360° rotation |
| | — 40 mm [1.57 in] backwards / forwards |
| RELATED SEAT | — Trasla 2 (4515195) |
| | — Trasla 2 Cable (4515191 / 4515194) |
| | — Trasla 3 (4515241) |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

BeO 4D - TRASLA 4500580

TRASLA BEO 4D NYLON ARMREST



SURFACE COLOURS / FINISHES



RELATED PRODUCTS



DONATI TRASLA 2 / TRASLA 2 CABLE QUICK CONNECTION SEAT FAMILY

DONATI TRASLA 3
QUICK CONNECTION SEAT

NYLON ARM FIXING KIT CODES

FOR TRASLA 2 - TRASLA 2 CABLE SEAT (BIFMA) 4501112

FOR TRASLA 3 SEAT (BIFMA) 4501111



| FOX | |
|----------------|--------------------|
| D x W x H (mm) | 225 x 99 x 27 |
| D x W x H [in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| STANDARD | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000515 |



| cox | |
|----------------|--------------------|
| D x W x H (mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| NPR | |
|----------------|--------------------|
| D x W x H (mm) | 216 x 112 x 27 |
| DxWxH[in] | 8.50 x 4.41 x 1.06 |
| PU | 9000554 |




| SQUARE | |
|-----------|--------------------|
| DxWxH(mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000547 |



| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Adjustable 12° armrest |
| MATERIAL | Nylon |
| HEIGHT ADJUSTMENT | 100 mm [3.94 in] |
| WIDTH ADJUSTMENT | Fixed |
| PAD TO PAD DISTANCE | From 455 mm [17.91 in] to 515 mm [20.28 in] |
| RELATED PAD | Complete Donati pad family |
| PAD ADJUSTMENT | — 360° rotation |
| | — 40 mm [1.57 in] backwards / forwards |
| RELATED MECHANISM | — Friendly |
| | — Friendly without outer seat |
| ITEMS PER BOX | 40 |
| BOXES PER PALLET (MOQ) | 4 boxes (160 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

| BeO FRIENDLY | |
|------------------|---------|
| BLACK | 4500590 |
| WHITE (RAL 9002) | 4500591 |



SURFACE COLOURS / FINISHES







RAL 9002 NYLON ARMRESTS



RAL 7610 NYLON BUTTONS

RELATED PRODUCTS



FRIENDLY MECHANISM COLLECTION



| FOX | |
|-----------|--------------------|
| DxWxH(mm) | 225 x 99 x 27 |
| DxWxH[in] | 8.85 x 3.89 x 1.06 |
| PU | 4700555 |



| STANDARD | |
|----------------|--------------------|
| D x W x H (mm) | 236 x 112 x 27 |
| D x W x H [in] | 9.29 x 4.41 x 1.06 |
| PU | 9000515 |



| cox | |
|-----------|--------------------|
| DxWxH(mm) | 235 x 100 x 27 |
| DxWxH[in] | 9.25 x 3.94 x 1.06 |
| PU | 9000551 |



| MIDI | |
|----------------|--------------------|
| D x W x H (mm) | 219 x 100 x 27 |
| D x W x H [in] | 8.62 x 3.94 x 1.06 |
| PU | 9000538 |
| PP | 9000537 |



| NPR | |
|----------------|--------------------|
| D x W x H (mm) | 216 x 112 x 27 |
| DxWxH[in] | 8.50 x 4.41 x 1.06 |
| PU | 9000554 |



| SQUARE | |
|-----------|--------------------|
| DxWxH(mm) | 236 x 112 x 27 |
| DxWxH[in] | 9.29 x 4.41 x 1.06 |
| PU | 9000547 |

Pads



| cox | |
|-----------------|---|
| TYPE | Pad for BeO armrests |
| AVAILABLE IN | PU only |
| DIMENSIONS | 235 x 100 x 27 mm [9.25 x 3.94 x 1.06 in] |
| RELATED ARMREST | — BeO 1D |
| | — BeO 2D |
| | — BeO Friendly |
| | — BeO 4D Aluminum family (12° / Straight) |
| | BeO 4D Nylon family (12° / Straight / Trasla) |



| FOX | |
|-----------------|---|
| TYPE | Pad for BeO armrests |
| AVAILABLE IN | PU only |
| DIMENSIONS | 225 x 99 x 27 mm [8.85 x 3.89 x 1.06 in] |
| RELATED ARMREST | — BeO Friendly |
| | — BeO 4D Aluminum family (12° / Straight) |
| | Rotating pad version only |
| | — BeO 4D Nylon family (12° / Straight / Trasla) |
| | Rotating pad version only |

| PRODUCT CODES | |
|-----------------|---------|
| FOX - PU (SOFT) | 4700555 |
| | |
| | |
| | |



| MIDI | |
|-----------------|---|
| TYPE | Pad for BeO armrests |
| AVAILABLE IN | — PU |
| | — PP |
| DIMENSIONS | 219 x 100 x 27 mm [8.62 x 3.94 x 1.06 in] |
| RELATED ARMREST | — BeO 1D |
| | — BeO 2D |
| | — BeO Friendly |
| | — BeO 4D Aluminum family (12° / Straight) |
| | — BeO 4D Nylon family (12° / Straight / Trasla) |
| | — BeO Fixed aluminium |
| | — BeO Fixed nylon |

| MIDI | |
|-----------|---------|
| PU (SOFT) | 9000538 |
| PP (HARD) | 9000537 |
| | |



| NPR | |
|-----------------|---|
| TYPE | Pad for BeO armrests |
| AVAILABLE IN | PU only |
| DIMENSIONS | 216 x 112 x 27 mm [8.50 x 4.41 x 1.06 in] |
| RELATED ARMREST | — BeO Friendly |
| | — BeO 4D Aluminum family (12° / Straight) |
| | Rotating pad version only |
| | — BeO 4D Nylon family (12° / Straight / Trasla) |
| | Rotating pad version only |

PRODUCT CODES

| NPR - PU (SOFT) | 9000554 |
|-----------------|---------|



| SQUARE | |
|-----------------|---|
| TYPE | Pad for BeO armrests |
| AVAILABLE IN | PU only |
| DIMENSIONS | 236 x 112 x 27 mm [9.29 x 4.41 x 1.06 in] |
| RELATED ARMREST | — BeO Friendly |
| | — BeO 4D Aluminum family (12° / Straight) |
| | Rotating pad version only |
| | — BeO 4D Nylon family (12° / Straight / Trasla) |
| | Rotating pad version only |

Pads

PRODUCT CODES

SQUARE - PU (SOFT) 9000547



| STANDARD | |
|-----------------|---|
| TYPE | Pad for BeO armrests |
| AVAILABLE IN | PU only |
| DIMENSIONS | 236 x 112 x 27 mm [9.29 x 4.41 x 1.06 in] |
| RELATED ARMREST | — BeO Friendly |
| | — BeO 4D Aluminum family (12° / Straight) |
| | Rotating pad version only |
| | — BeO 4D Nylon family (12° / Straight / Trasla) |
| | Rotating pad version only |

PRODUCT CODES

STANDARD - PU (SOFT) 9000515






| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Adjustable back bar |
| MATERIAL | Nylon + GF |
| HEIGHT ADJUSTMENT | 65 mm [2.56 in], by button |
| MECHANISM CONNECTION | DONATI standard (width 90 mm [3.54 in]) |
| ANGLE | 91° |
| ITEMS PER BOX | 20 |
| BOXES PER PALLET (MOQ) | 16 boxes (320 items) |
| PALLET SIZE (LXWXH) | 80 x 120 x 160 cm [31.5 x 47.2 x 63.0 in] |

PRODUCT CODES

ACTIVA 4520950









| SPECIFICATIONS | |
|------------------------|---|
| TYPE | Adjustable back bar |
| MATERIAL | Nylon + GF |
| HEIGHT ADJUSTMENT | 65 mm [2.56 in], ratchet |
| MECHANISM CONNECTION | DONATI standard (width 90 mm [3.54 in]) |
| ANGLE | — 83° |
| | - 88° |
| ITEMS PER BOX | 15 |
| BOXES PER PALLET (MOQ) | 20 boxes (300 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 160 cm [31.5 x 47.2 x 63.0 in] |

PRODUCT CODES

| UP / DOWN | |
|-----------|---------|
| 83° | 4520900 |
| 88° | 4520902 |



BLACK NYLON BACK BAR





BLACK NYLON BACK BAR


FOR STANDARD GAS SPRING D17 ALUMINIUM FOOTREST



| SPECIFICATIONS | |
|---------------------------|---|
| TYPE | Adjustable footrest for standard gas spring |
| MATERIAL | Aluminium |
| GAS SPRING DIAMETER | 50 mm (2.0 inch) |
| GAS SPRING COVER LENGTH | — 290 mm [11.4 in] |
| | — 340 mm [13.4 in] |
| | — Other dimensions available on request |
| FOOTREST SURFACE FINISHES | — Chrome |
| | — Polished |
| | — Black painted |
| GAS SPRING COVER FINISHES | — Chrome |
| | — Black painted |
| ITEMS PER BOX | 10 |
| BOXES PER PALLET (MOQ) | 15 boxes (150 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| D17 F00TREST | |
|----------------------------|---------|
| CHROME | 1005150 |
| POLISHED | 1005151 |
| BLACK PAINTED | 1005152 |
| GAS SPRING COVER 290 mm | |
| CHROME | 1005120 |
| BLACK PAINTED | 1005121 |
| GAS SPRING COVER 340 mm | |
| CHROME | 1005100 |
| BLACK PAINTED | 1005101 |
| GAS SPRING TAPERED ADAPTER | 1005130 |
| | |





CHROME FOOTREST




POLISHED
GAS SPRING COVER,
FOOTREST



BLACK PAINTED GAS SPRING COVER, FOOTREST


FOR STANDARD GAS SPRING L1060 ALUMINIUM FOOTREST



| SPECIFICATIONS | |
|---------------------------|---|
| ТҮРЕ | 4 star round footrest for standard gas spring |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 455 mm (17.9 inch) |
| GAS SPRING DIAMETER | 50 mm (1.97 inch) |
| FOOTREST SURFACE FINISHES | Polished / Black painted |
| ITEMS PER BOX | 15 |
| BOXES PER PALLET (MOQ) | 13 boxes (195 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |

PRODUCT CODES

L1060 F00TREST 1005011





POLISHED FOOTREST



BLACK PAINTED FOOTREST



BLACK PLASTIC KNOB


FOR STANDARD GAS SPRING L1065 ALUMINIUM FOOTREST



| SPECIFICATIONS | |
|---------------------------|---|
| TYPE | 5 star round footrest for standard gas spring |
| MATERIAL | Aluminium |
| EXTERNAL DIAMETER | 500 mm (19.7 inch) |
| GAS SPRING DIAMETER | 50 mm (1.97 inch) |
| FOOTREST SURFACE FINISHES | Polished / Black painted |
| ITEMS PER BOX | 18 |
| BOXES PER PALLET (MOQ) | 10 boxes (180 items) |
| PALLET SIZE (LxWxH) | 150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in] |

PRODUCT CODES

L1065 F00TREST 1005050





POLISHED FOOTREST



BLACK PAINTED FOOTREST



BLACK PLASTIC KNOB






| SPECIFICATIONS | |
|-----------------------------|---|
| TYPE | Swivel support |
| EXTERNAL DIAMETER | 40 mm [1.6 in] |
| MECHANISM CONN. DIAMETER | 28 mm [1.1 in] |
| EXT. TAPER HEIGHT (Ø 40 mm) | 72 mm [2.8 in] |
| EXTENSION | — 40 mm [1.6 in] |
| | — 60 mm [2.4 in] |
| | — 80 mm [3.1 in] |
| | — 100 mm [3.9 in] |
| COVER SURFACE FINISH | — Chrome (Plastic) |
| | — Black |
| ITEMS PER BOX | 20 / 16 |
| BOXES PER PALLET (MOQ) | 60 boxes (1200 / 960 items) |
| PALLET SIZE (LxWxH) | 80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in] |

PRODUCT CODES

| SWIVEL SUPPORT 40 mm [NO COVER] | 4510160 |
|---------------------------------|---------|
| SWIVEL SUPPORT 60 mm | 4510161 |
| - CHROME COVER | 4510170 |
| - BLACK COVER | 4510171 |
| SWIVEL SUPPORT 80 mm | 4510162 |
| - CHROME COVER | 4510172 |
| - BLACK COVER | 4510173 |
| SWIVEL SUPPORT 100 mm | 4510163 |
| - CHROME COVER | 4510174 |
| - BLACK COVER | 4510175 |
| | |

TECHNICAL DRAWING

SWIVEL SUPPORT 40 mm (NO COVER)



SURFACE COLOURS / FINISHES



BLACK PLASTIC HOUSING

RELATED PRODUCTS



SUPERLEGGERA 4 STAR BASE — HIGH MORSE CONE Ø 40 mm CODE: 5010480



UNICA 4 STAR BASE MORSE CONE Ø 40 mm CODE: 5010430



SUPERLEGGERO SWIVEL SUPPORT CODE: 1050610




SPIDER SWIVEL SUPPORT CODE: 1050540





ARMONICO COLLECTION

TECHNICAL DRAWING

SWIVEL SUPPORT 60 / 80 / 100 mm







SURFACE COLOURS / FINISHES



BLACK PLASTIC HOUSING



BLACK PLASTIC COVER



CHROME PLASTIC COVER

RELATED PRODUCTS



SUPERLEGGERA 4 STAR BASE — HIGH MORSE CONE Ø 40 mm CODE: 5010480



UNICA 4 STAR BASE MORSE CONE Ø 40 mm CODE: 5010430




SUPERLEGGERO SWIVEL SUPPORT CODE: 1050610



SPIDER SWIVEL SUPPORT CODE: 1050540



ARMONICO COLLECTION



| SPECIFICATIONS | |
|-----------------------------|--------------------|
| ТҮРЕ | Gas spring |
| EXTERNAL DIAMETER | 40,0 mm [1.57 in] |
| INSIDE GAS LIFT DIAMETER | 28,0 mm [1.10 in] |
| CLASS | 3 |
| FORCE | 300N |
| GAS SPRING HEIGHT | 245,0 mm [9.65 in] |
| STROKE | 112 mm [4.41 in] |
| EXT. TAPER HEIGHT (Ø 40 mm) | 42 mm [1.7 in] |
| INT. TAPER HEIGHT (Ø 28 mm) | 237 mm [9.3 in] |
| GAS SPRING SURFACE FINISH | Chrome |
| ITEMS PER BOX (MOQ) | 20 / 600 |

PRODUCT CODES

| SG215 40 B GAS SPRING | 4500085 |
|-------------------------------|---------|
| TAPERED PLASTIC BUSHING | |
| — EXT. Ø 50 mm > INT. Ø 40 mm | 4510165 |
| — EXT. Ø 44 mm > INT. Ø 40 mm | 4516007 |

SURFACE COLOURS / FINISHES





GALVANIZED STEEL GAS SPRING



TAPERED PLASTIC BUSHING EXT.Ø50mm > INT.Ø40mm CODE: 4510165



TAPERED PLASTIC
BUSHING
EXT.Ø44mm > INT.Ø40mm
CODE: 4516007

RELATED PRODUCTS



SUPERLEGGERA 4 STAR BASE — HIGH MORSE CONE Ø 44 mm CODE: 5010490



UNICA 4 STAR BASE MORSE CONE Ø 44 mm CODE: ON REQUEST



SUPERLEGGERO SWIVEL SUPPORT WITH HEIGHT ADJUSTMENT CODE: 1050620



SPIDER SWIVEL SUPPORT WITH HEIGHT ADJUSTMENT CODE: 1050530



ARMONICO COLLECTION WITH HEIGHT ADJUSTMENT




| SPECIFICATIONS | |
|-----------------------------|--|
| ТҮРЕ | Gas spring |
| EXTERNAL DIAMETER | 50,0 mm [1.97 in] |
| INSIDE GAS LIFT DIAMETER | 28,0 mm [1.10 in] |
| CLASS | 3 |
| FORCE | 400N |
| GAS SPRING HEIGHT | 245,0 mm [9.65 in] |
| STROKE | 129,0 mm [5.08 in] |
| EXT. TAPER HEIGHT (Ø 50 mm) | — 65,0 mm [2.56 in] (TG 205 - 65 C) |
| | — 100,0 mm [3.94 in] (TG 205 - 100 CL) |
| | — 150,0 mm [5.91 in] (TG 205 - 150 CL) |
| INT. TAPER HEIGHT (Ø 28 mm) | 212,0 mm [8.35 in] |
| GAS SPRING SURFACE FINISH | — Chrome |
| | — Black |
| ITEMS PER BOX (MOQ) | 20 / 600 |

Ø 50 mm

PRODUCT CODES

| TG 205 - 65 C GAS SPRING | |
|----------------------------|---------|
| - BLACK | 4500087 |
| - CHROME | 4500088 |
| TG 205 - 100 CL GAS SPRING | |
| - BLACK | 4500089 |
| - CHROME | 4500093 |
| TG 205 - 150 CL GAS SPRING | |
| - BLACK | 4500084 |
| - CHROME | 4500086 |
| | |
| | |
| | |
| | |






GALVANIZED STEEL GAS SPRING



BLACK PAINTED GAS SPRING






GALVANIZED STEEL GAS SPRING



BLACK PAINTED GAS SPRING





GALVANIZED STEEL GAS SPRING



BLACK PAINTED GAS SPRING

DONATI

Donati S.p.A.

Via Paderno, 19 25050 Rodengo Saiano (BS) phone +39.030.6818711 fax +39.030.6810448 info@donati.eu www.donati.eu

Edition

November 2019 - REV002

Design

Studio Pitis

Graphic & rendering

Matteo Veneziani

Terms & conditions

Each DONATI product is made in Italy in accordance with a quality process meeting regulations 9001 ISO.

DONATI S.p.A. reserves the right to make changes to the products described in the catalogue, any time without prior notice.

Copyright Notice — **Trademarks**

Onati is a registered trademark of Donati S.p.A. — All rights reserved. All information and content on this document is the property of Donati S.p.A. or its licensors. The content is protected by copyright laws, trademark and design rights. Any unauthorized use of the content will be considered a violation intellectual property rights. Unless otherwise stated in this document, no content may be copied, distributed, published or used in any way, in whole or in part, without prior written agreement from Donati S.p.A.

