E١

General Catalogue

Mechanisms

FIXED
TILT
SYNCHRO TILT
MULTI TILT
WEIGHT ACTIVATED

Bases

ALUMINIUM NYLON PIVOTING FOOTREST GLIDES

Seats

QUICK CONNECTION BOLT-ON ADAPTER PLATE

Armrests

ALUMINIUM NYLON PADS

Backrests & Back bars

FIXED ADJUSTABLE

Supports & Gas springs

SWIVEL ADJUSTABLE



DONATI

Donati S.p.A.

Via Paderno, 19 25050 Rodengo Saiano (BS) Italy phone +39.030.6818711 fax +39.030.6810448 info@donati.eu www.donati.eu

Edition

November 2021 - REV005

Design

Studio Pitis

Graphic — Rendering

Matteo Veneziani

Terms & Conditions

Each Donati product in this catalogue is made in Italy within a process in compliance with UNI EN ISO 9001: 2015 quality standard and UNI EN ISO 14001: 2015 environmental standard.

Donati reserves the right to make changes to the products shown at any time without prior notice. The photographs and product descriptions are indicative.

Copyright Notice — Trademarks

Donati is a registered trademark of Donati S.p.A. — All rights reserved. All information and content on this document are the property of Donati S.p.A. or its licensors. The content is protected by copyright laws, trademark and design rights. Any unauthorized use of the content will be considered a violation of the intellectual property rights. Unless otherwise stated in this document, no content may be copied, distributed, published or used in any way, in whole or in part, without prior written agreement from Donati S.p.A.

Donati is an Italian company dedicated to manufacturing for the world's best furniture brands. We enable our industry clients to develop and distribute outstanding product in terms of innovation, quality and sustainability.

Donati develops and manufactures furniture components for contract and residential seating; our components offer high quality, function and durability at an affordable cost.

A large selection is readily available from our standard range, the Catalogo Generale. These bases, seats, armrests, backs and mechanisms are all part of the same modular system - as such they can easily be combined into larger functional groups or even complete chairs.

Donati is highly specialised in chair mechanisms from small, integrated tilt mechanisms to synchronized multitilt or self-adjusting weight sensitive mechanisms. We have been developing and manufacturing our own mechanisms for over thirty years. Our continuous investment in research has resulted in patents for several generations of innovative movements and constructions. Today, we make over two million mechanisms per year. We are still driven by how to further improve dynamic seating in comfort and ergonomics and by exploring solutions for a changing workplace and new user needs.

Bases made from die-cast aluminium or injection moulded plastic are another stronghold of ours. With over one million bases per year, we have a fully automated production allowing for perfect series quality at competitive prices. We are proud of the fact that our chair bases are made from 100% recycled raw material.

In addition to our standard range, we also offer individual solutions for furniture components. Donati has the capacities to develop a client's idea from scratch or to customize a standard component into a tailor-made version for a client's project.

Donati


Your Furniture Industry

This catalogue presents the most relevant and current components designed and produced by Donati, while the website www.donati.eu includes a wider range.

The aesthetic similarity between the parts of the same family involved a logical optimization of their representation: articles contained in the same page may have substantial functional and dimensional differences.

For more information

info@donati.eu phone + 39.030.6818711



Mechanisms Bases TREVI (4 / 5 STAR) TILT & FIXED INSTAR 10 ALUMINIUM & NYLON 60 MPD38 12 TREVIXL (PIVOTING / FIXED) 62 ARMONICO ABACO (PIVOTING) 15 63 SPIDER QUOIN (4 / 5 STAR) 64 16 SUPERLEGGERO ZIGGURAT 17 66 **PLANE 100%** DISKO 67 20 D165 (TILT) SUPERLEGGERA (4 / 5 STAR) 22 68 PF DB1.8 (4 / 5 STAR) 23 72 DB1.13 75 EPRON RV DB2.13 26 76 SYNCHRO & MULTI TILT **EPRON PLUS** 29 PRESTO 77 EPRON 32 DB2.6 78 DYNAMIC PLUS 34 DB1.17 D165 (SYNCHRON) 35 B.YOU 80 CORE METEORA 81 36 TECNO В1 37 82 B1T 83 FRIENDLY 40 K600 - K720 84 WEIGHT-ACTIVATED FRIENDLY 2 L1080 - L2080 85 42 FRIENDLY 2 LOUNGE DB1.6 43 86 FRIENDLY 3 DB1.9 87 44 FRIENDLY 3 PLUS OCTOPUS 88 45 DOPOTUTTO UNICA 89 46 DOPOTUTTO CONTRACT 47 D109 TRIM 48 90 INEDITO D17 92 MECHANISM CONNECTIONS GLIDES SEAT-BACK BAR 93 GLIDES

PAG 06 DONATI

Seats

QUICK CONNECTON KITE 96 TRASLA 2 98 TRASLA 2 CABLE 99 TRASLA 3 100 TRASLA 4 101 SLIM 102 BOLT-0N CONKA 103 DASH 104 FLAT 105 MODULA 1 106 SLIDING ADAPTER PLATE

Armrests

0	BeO FIXED	112
ALUMINIUM & NYLON	BeO 1D	113
MOI	BeO 2D	114
MIW	BeO FRIENDLY	115
AL	BeO 4D	116
ADS	PU — PP PADS	119

Backrests & Back bars

FIXED	CLIPPER	122
BLE	UP / DOWN	124
ADJUSTAB	ACTIVA	125

Supports & Gas springs

E E	SWIVEL SUPPORT	128
40-50	MINI TORNA	129
8	GAS SPRING SG 215 (Ø 40 mm)	130
	GAS SPRING TSG 210 (Ø 50 mm)	131
<u> </u>	TAPERED BUSHING Ø 40/44 → 50 mm	132

Tilt & fixed mechanisms







SPECIFICATIONS	
ТҮРЕ	— Fixed mechanism
	— Tilt mechanism with/without tilt lock
TILT ANGLES	— 7° backward, 4° forward (W/O tilt lock)
	- 7° backward (With tilt lock)
(OPT.) TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	— 2,5° backward (standard version)
	— 6° backward (lounge version)
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 153 mm [6.0 x 6.0 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (Zamak)
	— Black painted (Zamak)
DESIGN BY	Strand + Hvass

INSTAR STANDARD - WITH TILT LOCK	
POLISHED	1022601
BLACK PAINTED	1022600
INSTAR STANDARD - W/O TILT LOCK	
POLISHED	1022401
BLACK PAINTED	1022400
INSTAR LOUNGE - WITH TILT LOCK	
POLISHED	On request
BLACK PAINTED	On request
INSTAR LOUNGE - W/O TILT LOCK	
POLISHED	1022451
BLACK PAINTED	1022450

PAG 10 DONATI

TILT - FIXED MECHANISM Instar Cable CABLE ACTIVATION






SP	F C I	IFI	$C\Delta$	TΙ	0	NS

TYPE	— Fixed mechanism
	— Tilt mechanism with/without tilt lock
TILT ANGLES	— 7° backward, 4° forward (W/O tilt lock)
	— 7° backward (With tilt lock)
(OPT.) TILT LOCKING	1 position, by Bowden cable
FACTORY SEAT SETUP	2,5° backward (standard version)
	— 6° backward (lounge version)
HEIGHT ADJUSTMENT	By Bowden cable
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 153 mm [6.02 x 6.02 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (Zamak)
	— Black painted (Zamak)
DESIGN BY	Strand + Hvass

PRODUCT CODES

•••••	
INSTAR CABLE STANDARD - WITH TILT LOC	<u>K</u>
POLISHED	1022701
BLACK PAINTED	1022700
INSTAR CABLE STANDARD - W/O TILT LOCK	
POLISHED	1022501
BLACK PAINTED	1022500
INSTAR CABLE LOUNGE - WITH TILT LOCK	
POLISHED	On request
BLACK PAINTED	On request
INSTAR CABLE LOUNGE - W/O TILT LOCK	
POLISHED	On request
BLACK PAINTED	On request

ALUMINIUM PLATE MPD38 TILT MECHANISM





SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLE	— 16° seat (With lower knob)
	— 13° seat (W/O lower knob)
TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	1,5° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	— Lower tension adjustment knob
	— By hex key (W/O lower knob)
SEAT CONNECTION	Aluminium plate: 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome
	— Black painted
COVER & LOWER KNOB FINISH	— Black
	— Basalt grey (RAL 7012)

 PAG

PRODUCT CODES

MPD38 ALUMINIUM PLATE	
POLISHED	1020191
BLACK PAINTED	1020190
MPD38 ALUMINIUM PLATE W/O KNOB	
POLISHED	1020301
BLACK PAINTED	1020300

TILT MECHANISM MPD38 STEEL PLATE



MECHANISM W/O COMFORT REGULATION KNOB AVAILABLE




SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLE	- 16° seat (With lower knob)
	— 13° seat (W/O lower knob)
TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	1,5° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	— Lower tension adjustment knob
	— By hex key (W/O lower knob)
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome
	— Black painted
COVER & LOWER KNOB FINISH	— Black
	— Basalt grey (RAL 7012)

PRODUCT CODES

MPD38 METAL PLATE	
POLISHED	1020181
BLACK PAINTED	1020180
MPD38 METAL PLATE W/O KNOB	
POLISHED	1020311
BLACK PAINTED	1020310

SINGLE - MULTIBLOCK MPD38 TILT MECHANISM






SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLE	16° seat
TILT LOCKING	— 1 position, by lever (Single lock/ECO)
	— 5 positions, by lever (Multiblock)
FACTORY SEAT SETUP	— 1,5° backwards (Single lock/ECO only)
	— 0° (Multiblock)
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
GAS LEVER FINISH	Black
LOWER KNOB FINISH	Black

PRODUCT CODES

MPD38	
SINGLE LOCK	1020162
SINGLE LOCK ECO (W/O PLASTIC COVERS)	1020161
MULTIBLOCK	1020012



HEIGHT ADJUSTMENT OPTION AVAILABLE




SPECIFICATION	
	•


TYPE	— Fixed mechanism
	— Tilt mechanism
	— Tilt mechanism with tilt lock button
FACTORY SEAT SETUP	3° backwards
(OPT.) TILT ANGLE	7° backwards, 4° forwards
(OPT.) TILT LOCKING	1 position, by lower button
(OPT.) HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	— Bolt-on plate 70 x 90 mm [2.8 x 3.5 in]
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome or Black painted (Zamak)
	— Black (Plastic)

PRODUCT CODES

ARMONICO POLISHED (FIXING HOLES 70x5	90 mm)
TILT LOCK WITH HEIGHT ADJUSTMENT	1020604
TILT LOCK W/O HEIGHT ADJUSTMENT	1020611
TILT WITH HEIGHT ADJUSTMENT	1020404
TILT W/O HEIGHT ADJUSTMENT	1020411
FIXED WITH HEIGHT ADJUSTMENT	1020454
FIXED W/O HEIGHT ADJUSTMENT	1020461
ARMONICO BLACK PAINTED (FIXING HOLE	S 70x90 mm)
TILT LOCK WITH HEIGHT ADJUSTMENT	1020603
TILT LOCK W/O HEIGHT ADJUSTMENT	1020610
TILT WITH HEIGHT ADJUSTMENT	1020403
TILT W/O HEIGHT ADJUSTMENT	1020410
FIXED WITH HEIGHT ADJUSTMENT	1020453
FIXED W/O HEIGHT ADJUSTMENT	1020460

3D Armonico TILT MECHANISM





SPECIFICATIONS	
TYPE	3D tilt mechanism
TILT ANGLE	7° backwards, 4° forwards, ±4° side tilt
FACTORY SEAT SETUP	3° backwards
(OPT.) HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (Zamak)
	— Black painted (Zamak)
	— Black (Plastic)
COVER FINISH	— Black
	— Window grey (RAL 7040)

PRODUCT CODES

ARMONICO 3D WITH HEIGHT ADJUSTMENT	
POLISHED	1020501
BLACK PAINTED	1020500
ARMONICO 3D W/O HEIGHT ADJUSTMENT	
POLISHED	1020511
BLACK PAINTED	1020510

TILT MECHANISM Armonico ALUMINIUM PLATE






SPECIFICATIONS	
TYPE	— Tilt mechanism
	— Tilt mechanism with tilt lock
TILT ANGLE	7° backwards, 4° forwards
(OPT.) TILT LOCKING	1 position, by lower button
FACTORY SEAT SETUP	3° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Black painted
GAS LEVER FINISH	— Chrome (Zamak)
	— Black painted (Zamak)
	— Black (Plastic)

PRODUCT CODES

ARMONICO ALU PLATE WITH TILT LOCK	
POLISHED	1020654
BLACK PAINTED	1020653
ARMONICO ALU PLATE W/O TILT LOCK	
POLISHED	On request
BLACK PAINTED	On request



HEIGHT ADJUSTMENT OPTION AVAILABLE




SPECIFICATIONS	
TYPE	— Fixed support
	— Swivel support w/o height adjustment
	- Swivel support with height adjustment lever $$
FACTORY SEAT SETUP	4° backwards
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished / Painted
	— Painted
	— Sandblasted
	— Other colours available on request
GAS LEVER FINISH	— Chrome
	— Painted
DESIGN	Marcello Ziliani

•••••	
SPIDER (WHITE RAL 9002 PAINTED)	
FIXED	1050520
SWIVEL W/O HEIGHT ADJUSTMENT	1050540
SWIVEL WITH HEIGHT ADJUSTMENT	1050530
OTHER COLOURS	On request




HEIGHT ADJUSTMENT OPTION AVAILABLE




SPECIFICATIONS	
ТҮРЕ	— Fixed support
	— Swivel support w/o height adjustment
	— Swivel support with height adjustment lever
FACTORY SEAT SETUP	3° backwards
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.0 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Polished
	— Painted
	— Sandblasted
	— Other colours available on request
GAS LEVER FINISH	— Chrome
	— Painted

SUPERLEGGERO	
FIXED	1050600
SWIVEL W/O HEIGHT ADJUSTMENT	1050610
SWIVEL WITH HEIGHT ADJUSTMENT	1050620

SWIVEL Plane 100% FIXED SUPPORT



HEIGHT ADJUSTMENT OPTION AVAILABLE



SPECIFICATIONS	
ТҮРЕ	Swivel support
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Fixing holes 100 x 100 mm [3.9 x 3.9 in]
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black
GAS LEVER FINISH	Black

PRODUCT CODES

PLANE 100%				
WITH HEIGHT ADJUSTMENT	4!	515	22	5
W/O HEIGHT ADJUSTMENT	4	515	22	6
OPTIONAL				


GAS SPRING COVER KIT (h. 295 mm / 11.6 in) 1005140



GAS SPRING COVER Ø 45 mm [1.8 in] KIT AVAILABLE

KNEE TILT D165 TILT MECHANISM







SPECIFICATIONS	
ТҮРЕ	Knee-tilt mechanism
TILT ANGLE	16° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment crank
SEAT CONNECTION	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
	— Bolt-on plate 200 x 200 mm [7.9 x 7.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Black painted
	— Polished
LEVER FINISH	Black
COVER FINISH	Anthracite grey (RAL 7016)

PRODUCT CODES

D165 TILT BOLT-ON PLATE 153x200 mm	
BLACK PAINTED	1020810
POLISHED	1020811
D165 TILT BOLT-ON PLATE 200x200 mm	
BLACK PAINTED	1020830
POLISHED	1020831







SPECIFICATIONS	
TYPE	Fixed support
FACTORY SEAT SETUP	2° backwards
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted

<u>PF</u>	
WITH HEIGHT ADJUSTMENT	1050200
W/O HEIGHT ADJUSTMENT	1050201

Synchro & multi tilt mechanisms



SYNCHRON Epron RV SYNCHRO TILT MECHANISM






SPECIFICATIONS	
ТҮРЕ	Synchro tilt mechanism
TILT ANGLES	23° backrest / 10° seat
BACKREST TILT LOCK OR	— 5 positions, by lever
BACKREST TRAVEL RESTRICTION	
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

PRODUCT CODES

EPRON RV	
SYNCHRON	1061001
SYNCHRON TRAVEL RESTRICTION	1061055







SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	21° backrest / 10° seat
BACKREST TILT LOCK <u>OR</u>	— 6 positions, by side knob
BACKREST TRAVEL RESTRICTION	
HEIGHT ADJUSTMENT	By lever
FORWARD TILT ADJUSTMENT	5° backrest / 2° seat
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

EPRON RV	
FORWARD TILT ADJUSTMENT	1061200
FORWARD TILT ADJ. TRAVEL RESTRICTION	1061255


CATALOGUE 2021






SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	22° backrest / 11° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	- 0°
	— 5° forwards
	— Free float
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

EPRON RV FLEX 1061100






SPECIFICATIONS		
TYPE	Synchro tilt mechanism	
TILT ANGLE	23° backrest / 8,5° seat	
BACKREST TILT LOCK	5 positions, by lever	
HEIGHT ADJUSTMENT	By lever	
COMFORT	— Side tension adjustment crank <u>or</u>	
	— Side tension adjustment knob	
SEAT CONNECTION	Donati universal seat plate	
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])	
MORSE CONE DIAMETER	28 mm [1.1 in]	
MECHANISM SURFACE FINISH	Black painted	
LEVER FINISH	Black	

EPRON PLUS SYNCHRON 1061815

FLEX Epron Plus SYNCHRO TILT MECHANISM





SPECIFICATIONS		
TYPE	Synchro tilt mechanism	
TILT ANGLE	23° backrest / 8,5° seat	
BACKREST TILT LOCK	5 positions, by lever	
HEIGHT ADJUSTMENT	By lever	
SEAT ANGLE ADJUSTMENT	- 0°	
	— 5° forwards	
	— Free float	
COMFORT	— Side tension adjustment crank <u>or</u>	
	— Side tension adjustment knob	
SEAT CONNECTION	Donati universal seat plate	
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])	
MORSE CONE DIAMETER	28 mm [1.1 in]	
MECHANISM SURFACE FINISH	Black painted	
LEVER FINISH	Black	

PRODUCT CODES

EPRON PLUS FLEX 1061715








SPECIFICATIONS		
TYPE	Multi tilt mechanism	
TILT ANGLE	17,5° backrest	
BACKREST TILT LOCK	5 positions, by lever	
HEIGHT ADJUSTMENT	By lever	
SEAT ANGLE ADJUSTMENT	From 2,5° backward to 6,5° forward	
COMFORT	— Side tension adjustment crank <u>or</u>	
	— Side tension adjustment knob	
SEAT CONNECTION	Donati universal seat plate	
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])	
MORSE CONE DIAMETER	28 mm [1.1 in]	
MECHANISM SURFACE FINISH	Black painted	
LEVER FINISH	Black	

EPRON PLUS ASYNCHRON 1061761






SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	21° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

EPRON SYNCHRON 1060604






SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	20° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0°
	— 5° forwards
— Free float	
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

EPRON FLEX 1060770






SPECIFICATIONS	
ТҮРЕ	Synchro tilt mechanism
TILT ANGLE	26° backrest / 10° seat
BACKREST TILT LOCK <u>OR</u>	— 11 positions, by lever
BACKREST TRAVEL RESTRICTION	— 4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	6° backrest / 2,4° seat
COMFORT	Side tension adjustment crank
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
BACK BAR CONNECTION	Customisable
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

DYNAMIC PLUS	
SYNCHRON	108010
SYNCHRON TRAVEL RESTRICTION	108015

SYNCHRO TILT MECHANISM D165 KNEE TILT SYNCHRON






SPECIFICATIONS	
TYPE	Synchro knee-tilt mechanism
TILT ANGLE	25° backrest / 16° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment crank
SEAT CONNECTION	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
	— Bolt-on plate 200 x 200 mm [7.9 x 7.9 in]
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	— Black painted
	— Polished
LEVER FINISH	Black
COVER FINISH	Anthracite grey (RAL 7016)

PRODUCT CODES

D165 SYNCHRON BOLT-ON PLATE 153x200 mm		
BLACK PAINTED	1030810	
POLISHED	1030811	
D165 SYNCHRON BOLT-ON PLATE 200x200 mm		
BLACK PAINTED	1030830	
POLISHED	1030831	

SYNCHRON Core SYNCHRO TILT MECHANISM





SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	26° backrest / 16° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
(OPT.) SEAT ANGLE ADJUSTMENT	5° backrest / 3° seat
COMFORT	Quick side tension adjustment knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black


PRODUCT CODES

CORE	
SYNCHRON	1025560
SYNCHRON SEAT ANGLE ADJUSTMENT	1025561

PAG 36 DONATI

SYNCHRO TILT MECHANISM Tecno SYNCHRON





SPECIFICATIONS	
ТҮРЕ	Synchro tilt mech. with forward pivot point
TILT ANGLE	22° backrest / 9° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment knob
SEAT CONNECTION	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
	— Donati quick connection seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black


PRODUCT CODES

TECNO SYNCHRON	
QUICK CONNECTION SEAT PLATE	1080620
BOLT-ON SEAT PLATE	1080600

Weight-activated mechanisms







SPECIFICATIONS		PRODUCT CODES
TYPE	Weight-activated synchronized mechanism	• • • • • • • • • • • • • • • • • • • •
TILT ANGLES	18° backrest / 1° seat	FRIENDLY
FACTORY SEAT SETUP	1,5° backwards	WITH BLACK OUTER SEAT
BACKREST TILT LOCK	3 positions, by integrated lever	WITH WHITE OUTER SEAT
HEIGHT ADJUSTMENT	By integrated lever	W/O OUTER SEAT
COMFORT	Tension fine-tuning by hex key (provided)	UPHOLSTERY PLATE
SEAT CONNECTION	Integrated with the mechanism	
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])	OPTIONAL
RELATED ARMREST	Donati BeO Friendly (4500590)	
MORSE CONE DIAMETER	28 mm [1.1 in]	BeO FRIENDLY ARMREST
MECHANISM SURFACE FINISH	Sandbalsted aluminium	BLACK
LEVER FINISH	Anthracite grey (RAL 7016)	WHITE (RAL 9002)
OUTER SEAT COLOUR	— Black	
	— White (RAL 9002)	


FRIENDLY	
WITH BLACK OUTER SEAT	1063001
WITH WHITE OUTER SEAT	1063004
W/O OUTER SEAT	1063002
UPHOLSTERY PLATE	4515187
OPTIONAL	
BeO FRIENDLY ARMREST	
BLACK	4500590
WHITE (RAL 9002)	4500591

WEIGHT-ACTIVATED MECHANISM Friendly SYNCHRON



RELATED ARMREST: BeO FRIENDLY







SPECIFICATIONS	
ТҮРЕ	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 1° seat
FACTORY SEAT SETUP	1,5° backwards
BACKREST TILT LOCK	3 positions, by cable activated lever
HEIGHT ADJUSTMENT	By cable activated lever
CABLE LENGTH	320 mm [12.6 in]
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Bolt-on seat rails 175 x 200 mm [6.9 x 7.9 in]
BACK BAR CONNECTION	— 0°, width 100 mm [3.9 in]
	— 16°, width 100 mm [3.9 in]
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
LEVER FINISH	Anthracite grey (RAL 7016)

FRIENDLY 2 1063050

PAG 42 DONATI





SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 1° seat
FACTORY SEAT SETUP	6° backward
BACKREST TILT LOCK	Any position, by cable activated lever
(OPT.) HEIGHT ADJUSTMENT	By cable activated lever
CABLE LENGTH	300 mm [11.8 in]
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat rails 175 x 200 mm [6.9 x 7.9 in]
BACK BAR CONNECTION	16°, width 100,0 mm [3.9 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
COVER FINISH	Window grey (RAL 7040)
LEVER FINISH	— Chrome (zamak)
	— Black painted (zamak)


WEIGHT-ACTIVATED MECHANISM

PRODUCT CODES

FRIENDLY 2 LOUNGE (TILT LOCK AND	HEIGHT ADJ.)
CABLES ONLY	1063070
WITH CHROME LEVERS	1063074
FRIENDLY 2 LOUNGE (TILT LOCK)	
CABLE ONLY	1063071
WITH CHROME LEVER	On request



MECHANISM WITH UPHOLSTERY PLATE



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
SEAT DEPTH TRAVEL	50 / 70 / 100 mm [2.0 / 2.8 / 3.9 in]
CERTIFICATIONS	— EN1335
	— BIFMA
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Integrated with the mechanism
BACK BAR CONNECTION	Width 100 mm [3.9 in]
UPHOLSTERY FIXING	By quick connection upholstery plate
RELATED ARMREST	Complete Donati armrest family
MORSE CONE DIAMETER	28 mm [1.1 in]
OUTER FINISH	Black

PRODUCT CODES


FRIENDLY 3 (SEAT INCLUDED)	1063200
UPHOLSTERY PLATE	4515188

G 44 DONATI

WEIGHT-ACTIVATED MECHANISM Friendly 3 Plus SYNCHRON



MECHANISM WITH UPHOLSTERY PLATE




SPECIFICATIONS	
ТҮРЕ	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT ANGLE ADJUSTMENT	4° forward, by lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
SEAT DEPTH TRAVEL	50 / 70 / 100 mm [2.0 / 2.8 / 3.9 in]
CERTIFICATIONS	— EN1335
	— BIFMA
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	Integrated with the mechanism
BACK BAR CONNECTION	Width 100 mm [3.9 in]
UPHOLSTERY FIXING	By quick connection upholstery plate
RELATED ARMREST	Complete Donati armrest family
MORSE CONE DIAMETER	28 mm [1.1 in]
OUTER FINISH	Black

PRODUCT CODES

••••	
FRIENDLY 3 PLUS (SEAT INCLUDED)	
BOLT-ON BACK BAR CONNECTION	1063250
INTEGRATED BACK BAR	On request
<u>UPHOLSTERY PLATE</u>	4515188





SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
LEVER & COVER FINISH	Black

DOPOTUTTO 1062002


DONATI



UPHOLSTERY PLATE



MECHANISM WITH SEAT



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
COMFORT	Factory setup
SEAT DEPTH ADJUSTMENT	70 mm [2.8], by seat integrated lever
SEAT CONNECTION	Donati Dopotutto Contract seat only
	(seat included)
BACKREST CONNECTION	By special bolt-on side connection
MORSE CONE DIAMETER	28 mm [1.1 in]
LEVER & COVER FINISH	Black

PRODUCT CODES


DOPOTUTTO CONTRACT	1062050
UPHOLSTERY PLATE	4515248



UPHOLSTERY PLATES



MECHANISM WITH SEAT



CDE	CIE	I C A T	LONG


ТҮРЕ	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by seat integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	Donati Trasla 2 Cable only
	(Seat included: 4515190)
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
SEAT FINISH	Black

PRODUCT CODES

D109 CABLE ACTIVATION	1062950
(TRASLA 2 CABLE SEAT 4515190 INCLUDED)	
UPHOLSTERY PLATE	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
LARGE WITH FOAM & BLACK UPHOLSTERY	4580060
OPTIONAL	
SEAT - ARMREST FIXING KIT	On request

SEAT - ARMREST FIXING KIT On request

WEIGHT-ACTIVATED MECHANISM D109 SYNCHRON







SPECIFICATIONS	
ТҮРЕ	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	— Donati quick connection sliding seat rails
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

PRODUCT CODES

062650
062600

SYNCHRON TRAVEL RESTRICTION D109 WEIGHT-ACTIVATED MECHANISM





SPECIFICATIONS	
ТҮРЕ	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	— Donati quick connection sliding seat rails
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)

PRODUCT CODES

D109 SYNCHRON TRAVEL RESTRICTIO	<u>N</u>
QUICK CONNECTION SEAT RAILS	1062850
BOLT-ON SEAT PLATE	1062800

PAG 50 DONATI






SPECIFICATIONS	
ТҮРЕ	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK OR	— 4 positions, by lever
BACKREST TRAVEL RESTRICTION	— 4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	- 0°
	— 5° forwards
	— Free float
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	Donati universal plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)

<u>D109</u>	
FLEX	1062700
FLEX TRAVEL RESTRICTION	1062705

SEAT ANGLE ADJUSTMENT D109 WEIGHT-ACTIVATED MECHANISM





SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK OR	— 4 positions, by lever
BACKREST TRAVEL RESTRICTION	— 4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	5° forwards, by lever
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

PRODUCT CODES


<u>D109</u>	
SEAT ANGLE ADJUSTMENT	1062652
SEAT ANGLE ADJ. TRAVEL RESTRICTION	1062852

PAG 52 DONATI

WEIGHT-ACTIVATED MECHANISM

D109

ENTRY LEVEL






SPECIFICATIONS		
ТҮРЕ	Weight-activated synchronized mechanism	
TILT ANGLES	20° backrest / 6,5° seat	
BACKREST TILT LOCK	3 positions, by push-button	
HEIGHT ADJUSTMENT	By lever	
COMFORT	Factory setup	
SEAT CONNECTION	N — Donati quick connection sliding seat rails	
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]	
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])	
MORSE CONE DIAMETER	28 mm [1.1 in]	
MECHANISM SURFACE FINISH	Black painted	
LEVER FINISH	Black	
SIDE BUTTON FINISH	Anthracite grey (RAL 7016)	

PRODUCT CODES

D109 ENTRY LEVEL	
QUICK CONNECTION SEAT RAILS	1062655
BOLT-ON SEAT PLATE	1062615

SYNCHRON Inedito WEIGHT-ACTIVATED MECHANISM






SPECIFICATIONS		
TYPE	Weight-activated synchronized mechanism	
TILT ANGLES	21° backrest / 6,5° seat	
BACKREST TILT LOCK OR	— 4 positions, by lever	
BACKREST TRAVEL RESTRICTION		
HEIGHT ADJUSTMENT	By lever	
COMFORT	Quick side tension fine-tuning knob	
SEAT CONNECTION	— Donati quick connection sliding seat rails	
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]	
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])	
MORSE CONE DIAMETER	28 mm [1.1 in]	
MECHANISM SURFACE FINISH	Black painted	
LEVER FINISH	Black	
SIDE KNOB FINISH	Anthracite grey (RAL 7016)	

PRODUCT CODES

INEDITO SYNCHRON	
QUICK CONNECTION SEAT RAILS	1063650
BOLT-ON SEAT PLATE	1063600
INEDITO SYNCHRON TRAVEL RESTRICTION	
QUICK CONNECTION SEAT RAILS	1063850
BOLT-ON SEAT PLATE	1063800

PAG 54 DONATI





SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK OR	— 4 positions, by lever
BACKREST TRAVEL RESTRICTION	
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	- 0°
	— 5° forwards
	— Free float
COMFORT	Quick side tension fine-tuning knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90 mm [3.5 in])
MORSE CONE DIAMETER	28 mm [1.1 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)

<u>INEDITO</u>	
FLEX	1063700
FLEX TRAVEL RESTRICTION	1063705

SEAT ANGLE ADJUSTMENT Inedito WEIGHT-ACTIVATED MECHANISM





SPF	CIFI	$C\Delta TI$	ONS

TYPE Weight-activated synchronized mechanism

TILT ANGLES 20° backrest / 6,5° seat

4 positions, by lever

HEIGHT ADJUSTMENT By lever

SEAT ANGLE ADJUSTMENT 5° forwards, by lever

COMFORT Quick side tension fine-tuning knob

SEAT CONNECTION Donati quick connection sliding seat rails

BACK BAR CONNECTION Donati standard (width 90 mm [3.5 in])

MORSE CONE DIAMETER 28 mm [1.1 in]

MECHANISM SURFACE FINISH Black painted

LEVER FINISH Black

SIDE KNOB FINISH Anthracite grey (RAL 7016)


PRODUCT CODES

<u>INEDITO</u>


SEAT ANGLE ADJUSTMENT 1063652

PAG 56 DONATI


Mechanism connections




ARMONICO	
TYPE	Metal plate
CONNECTION MEASURES (mm)	70 x 90



PLASTIC RAILS	
TYPE	Plastic rails
RELATED SEAT	Sliding




UNIVERSAL PLATE	
ТҮРЕ	Universal plate
RELATED SEAT	Fixed
	Sliding




ARMONICO ADAPTER

TYPE	Metal plate
CONNECTION MEASURES (mm)	153 x 200



METAL PLATE


TYPE	Metal plate
CONNECTION MEASURES (mm)	153 x 200
RELATED SEAT	Fixed




BACK BAR

PE Back suppor	Bac	TYPE	Т
connectio	С		

Aluminium & nylon bases



5 STAR Trevi ALUMINIUM BASE



SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	— 715 mm [28.2 in]
	— 655 mm [25.8 in]
GLIDES / CASTERS DIAMETER	— 680 mm [26.8 in]
	— 620 mm [24.4 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	— 66 mm [2.6 in]
	— 64 mm [2.5 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
DESIGN	Alejandro Valdés

PRODUCT CODES

TREVI - 5 STAR Ø 715 mm	
POLISHED / BLACK PAINTED	5010345
BLACK PAINTED	5010350
TREVI - 5 STAR Ø 655 mm	
POLISHED / BLACK PAINTED	5010355
BLACK PAINTED	5010360

ALUMINIUM BASE Trevi 4 STAR





OPTIONAL: HARD FLOOR OR CARPET FLOOR GLIDE






SP	E C	1FI	CA	TIC	NS

ТҮРЕ	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	715 mm [28.2 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	66 mm [2.6 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
DESIGN	Alejandro Valdés

PRODUCT CODES

TREVI	
POLISHED / BLACK PAINTED	5010850
BLACK PAINTED	5010855

4 STAR - PIVOTING Trevi XL ALUMINIUM BASE





OPTIONAL: HARD FLOOR OR CARPET FLOOR GLIDE





SPECIFICATIONS

ТҮРЕ	— 4 star pivoting base	
	— 4 star fixed base	
MATERIAL	Aluminium	
TILT ANGLE	±8° in any direction	
EXTERNAL DIAMETER	840 mm [33.1 in]	
GLIDES / CASTERS DIAMETER	800 mm [31.5 in]	
MORSE CONE DIAMETER	— 50 mm [2.0 in]	
	— 40 mm [1.6 in] (Fixed version only)	
CONE TAPER HEIGHT	— 80 mm [3.2 in] (Pivoting version)	
	— 76 [3.1 in] (Fixed version)	
SURFACE COLOURS / FINISHES	— Polished / Black painted	
	— Black painted	

PRODUCT CODES

TREVI XL PIVOTING	
POLISHED / BLACK PAINTED	5010820
BLACK PAINTED	5010821
TREVI XL FIXED [MORSE CONE Ø 50 mm]	
POLISHED / BLACK PAINTED	5010830
BLACK PAINTED	5010831
TREVI XL FIXED [MORSE CONE Ø 40 mm]	
POLISHED / BLACK PAINTED	5010840
BLACK PAINTED	5010841


ALUMINIUM BASE Abaco 5 STAR — PIVOTING



SPECIFICATIONS	
TYPE	5 star pivoting base
MATERIAL	Aluminium
TILT ANGLE	± 7° in any direction
EXTERNAL DIAMETER	708 mm [27.9 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	184 mm [7.2 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted

PRODUCT CODES

<u>ABACO</u>	
POLISHED	5010950
BLACK PAINTED	On request
SANDBLASTED	On request



SF	E	CIF	I C A	TR	ONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	715 mm [28.2 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	74 mm [2.9 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	Nylon (Photoengraved)

QUOIN - ALUMINIUM 5 STAR	
POLISHED	5010365
BLACK PAINTED	5010366
QUOIN - NYLON 5 STAR	5012055





SPECIFICATIONS

OPTIONAL: HARD FLOOR OR CARPET FLOOR GLIDE





TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	715 mm [28.2 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	72 mm [2.8 in]
SURFACE COLOURS / FINISHES	— Polished

— Black painted

PRODUCT CODES

QUOIN - 4 STAR	
POLISHED	5010860
BLACK PAINTED	5010861



SPECIFICATIONS	
ТҮРЕ	Round pivoting base
MATERIAL	Nylon + GF / Aluminium
TILT ANGLE	±7° in any direction
EXTERNAL DIAMETER	400 mm [15.7 in]
MORSE CONE DIAMETER	— 50 mm [2.0 in]
	— 40 mm [1.6 in]
CONE TAPER HEIGHT	- 122 mm [4.8 in] (Morse cone Ø 50 mm)
	— 108 mm [4.3 in] (Morse cone Ø 40 mm)
SURFACE COLOURS / FINISHES	— Photoengraved base / Polished pivot
	— Photoengraved base / Painted pivot

ZIGGURAT - MORSE CONE Ø 50 mm	
BLACK BASE / POLISHED PIVOT	4510201
BLACK BASE / BLACK PIVOT	4510202
WHITE BASE / POLISHED PIVOT	On request
WHITE BASE / WHITE PIVOT	On request
ZIGGURAT - MORSE CONE Ø 40 mm	
BLACK BASE / POLISHED PIVOT	4510200
BLACK BASE / BLACK PIVOT	4510203
WHITE BASE / POLISHED PIVOT	On request
WHITE BASE / WHITE PIVOT	4510204





SPECIFICATIONS	
ТҮРЕ	Round fixed base
MATERIAL	Nylon + GF / Aluminium
EXTERNAL DIAMETER	470 mm [18.5 in]
MORSE CONE DIAMETER	— 50 mm [2.0 in]
	— 40 mm [1.6 in]
CONE TAPER HEIGHT	— 119 mm [4.7 in] (Morse cone Ø 50 mm)
	- 109 mm [4.3 in] (Morse cone Ø 40 mm)
SURFACE COLOURS / FINISHES	— Photoengraved base / Polished pivot
	— Photoengraved base / Black painted pivot

DISKO - MORSE CONE Ø 50 mm	
POLISHED PIVOT	4510303
BLACK PAINTED PIVOT	On request
DISKO - MORSE CONE Ø 40 mm	
POLISHED PIVOT	On request
BLACK PAINTED PIVOT	4510300



SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	— 700 mm [27.6 in]
	— 640 mm [25.2 in]
GLIDES / CASTERS DIAMETER	— 680 mm [26.8 in]
	— 622 mm [24.5 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	163 mm [6.4 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
DESIGN	Alberto Lievore

SUPERLEGGERA - 5 STAR Ø 700 mm	
POLISHED	5010320
BLACK PAINTED	5010321
SANDBLASTED	5010322
SUPERLEGGERA - 5 STAR Ø 640 mm	
POLISHED	5010330
BLACK PAINTED	5010331
SANDBLASTED	5010332

ALUMINIUM BASE Superleggera 4 STAR - LOW



SPECIFICATIONS	
ТҮРЕ	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	820 mm [32.3 in]
GLIDES / CASTERS DIAMETER	800 mm [31.5 in]
MORSE CONE DIAMETER	— 50 mm [2.0 in]
	— 40 mm [1.6 in]
CONE TAPER HEIGHT	158 mm [6.2 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
DESIGN	Alberto Lievore

PRODUCT CODES

SUPERLEGGERA - MORSE CONE Ø 50 mm				
POLISHED	5010465			
BLACK PAINTED	5010467			
SANDBLASTED	On request			
SUPERLEGGERA - MORSE CONE Ø 40 mm				
POLISHED	5010470			
BLACK PAINTED	5010472			
SANDBLASTED	5010468			





SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700 mm [27.6 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	— 50 mm [2.0 in]
	— 40 mm [1.6 in]
CONE TAPER HEIGHT	221 mm [8.7 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
DESIGN	Alberto Lievore

SUPERLEGGERA - MORSE CONE Ø 50 mm		
POLISHED	5010460	
BLACK PAINTED	5010461	
SANDBLASTED	5010462	
SUPERLEGGERA - MORSE CONE Ø 40 mm		
POLISHED	5010455	
BLACK PAINTED	5010456	
SANDBLASTED	5010457	

Superleggera ALUMINIUM BASE 4 STAR - HIGH



21 [0.8]	308 [12.1]




SPECIFICATIONS	
TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	690 mm [27.2 in]
GLIDES / CASTERS DIAMETER	670 mm [26.4 in]
MORSE CONE DIAMETER	— 40 mm [1.6 in]
	— 44 mm [1.7 in]
CONE TAPER HEIGHT	308 mm [12.1 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted

 $- \, \mathsf{Sandblasted}$

PRODUCT CODES

SUPERLEGGERA - MORSE CONE Ø 40 mm	
POLISHED	5010480
BLACK PAINTED	5010481
SANDBLASTED	5010482
SUPERLEGGERA - MORSE CONE Ø 44 mm	
POLISHED	5010490
BLACK PAINTED	5010491
SANDBLASTED	5010492

CATALOGUE 2021



SPECIFICATIONS	
ТҮРЕ	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	— 630 mm [24.8 in]
	— 730 mm [28.8 in]
	— 830 mm [32.7 in]
GLIDES / CASTERS DIAMETER	— 602 mm [23.7 in]
	— 702 mm [27.6 in]
	— 802 mm [31.6 in]
MORSE CONE DIAMETER	— 50 mm [2.0 in]
	— 40 mm [1.6 in]
CONE TAPER HEIGHT	51 mm [2.0 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted

OPTIONAL


BLACK GLIDE	4510010
CHROME GLIDE	4510011

PAG 72 DONATI

DB1.8 ALUMINIUM BASE




4 STAR - SMALL MORSE CONE Ø 50 mm - POLISHED 5010400 - BLACK PAINTED 5010401 - SANDBLASTED 5010402 MORSE CONE Ø 40 mm On request






4 STAR - MEDIUM	
MORSE CONE Ø 50 mm	
- POLISHED	5010410
- BLACK PAINTED	5010411
- SANDBLASTED	5010412
MORSE CONE Ø 40 mm	On request





4 STAR - LARGE	
MORSE CONE Ø 50 mm	
- POLISHED	5010420
- BLACK PAINTED	5010421
- SANDBLASTED	5010422
MORSE CONE Ø 40 mm	On request



5 STAR DB1.8 ALUMINIUM — NYLON BASE



SPECIFICATIONS		PRODUCT CODES	
ТҮРЕ	5 star base		
MATERIAL	Aluminium	DB1.8 - ALUMINIUM	
AVAILABLE ALSO IN	Nylon + GF	POLISHED	5010280
EXTERNAL DIAMETER	689 mm [27.1 in] Alu / 708 mm [27.9 in] Nylon	BLACK PAINTED	5010281
GLIDES / CASTERS DIAMETER	660 mm [26.0 in] Alu / 680 mm [26.8 in] Nylon	SANDBLASTED	5010282
MORSE CONE DIAMETER	50 mm [2.0 in]	DB1.8 - NYLON	5012030
CONE TAPER HEIGHT	51 mm [2.0 in]		
SURFACE COLOURS / FINISHES	— Polished	OPTIONAL	
	— Black painted		
	— Sandblasted	BLACK GLIDE	4510010
	— Nylon (Photoengraved)	CHROME GLIDE	4510011

 ${\sf PAG}$

ALUMINIUM - NYLON BASE DB1.13 5 STAR



SPECIFICATIONS	
ТҮРЕ	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	707 mm [27.9 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	93 mm [3.6 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
	— Nylon (Photoengraved)

PRODUCT CODES

DB1.13 - ALUMINIUM	
POLISHED	5010300
BLACK PAINTED	5010301
SANDBLASTED	5010302
DB1.13 - NYLON	5012045

5 STAR DB2.13 ALUMINIUM — NYLON BASE







SPECIFICATIONS


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	678 mm [26.7 in]
GLIDES / CASTERS DIAMETER	655 mm [25.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	120 mm [4.7 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted
	— Black painted
	— Nylon (Photoengraved)
DESIGN	Hans Thyge

DB2.13 - ALUMINIUM	
POLISHED / BLACK PAINTED	5010715
BLACK PAINTED	5010716
DB2.13 - NYLON	5012040

ALUMINIUM - NYLON BASE Presto 5 STAR







SPE	-	$: I \subset A$	TIC	2 14 (
J 1 L		107		, 14 5

ТҮРЕ	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	682 mm [26.9 in]
GLIDES / CASTERS DIAMETER	655 mm [25.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	126 mm [5.0 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
	Nylon (Photoengraved)


PRODUCT CODES

PRESTO - ALUMINIUM	
POLISHED	5010181
BLACK PAINTED	5010180
SANDBLASTED	5010182
PRESTO - NYLON	5012003

5 STAR DB2.6 ALUMINIUM — NYLON BASE







SPECIFICATIONS


TYPE		5 star base
MATERIAL		Aluminium
AVAILABLE A	ALSO IN	Nylon + GF
EXTERNAL DI	IAMETER	679 mm [26.7 in]
GLIDES / CA	STERS DIAMETER	655 mm [25.8 in]
MORSE CONE	DIAMETER	50 mm [2.0 in]
CONE TAPER	HEIGHT	85 mm [3.4 in]
SURFACE COI	LOURS / FINISHES	— Polished
		— Black painted
		— Sandblasted
		— Nylon (Photoengraved)
DESIGN		Olle Lundberg

DB2.6 - ALUMINIUM	
POLISHED	5010270
BLACK PAINTED	5010271
SANDBLASTED	5010272
DB2.6 - NYLON	5012015

ALUMINIUM BASE DB1.17 5 STAR







SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	699 mm [27.5 in]
GLIDES / CASTERS DIAMETER	670 mm [26.4 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	105 mm [4.1 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted

PRODUCT CODES

<u>DB1.17</u>	
POLISHED	5010340
BLACK PAINTED	5010341
SANDBLASTED	5010342



123 [4.8]

SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	708 mm [27.9 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	94 mm [3.7 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted


_ 28 [1.1]

<u>B.YOU</u>	
POLISHED	5010215
BLACK PAINTED	5010216
SANDBLASTED	5010217

ALUMINIUM — NYLON BASE Meteora 5 STAR







SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium (Meteora — Meteora 2)
AVAILABLE ALSO IN	Nylon + GF (Meteora only)
EXTERNAL DIAMETER	663 mm [26.1 in]
GLIDES / CASTERS DIAMETER	640 mm [25.2 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	— 92 mm [3.6 in] (Meteora)
	— 134 mm [5.3 in] (Meteora 2)
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
	 Nylon (Photoengraved) (Meteora only)

PRODUCT CODES

METEORA - ALUMINIUM	
POLISHED	5010146
BLACK PAINTED	5010145
SANDBLASTED	5010147
METEORA - NYLON	5012005
METEORA 2 - ALUMINIUM	
POLISHED	5010251
BLACK PAINTED	5010250

5 STAR B1 ALUMINIUM BASE




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	683 mm [26.9 in]
GLIDES / CASTERS DIAMETER	655 mm [25.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	79 mm [3.1 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted

<u>B1</u>	
POLISHED	5010200
BLACK PAINTED	5010201
SANDBLASTED	5010202

ALUMINIUM - NYLON BASE B1T 5 STAR







SPE	-	$: I \subset A$	TIC	2 14 (
J 1 L		107		, 14 5

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	688 mm [27.1 in]
GLIDES / CASTERS DIAMETER	660 mm [26.0 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	127 mm [5.0 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted
	— Nylon (Photoengraved)

PRODUCT CODES

B1T - ALUMINIUM	
POLISHED	5010260
BLACK PAINTED	5010261
SANDBLASTED	5010264
B1T - NYLON	5012010

5 STAR K600 — K720 ALUMINIUM BASE








SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	— 625 mm [24.6 in] (K600)
	— 720 mm [28.4 in] (K720)
GLIDES / CASTERS DIAMETER	— 580 mm [22.8 in] (K600)
	— 675 mm [26.6 in] (K720)
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	73 mm [2.9 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted

<u>K600</u>	
POLISHED	5010543
BLACK PAINTED	5010542
SANDBLASTED	5010549
<u>K720</u>	
POLISHED	5010541
BLACK PAINTED	5010540
SANDBLASTED	5010550

L1080 — L2080 ALUMINIUM BASE 5 STAR







SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	— 656 mm [25.8 in] (L1080)
	— 700 mm [27.6 in] (L2080)
GLIDES / CASTERS DIAMETER	— 610 mm [24.0 in] (L1080)
	— 654 mm [25.8 in] (L2080)
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	72 mm [2.8 in]
SURFACE COLOURS / FINISHES	— Polished
	— Black painted
	— Sandblasted

PRODUCT CODES

•••••	
L1080	
POLISHED	5010110
BLACK PAINTED	5010111
SANDBLASTED	5010112
L2080	
POLISHED	5010115
BLACK PAINTED	5010116
SANDBLASTED	5010117

CATALOGUE 2021

5 STAR DB1.6 ALUMINIUM — NYLON BASE




SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium + Anti-slip nylon inserts
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	684 mm [26.9 in]
GLIDES / CASTERS DIAMETER	655 mm [25.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	82 mm [3.2 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted
	— Black painted
	— Sandblasted
	— Nylon (Photoengraved)
DESIGN	Olle Lundberg

DB1.6 - ALUMINIUM			
POLISHED / BLACK PAINTED	5010247		
BLACK PAINTED	5010246		
SANDBLASTED	5010241		
DB1.6 - NYLON	5012007		

OPTIONAL	
BLACK GLIDE	4510010
CHROME GLIDE	4510011

DB1.9 ALUMINIUM - NYLON BASE 5 STAR





SP	ECI	FIC	ATIO	DNS

or zerr rewrrence	
TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	711 mm [28.0 in]
GLIDES / CASTERS DIAMETER	680 mm [26.8 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	69 mm [2.7 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted
	— Black painted
	— Sandblasted
	— Nylon (Photoengraved)
DESIGN	Olle Lundberg

PRODUCT CODES


DB1.9 - ALUMINIUM	
POLISHED / BLACK PAINTED	5010290
BLACK PAINTED	5010291
SANDBLASTED	5010292
DB1.9 - NYLON	5012035

CATALOGUE 2021









SDE	$C \mid F \mid$	CATI	ONS
J F E	СІГІ	CALL	ONS

SPECIFICATIONS	
ТҮРЕ	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	668 mm [26.3 in]
GLIDES / CASTERS DIAMETER	640 mm [25.2 in]
MORSE CONE DIAMETER	50 mm [2.0 in]
CONE TAPER HEIGHT	85 mm [3.4 in]
SURFACE COLOURS / FINISHES — Polished / Black painted	
	— Black painted
	— Sandblasted

<u>OCTOPUS</u>	
POLISHED / BLACK PAINTED	5010151
BLACK PAINTED	5010150
SANDBLASTED	5010152

ALUMINIUM BASE Unica 4 STAR



SPECIFICATIONS		
TYPE	4 star base	
MATERIAL	Aluminium	
EXTERNAL DIAMETER	725 mm [28.6 in]	
GLIDES / CASTERS DIAMETER	700 mm [27.6 in]	
MORSE CONE DIAMETER	— 40 mm [1.6 in]	
	— 44 mm [1.7 in]	
CONE TAPER HEIGHT	309 mm [12.2 in]	
SURFACE COLOURS / FINISHES	/ FINISHES — Polished / Painted	
	— Painted	
	— Sandblasted	
	— Other colours available on request	
DESIGN	Marcello Ziliani	


PRODUCT CODES

UNICA - MORSE CONE Ø 40 mm	
POLISHED / BLACK PAINTED	5010430
BLACK PAINTED	5010434
SANDBLASTED	5010433
UNICA - MORSE CONE Ø 44 mm	On request
OPTIONAL	
HARD FLOOR GLIDE	4510100
CARPET FLOOR GLIDE	4510101
TAPERED PLASTIC BUSHING	4516007
EXT. Ø 44 mm → INT. Ø 40 mm	

FOR STANDARD GAS SPRINGS Trim ALUMINIUM FOOTREST







SPECIFICATIONS	
TYPE	Quick height adjustament footrest
MATERIAL	Aluminium
EXTERNAL DIAMETER	475 mm (18.7 inch)
HEIGHT ADJUSTMENT	By quick-release integrated lever
GAS SPRING DIAMETER	50 mm (2.0 inch)
SURFACE FINISHES	Brushed / Black painted


TRIM	1005060

PRODUCT CODES

PAG 90 DONATI



QUICK-RELEASE HEIGHT ADJUSTMENT LEVER



CATALOGUE 2021

FOR STANDARD GAS SPRINGS D17 ALUMINIUM FOOTREST





SPECIFICATIONS		
TYPE	Adjustable footrest for standard gas spring	
MATERIAL	Aluminium	
GAS SPRING COVER LENGTH	— 290 mm [11.4 in]	
	— 340 mm [13.4 in]	
	— Other dimensions available on request	
GAS SPRING DIAMETER	50 mm (2.0 inch)	
FOOTREST SURFACE FINISHES	— Chrome	
	— Polished	
	— Black painted	
GAS SPRING COVER FINISHES	— Chrome	
	— Black painted	

D17 FOOTREST	
CHROME	1005150
POLISHED	1005151
BLACK PAINTED	1005152
GAS SPRING COVER 290 mm	
CHROME	1005120
BLACK PAINTED	1005121
GAS SPRING COVER 340 mm	
CHROME	1005100
BLACK PAINTED	1005101
GAS SPRING TAPERED ADAPTER	1005130




GLIDE Ø28.5 x 22 mm

BLACK GLIDE - HARD FLOOR	4510015
CHROME GLIDE - HARD FLOOR	4510016
BLACK GLIDE - CARPET FLOOR	4510010
CHROME GLIDE - CARPET FLOOR	4510011



GLIDE Ø23 x 25 mm

BLACK GLIDE - HARD FLOOR	4510025
CHROME GLIDE - HARD FLOOR	4510026
BLACK GLIDE - CARPET FLOOR	4510027
CHROME GLIDE - CARPET FLOOR	4510028



GLIDE Ø24 x 5 mm


HARD FLOOR GLIDE	4510100
CARPET FLOOR GLIDE	4510101

Quick connection & bolt-on seats






SEAT



SPECIFICATIONS	
TYPE	Quick connection mesh seat
SEAT DEPTH ADJUSTMENT	— 50 mm [2.0 in] (with 2 clips)
	— 70 mm [2.8 in] (with 1 clip)
	— 100 mm [3.9 in] (without clips)
CERTIFICATIONS	— EN1335
	— BIFMA
MESH FIXING	By quick fixing system
RELATED ARMREST	Complete Donati armrest family
	BeO 1D / BeO 4D Trasla <u>excluded</u>
MECHANISM CONNECTION	— Donati quick connection sliding seat rails
	— Donati universal seat plate


KITE - COMPLETE ASSEMBLY	
SEAT WITH BLACK MESH	4515265
SEAT WITH CHARCOAL GREY MESH	4515266
KITE - SINGLE COMPONENTS	
LOWER SEAT STRUCTURE W/O TOP FRAME	4515260
TOP FRAME WITH MESH FIXING PROFILES	4515261
TOP FRAME W/O MESH FIXING PROFILES	4515262

KITE'S FLEXIBLE UPPER FRAME ALLOWS THE ASSEMBLY OF ANY TYPE OF MESH WITHOUT THE NEED OF SPECIAL TOOLS




THE MESH ASSEMBLY TECHNIQUE HAS BEEN SIMPLIFIED AND OPTIMIZED TO ITS MAXIMUM SLIDING

SLIDING Trasla 2 QUICK CONNECTION SEAT



UPHOLSTERY PLATES








CDEC	IEIC	ATIONS	
SPEC	IFIC.	AIIUNS	


ТҮРЕ	Quick connection seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50 mm [2.0 in] (with 2 clips)
	— 70 mm [2.8 in] (with 1 clip)
	— 100 mm [3.9 in] (without clips)
CERTIFICATIONS	— EN1335
	— BIFMA (Seat w/o width adj. arm <u>excluded</u>)
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete Donati armrest family
	BeO 1D excluded
MECHANISM CONNECTION	— Donati quick connection sliding seat rails
	— Donati universal seat plate

TRASLA 2	
WITH WIDTH ADJUSTABLE ARMREST CONN.	4515193
W/O WIDTH ADJUSTABLE ARMREST CONN.	4515196
WITH BeO 4D TRASLA ARMREST CONN.	4515195
UPHOLSTERY PLATE	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
INSTRUCTIONS HOLDER	4501028
SEAT - ARMREST FIXING KIT	On request

QUICK CONNECTION SEAT Trasla 2 Cable SLIDING



UPHOLSTERY PLATES



SEAT



SP	FC	IFI	$C \Delta 1$	Γ I \cap	NS
J 1			~ ~ ·		14 5

or zon rownone	
TYPE	Cable activation seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50 mm [2.0 in] (with 2 clips)
	— 70 mm [2.8 in] (with 1 clip)
	— 100 mm [3.9 in] (without clips)
INTEGRATED FUNCTIONS	— Height adjustment, by lever
	— Backrest tilt lock, by lever
CERTIFICATIONS	— EN1335
	— BIFMA (Seat w/o width adj. arm <u>excluded</u>)
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete Donati armrest family
	BeO 1D excluded
MECHANISM CONNECTION	D109 Cable activation only (1062950)

PRODUCT CODES

TRASLA 2 - WITH WIDTH ADJUSTABLE	ARMREST CONN.
WITH HEIGHT ADJUSTMENT	4515192
WITH HEIGHT ADJUSTMENT & TILT LOC	K 4515190
TRASLA 2 - W/O WIDTH ADJUSTABLE AN	RMREST CONN.
WITH HEIGHT ADJUSTMENT	4515198
WITH HEIGHT ADJUSTMENT & TILT LOC	K 4515197
TRASLA 2 - WITH BeO 4D TRASLA ARMR	EST CONNECTION
WITH HEIGHT ADJUSTMENT	4515194
WITH HEIGHT ADJUSTMENT & TILT LOC	K 4515191
INSTRUCTIONS HOLDER	4501028
SEAT - ARMREST FIXING KIT	On request

SLIDING Trasla 3 QUICK CONNECTION SEAT



UPHOLSTERY PLATES



SEAT




SPECIFICATIONS

ТҮРЕ	Quick connection seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50 mm [2.0 in] (with 2 clips)
	— 70 mm [2.8 in] (with 1 clip)
	— 100 mm [3.9 in] (without clips)
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete Donati armrest family
	BeO 1D excluded
MECHANISM CONNECTION	— Donati quick connection sliding seat rails
	— Donati universal seat plate

TRASLA 3	
WITH WIDTH ADJUSTABLE ARMREST CONN.	4515240
WITH BeO 4D TRASLA ARMREST CONN.	4515241
UPHOLSTERY PLATE	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
INSTRUCTIONS HOLDER	4501028
SEAT - ARMREST FIXING KIT	On request





SPECIFICATIONS	
TYPE	Quick connection seat for draw string
SEAT DEPTH ADJUSTMENT	— 50 mm [2.0 in] (with 2 clips)
	— 70 mm [2.8 in] (with 1 clip)
	— 100 mm [3.9 in] (without clips)
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	— By draw string, directly on the seat
	— By staples
RELATED ARMREST	— BeO 1D (4500750)
	— BeO 4D Trasla (4500580)
MECHANISM CONNECTION	— Donati quick connection sliding seat rails
	— Donati universal seat plate

PRODUCT CODES

•••••	
TRASLA 4 - BeO 1D ARMREST	
UPHOLSTERY FIXING BY DRAW STRING	4515210
UPHOLSTERY FIXING BY STAPLES	4515211
TRASLA 4 - BeO 4D TRASLA ARMREST	
UPHOLSTERY FIXING BY DRAW STRING	4515217
UPHOLSTERY FIXING BY STAPLES	On request
OPTIONAL	
PU FOAM	4580072
INSTRUCTIONS HOLDER	4501028

SLIDING — FIXED Slim BOLT-ON SEAT



UPHOLSTERY PLATE



SEAT




SPECIFICATIONS

TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed
	— 80 mm [3.2 in], by lever
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
ARMREST CONNECTION	Complete Donati family (external connection)
	BeO 1D excluded
MECHANISM CONNECTION	— Donati universal seat plate
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
	— Bolt-on plate 200 x 200 mm [7.9 x 7.9 in]


SLIM	
FIXED	4515100
SLIDING (FIXING HOLES 153x200 mm)	4515101
SLIDING (FIXING HOLES 200x200 mm)	4515106
UPHOLSTERY PLATE	4515152
SEAT - ARMREST FIXING KIT	On request



UPHOLSTERY PLATES



SEAT



SPECIFICATIONS

Bolt-on seat with upholstery plate
- Fixed
- 50 mm [2.0 in], by lever
– EN1335
– BIFMA
By traditional upholstery plate (4 clips)
Complete Donati family (external connection)
BeO 1D <u>excluded</u>
– Donati universal seat plate
- Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
- Bolt-on plate 200 x 200 mm [7.9 x 7.9 in]

PRODUCT CODES

CONKA	
FIXED	4515110
SLIDING (FIXING HOLES 153x200 mm)	4515111
SLIDING (FIXING HOLES 200x200 mm)	4515114
UPHOLSTERY PLATE	
SMALL	4515112
LARGE	4515116
SEAT - ARMREST FIXING KIT	On request





UPHOLSTERY PLATE



SEAT



SPECIFICATIONS

TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed
	— 80 mm [3.2 in], by lever
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Complete Donati family (external connection)
	BeO 1D excluded
MECHANISM CONNECTION	— Donati universal seat plate
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]

DASH	
FIXED	4515147
SLIDING	4515144
UPHOLSTERY PLATE	4515141
SEAT - ARMREST FIXING KIT	On request



UPHOLSTERY PLATE

BOLT-ON SEAT



SEAT



SPECIFICATIONS

ТҮРЕ	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed
	— 100 mm [3.9 in], by lever
CERTIFICATIONS	— EN1335
	— BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
ARMREST CONNECTION	Complete Donati family (external connection)
	BeO 1D excluded
MECHANISM CONNECTION	— Donati universal seat plate
	— Bolt-on plate 153 x 200 mm [6.0 x 7.9 in]
	— Bolt-on plate 200 x 200 mm [7.9 x 7.9 in]

PRODUCT CODES

• • • • • • • • • • • • • • • • • • • •	
FLAT	
FIXED	4515200
SLIDING (FIXING HOLES 153x200 mm)	4515201
SLIDING (FIXING HOLES 200x200 mm)	4515204
UPHOLSTERY PLATE	4515202
SEAT - ARMREST FIXING KIT	On request

SLIDING Modula 1 QUICK CONNECTION ADAPTER






SPECIFICATIONS	
ТҮРЕ	Sliding plate for wooden seats
MATERIAL	Polypropylene + 30% talc
SEAT DEPTH ADJUSTMENT	60 mm [2.4 in], by integrated lever
RELATED ARMREST	— BeO 1D (4500750)
	— Bolt-on armrest
MECHANISM CONNECTION	— Donati quick connection sliding seat rails
	— Donati universal seat plate

PRODUCT CODES

MODULA 1 4515270

ONCE THE MODULA 1 SLIDING OUTER PLATE IS BOLTED ONTO THE WOODEN SEAT IT IS POSSIBLE TO FIT ANY QUICK CONNECTION DONATI MECHANISM WITH UNIVERSAL PLATE OR RAILS.





THE ARMREST ATTACHMENT
CONFIGURATION CAN BE CUSTOMIZED
BASED ON DIFFERENT NEEDS. BOTH
DONATI BeO 1D ARMRESTS AND
CUSTOMERS' OWN ARMRESTS ARE
COMPATIBLE WITH THIS SYSTEM.






SPECIFICATIONS	
TYPE	Sliding plate for wooden / plastic seats
MATERIAL	Nylon
SEAT DEPTH ADJUSTMENT	50 mm [2.0 in], by lever
MECHANISM CONNECTION	— Donati quick connection sliding seat rails
	— Donati universal seat plate

SLIDING ADAPTER PLATE 4515220

MOUNTING SURFACES ARE DESIGNED TO ALLOW ASSEMBLY WITH A WIDE RANGE OF SEAT SHAPES






Aluminium & nylon armrests








Fixed 12° armrest
Aluminium
Nylon
Fixed
42 mm [1.7 in] (According to the seat / fixing)
From 432 mm [17.0 in] to 515 mm [20.3 in]
Midi only
Fixed
40 mm [1.6 in] backwards/forwards (Alu only)
Complete Donati seat family, Trasla 4 <u>excluded</u>

BeO FIXED	
ALUMINIUM	4500561
NYLON	4500552
BeO FIXED WITH SLIDING PAD	
ALUMINIUM	4500555
OPTIONAL	
SEAT - ARMREST FIXING KIT	On request

NYLON ARMREST BEO 1D ADJUSTABLE






SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.9 in]
WIDTH ADJUSTMENT	Fixed (29 mm [1.1 in] slot hole)
PAD TO PAD DISTANCE	According to the seat
RELATED PAD	— Midi
	— Cox
PAD ADJUSTMENT	Fixed
	— 30 mm [1.2 in] side
	— 45 mm [1.8 in] backwards / forwards
RELATED SEATS	Trasla 4 (4515210)

PRODUCT CODES

<u>BeO 1D</u>	
SLIDING PAD	4502750
FIXED PAD	4500750
OPTIONAL	
TRASLA 4 SEAT	4515210






SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.9 in]
WIDTH ADJUSTMENT	42 mm [1.7 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 428 mm [16.9 in] to 512 mm [20.2 in]
RELATED PAD	— Midi
	— Cox
PAD ADJUSTMENT	Fixed
	— 30 mm [1.2 in] side
	— 45 mm [1.8 in] backwards / forwards
RELATED SEAT	Complete Donati seat family, Trasla 4 excluded

<u>BeO 2D</u>	
SLIDING PAD	4502700
FIXED PAD	4500700
OPTIONAL	
SEAT - ARMREST FIXING KIT	On request





SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.9 in]
WIDTH ADJUSTMENT	Fixed
PAD TO PAD DISTANCE	From 455 mm [17.9 in] to 515 mm [20.3 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.6 in] backwards / forwards
RELATED MECHANISM	— Friendly
	— Friendly without outer seat


BeO FRIENDLY	
BLACK	4500590
WHITE (RAL 9002)	4500591
OPTIONAL	
FRIENDLY MECHANISM	
WITH BLACK OUTER SEAT	1063001
WITH WHITE OUTER SEAT	1063004
W/O OUTER SEAT	1063002

ADJUSTABLE BeO 4D ALUMINIUM - NYLON ARMREST



SPECIFICATIONS		PRODUCT CODES
TYPE	Adjustable 12° armrest	
MATERIAL	Aluminium	BeO 4D - SLIDING PAD (MIDI & COX ONLY)
AVAILABLE ALSO IN	Nylon	ALUMINIUM 4502521
HEIGHT ADJUSTMENT	100 mm [3.9 in]	NYLON 4502531
WIDTH ADJUSTMENT	42 mm [1.7 in] (According to the seat / fixing)	BeO 4D - ROTATING PAD WITH POSITION LOCK
PAD TO PAD DISTANCE	From 364 mm [14.3 in] to 510 mm [20.1 in]	ALUMINIUM 4500521
RELATED PAD	Complete Donati pad family	NYLON 4500531
PAD ADJUSTMENT	— 30 mm [1.2 in] side	
	— 45 mm [1.8 in] backwards / forwards	OPTIONAL
	— 180° rotation	
	- 40 mm [1.6 in] backwards / forwards	SEAT - ARMREST FIXING KIT On request
RELATED SEAT	Complete Donati seat family, Trasla 4 <u>excluded</u>	






SPECIFICATIONS	
TYPE	Adjustable straight armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	100 mm [3.9 in]
WIDTH ADJUSTMENT	42 mm [1.7 in] (According to the seat / fixing)
PAD TO PAD DISTANCE	From 364 mm [14.3 in] to 510 mm [20.1 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 180° rotation
	— 40 mm [1.6 in] backwards / forwards
RELATED SEAT	Complete Donati seat family, Trasla 4 excluded

BeO 4D STRAIGHT		
ALUMINIUM	4500501	
NYLON	4500511	
OPTIONAL		
SEAT - ARMREST FIXING KIT	On request	

ADJUSTABLE BeO 4D Trasia NYLON ARMREST





SPECIFICATIONS		PRODUCT CODES
TYPE	Adjustable 12° armrest	
MATERIAL	Nylon	BeO 4D TRASLA 4500580
HEIGHT ADJUSTMENT	100 mm [3.9 in]	
WIDTH ADJUSTMENT	32 mm [1.3 in]	OPTIONAL
PAD TO PAD DISTANCE	From 394 mm [15.5 in] to 517 mm [20.4 in]	
RELATED PAD	Complete Donati pad family	SEAT - ARMREST FIXING KIT
PAD ADJUSTMENT	— 180° rotation	FOR TRASLA 2 / TRASLA 2 CABLE SEATS 4501112
	— 40 mm [1.6 in] backwards / forwards	FOR TRASLA 3 SEAT 4501111
RELATED SEAT	— Trasla 2 (4515195)	
	— Trasla 2 Cable (4515191 / 4515194)	
	— Trasla 3 (4515241)	

DONATI

PAG 118



MIDI	
LxWxH (mm)	219 x 100 x 27
LxWxH [in]	8.6 x 3.9 x 1.1
PU (SOFT)	9000538
PP (HARD)	9000537



сох	
LxWxH (mm)	235 x 100 x 27
LxWxH [in]	9.3 x 3.9 x 1.1
PU (SOFT)	4700560 (R)
	4700561 (L)



STANDARD	
LxWxH (mm)	236 x 112 x 27
LxWxH [in]	9.3 x 4.4 x 1.1
PU (SOFT)	9000515



NPR	
LxWxH (mm)	216 x 112 x 27
LxWxH [in]	8.5 x 4.4 x 1.1
PU (SOFT)	9000554



SQUARE	
LxWxH (mm)	236 x 112 x 27
LxWxH [in]	9.3 x 4.4 x 1.1
PU (SOFT)	4700547



FOX	
LxWxH (mm)	225 x 99 x 27
LxWxH [in]	8.9 x 3.9 x 1.1
PU (SOFT)	4700555

Backrest & Back bars










SPECIFICATIONS	
ТҮРЕ	Mesh / upholstered backrest
MATERIAL	Nylon + GF
LUMBAR SUPPORT HEIGHT ADJ.	100 mm [3.9 in]
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
MESH/UPHOLSTERY FIXING	— By draw string
	— By staples
SURFACE FINISHES	— Photoengraved (Novatex 7381)
COLOUR FINISHES	— Black
	— Other colours available on request

CLIPPER On request



SINGLE PIECE BACKREST WITH DONATI STANDARD INTEGRATED MECHANISM CONNECTION









SPECIFICATIONS	
ТҮРЕ	Adjustable back bar
MATERIAL	Nylon + GF
HEIGHT ADJUSTMENT	65 mm [2.6 in], ratchet
MECHANISM CONNECTION	Donati standard (width 90 mm [3.5 in])
ANGLE	- 83°
	— 88°

UP / DOWN	
83°	4520900
88°	4520902







SPECIFICATIONS

TYPE Adjustable back bar

MATERIAL Nylon + GF

HEIGHT ADJUSTMENT 65 mm [2.6 in], by button


MECHANISM CONNECTION Donati standard (width 90 mm [3.5 in])

ANGLE 91°

PRODUCT CODES

ACTIVA 4520950

Swivel supports & Gas springs














SPECIFICATIONS

TYPE	Swivel support
EXTERNAL DIAMETER	40 mm [1.6 in]
MECHANISM CONN. DIAMETER	28 mm [1.1 in]
EXT. TAPER HEIGHT (Ø 40 mm)	72 mm [2.8 in]
EXTENSION	— 40 mm [1.6 in]
	— 60 mm [2.4 in]
	— 80 mm [3.1 in]
	— 100 mm [3.9 in]
COVER SURFACE FINISH	— Chrome (Plastic)
	— Black


SWIVEL SUPPORT 40 mm [NO COVER]	4510160
SWIVEL SUPPORT 60 mm	4510161
- CHROME COVER	4510170
- BLACK COVER	4510171
SWIVEL SUPPORT 80 mm	4510162
- CHROME COVER	4510172
- BLACK COVER	4510173
SWIVEL SUPPORT 100 mm	4510163
- CHROME COVER	4510174
- BLACK COVER	4510175




SPECIFICATIONS	
ТҮРЕ	Self return swivel support
EXTERNAL DIAMETER	— 40 mm [1.6 in]
	— 50 mm [2.0 in]
MECHANISM CONN. DIAMETER	28 mm [1.1 in]
SUPPORT HEIGHT	125 mm [4.9 in]
EXT. TAPER HEIGHT	48 mm [1.9 in]
INT. TAPER HEIGHT (Ø 28 mm)	92 mm [3.6 in]
SUPPORT SURFACE FINISH	— Chrome
	— Black

MINI TORNA 40 mm	
CHROME	4501582
BLACK	4501583
MINI TORNA 50 mm	
CHROME	4501580
BLACK	4501581

Ø 40 mm SG 215 40 B GAS SPRING





SPF	CIFI	CAT	IONS

TYPE	Gas spring
EXTERNAL DIAMETER	40 mm [1.6 in]
INSIDE GAS LIFT DIAMETER	28 mm [1.1 in]
CLASS	3
FORCE	300N
GAS SPRING HEIGHT	245 mm [9.7 in]
STROKE	112 mm [4.4 in]
EXT. TAPER HEIGHT (Ø 40 mm)	42 mm [1.7 in]
INT. TAPER HEIGHT (Ø 28 mm)	237 mm [9.3 in]
GAS SPRING SURFACE FINISH	Chrome


SG 215 40 B	4500085
TAPERED PLASTIC BUSHING	
EXT. Ø 50 mm → INT. Ø 40 mm	4510165
EXT. Ø 44 mm → INT. Ø 40 mm	4516007





SPECIFICATIONS	
TYPE	Gas spring
EXTERNAL DIAMETER	50 mm [2.0 in]
INSIDE GAS LIFT DIAMETER	28 mm [1.1 in]
CLASS	3
FORCE	400N
GAS SPRING HEIGHT	252 ~ 386 mm [9.9 ~ 15.2 in]
STROKE	134 mm [5.3 in]
EXT. TAPER HEIGHT (Ø 50 mm)	— 70 mm [2.8 in] (TGS 210 - NE/CR)
	— 105 mm [4.1 in] (TGS 210 - NC/CC)
	— 155 mm [6.1 in] (TGS 210 - NX/XX)
INT. TAPER HEIGHT (Ø 28 mm)	219 mm [8.6 in]
GAS SPRING SURFACE FINISH	— Chrome
	— Black


TGS 210 - NE/CR	
BLACK (NE)	4500087
CHROME (CR)	4500088
TGS 210 - NC/CC	
BLACK (NE)	4500089
CHROME (CR)	4500093
TGS 210 - NX/XX	
BLACK (NX)	4500084
CHROME (XX)	4500086



EXTERNAL Ø 50 mm

EXTERNAL DIAMETER	50 mm [2.0 in]
EXTERNAL CONE TAPER ANGLE	1°26'16''
INTERNAL DIAMETER	40 mm [1.6 in]
INTERNAL CONE TAPER ANGLE	None (cylindrical)
PRODUCT CODE	4510165

PAG 132 DONATI



EXTERNAL Ø 44 mm

EXTERNAL DIAMETER	44 mm [1.7 in]
EXTERNAL CONE TAPER ANGLE	1°26'16''
INTERNAL DIAMETER	40 mm [1.6 in]
INTERNAL CONE TAPER ANGLE	None (cylindrical)
PRODUCT CODE	4516007

DONATI



