

EN

Technical Masterbook

Mechanisms

FIXED
TILT
SYNCHRO TILT
MULTI TILT
WEIGHT ACTIVATED

Bases

ALUMINUM
NYLON
GLIDES

Seats

QUICK CONNECTION
BOLT-ON
ADAPTER PLATES


Armrests

ALUMINUM
NYLON
PADS

Accessories


BACK BAR
BACKREST
FOOTREST
SWIVEL SUPPORTS
GAS SPRINGS

DONATI



FLEX TRAVEL RESTRICTION | **D109** | WEIGHT ACTIVATED MECHANISM

PRODUCT IMAGE, DETAILS AND FUNCTION DESCRIPTION



DETAILED PRODUCT SPECIFICATIONS

SPECIFICATIONS	
TYPE	Weight activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	- 0° - 5° forward - Free float
COMFORT	Lower tension fine-tuning knob
SEAT CONNECTION	DONATI universal seat plate
BACK BAR CONNECTION	DONATI standard (width 90 mm [3.54 in])
MORSE CONE DIAMETER	28 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black (plastic)
SIDE KNOB FINISH	RAL 7610 (plastic)
ITEMS PER BOX	32
BOXES PER PALLET	4 boxes (128 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

D109 FLEX TRAVEL RESTRICTION 1062705

DONATI

PAG 17

PRODUCT CODES

PRODUCT MAIN FEATURES

PRODUCT NAME

PRODUCT CATEGORY

FLEX TRAVEL RESTRICTION

D109

WEIGHT ACTIVATED MECHANISM

PRODUCT VERSION OR MAIN FEATURE


TECHNICAL DRAWING

D109 FLEX TRAVEL RESTRICTION

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90 mm [3,54 in])



TECHNICAL DRAWING



SURFACE COLOURS / FINISHES

COLOURS AND FINISHES AVAILABLE OR POSSIBLE VARIATIONS



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



RAL 7610 PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI SLIDING PLATE ADAPTER CODE: 4515220

RELATED SINGLE PRODUCTS OR PRODUCT FAMILIES

TECHNICAL DATA SHEET

PAG 18

Tilt & fixed mechanisms

TILT & FIXED	ARMONICO	
	— 3D	09
	— ALUMINIUM PLATE	12
	— FIXED (70 x 90 mm)	15
	— FIXED (153 x 200 mm)	18
	— TILT (70 x 90 mm)	21
	— TILT (153 x 200 mm)	27
	D165 (KNEE TILT)	30
	INSTAR	
	— FIXED	32
	— FIXED CABLE ACTIVATION	35
	— TILT	38
	— TILT CABLE ACTIVATION	41
	MPD38	
	— ALUMINIUM PLATE	44
	— ALUMINIUM PLATE W/O KNOB	46
	— STEEL PLATE	50
	— STEEL PLATE W/O KNOB	52
	— SINGLE / MULTIBLOCK	54
	PLANE	
	— 100x100	56
— MAJOR	59	
SPIDER	64	
SUPERLEGGERO	71	

Synchro & multi tilt mechanisms

SYNCHRO & MULTI TILT	CORE	77
	D165 (SYNCHRON)	79
	DYNAMIC PLUS	81
	EPRON	
	— SYNCHRON	83
	— FLEX	85
	— ASYNCHRON	87
	— TRASLA	89
	EPRON PLUS	
	— SYNCHRON	91
	— FLEX	93
	— ASYNCHRON	95
	— TRASLA	97
	EPRON RV	
	— SYNCHRON	99
	— FLEX	102
	— BACKREST ANGLE ADJUSTMENT	104
	— SEAT ANGLE ADJUSTMENT	106
	— FORWARD TILT ADJUSTMENT	108
— TRASLA	110	
EPRON SOLO	112	
TECNO	114	

Weight activated mechanisms

WEIGHT ACTIVATED	D109	
	— ENTRY LEVEL	119
	— SYNCHRON	123
	— TRAVEL RESTRICTION	127
	— FLEX	131
	— SEAT ANGLE ADJUSTMENT	135
	— CABLE ACTIVATION	139
	DOPOTUTTO	
	— SYNCHRON	142
	— DUO	144
	EPSILON	
	— INTEGRATED SEAT	147
	— UNIVERSAL PLATE	150
	— INTEGRATED SEAT COMFORT ADJ.	152
	— UNIVERSAL PLATE COMFORT ADJ.	155
	FRIENDLY	
	— 1	157
	— 2	161
	— 2 LOUNGE	165
	— 3	167
	— 3 PLUS	171
	INEDITO	
	— SYNCHRON	175
	— TRAVEL RESTRICTION	179
	— FLEX	183
	— SEAT ANGLE ADJUSTMENT	187

Aluminium bases

4 — 5 STAR	ABACO	190
	B.KROS	192
	B.YOU	194
	B1	196
	B1T	198
	DB1.6	200
	DB1.8 (4 / 5 STAR)	202
	DB1.9	210
	DB1.13 (4 / 5 STAR)	212
	DB1.13 XL	218
	DB1.17	220
	DB2.6	222
	DB2.13	224
	K600 - K720	226
	L1023	230
	L1080 - L2080	232
	METEORA / METEORA 2	236
	OCTOPUS	240
	PRESTO	242
	QUOIN (4 / 5 STAR)	244
SUPERLEGGERA (4 / 5 STAR)	252	
TREVI (4 / 5 STAR)	267	
TREVI XL	272	
UNICA	275	

Nylon bases

4 — 5 STAR	B1T	279
	DB1.6	281
	DB1.8	283
	DB1.9	285
	DB1.13	287
	DB1.13 XL	291
	DB2.6	293
	DB2.13	295
	DISKO	297
	METEORA	300
	PRESTO	302
	QUOIN (4 / 5 STAR)	304
	SUPERLEGGERA	312
ZIGGURAT	314	

Bases accessories

FOR BASES	GLIDES	278
-----------	--------	-----

Quick connection seats

QUICK CONNECTOR	KITE	320
	TRASLA 2	323
	TRASLA 2 CABLE	328
	TRASLA 3	333
	TRASLA 4	337

Bolt-on seats

BOLT-ON	CONKA	341
	DASH	345
	FLAT	349
	SLIM	353

Adapters

ADAPTER	PLATE ADAPTER	358
	MODULA 1	360
	TRASLA ADAPTER	362

Armrests

ALUMINIUM	BeO FIXED	365
	BeO 4D	
	— 12°	368
	— STRAIGHT	372
NYLON	BeO FIXED	376
	BeO 2D	379
	BeO 4D	
	— 12°	386
	— STRAIGHT	392
	BeO FRIENDLY	395
	NEDO	398

Armrests accessories

FOR ARMRESTS	PADS	401
	ARMREST FIXING KITS	404

Back bars / Backrest

BACK BARS	ACTIVA	411
	UP / DOWN	413
BACKREST	CLIPPER	416
	KIVA	418
	WHY	420

Footrests


ADJUSTABLE	D17	422
	L1060	424
	L1065	426
	TRIM	428

Supports / Gas springs

Ø 40 mm	FIXED COLUMN	430
	SWIVEL SUPPORT	432
	SELF-RETURN SWIVEL COLUMN	435
	GAS SPRING SG215	439
Ø 50 mm	SWIVEL SUPPORT	441
	SELF-RETURN SWIVEL COLUMN	445
	GAS SPRING TGS210	447
	GAS SPRING TG C2	451



Tilt & fixed mechanisms



SPECIFICATIONS	
TYPE	3D tilt mechanism
TILT ANGLE	7° backwards, 4° forwards, ±4° side tilt
FACTORY SEAT SETUP	2,5° backwards
[OPT.] HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
COVER FINISH	— Black — Window grey (RAL 7040)
ITEMS PER BOX	12
BOXES PER PALLET (MOQ)	15 boxes (180 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....
ARMONICO 3D WITH HEIGHT ADJUSTMENT

POLISHED 1020501

BLACK PAINTED 1020500


ARMONICO 3D W/O HEIGHT ADJUSTMENT

POLISHED 1020511

BLACK PAINTED 1020510

TECHNICAL DRAWING

ARMONICO 3D WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER




BLACK PLASTIC LEVER, COVER



WINDOW GREY (RAL 7040) PLASTIC COVER

TECHNICAL DRAWING

ARMONICO 3D W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED ALUMINIUM HOUSING




BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER



SPECIFICATIONS

TYPE	— Tilt mechanism — Tilt mechanism with tilt lock
TILT ANGLE	7° backwards, 4° forwards
[OPT.] TILT LOCKING	1 position, by lower button
FACTORY SEAT SETUP	2,5° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
ITEMS PER BOX	20
BOXES PER PALLET (MOQ)	15 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....
ARMONICO ALU PLATE WITH TILT LOCK

POLISHED 1020654

BLACK PAINTED 1020653


ARMONICO ALU PLATE W/O TILT LOCK

POLISHED On request

BLACK PAINTED On request

TECHNICAL DRAWING

ARMONICO ALUMINIUM PLATE WITH TILT LOCK



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, SEAT PLATE



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LEVER, BUTTON

TECHNICAL DRAWING

ARMONICO ALUMINIUM PLATE W/O TILT LOCK



SURFACE COLOURS / FINISHES




POLISHED ALUMINIUM HOUSING, SEAT PLATE



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



SPECIFICATIONS	
TYPE	Fixed support
FACTORY SEAT SETUP	2,5° backwards
[OPT.] HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Bolt-on plate 70 x 90 mm [2.76 x 3.54 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
FIXED WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	25
BOXES PER PALLET (MOQ)	15 boxes (375 items)
FIXED W/O HEIGHT ADJUSTMENT	
ITEMS PER BOX	30
BOXES PER PALLET (MOQ)	15 boxes (450 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....
ARMONICO FIXED WITH HEIGHT ADJUSTMENT

POLISHED 1020454

BLACK PAINTED 1020453


ARMONICO FIXED W/O HEIGHT ADJUSTMENT

POLISHED 1020461

BLACK PAINTED 1020460

TECHNICAL DRAWING

ARMONICO FIXED WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER

TECHNICAL DRAWING

ARMONICO FIXED W/O HEIGHT ADJUSTMENT




SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING




SPECIFICATIONS	
TYPE	Fixed support
FACTORY SEAT SETUP	2,5° backwards
[OPT.] HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
FIXED W/O HEIGHT ADJUSTMENT	
ITEMS PER BOX	16
BOXES PER PALLET (MOQ)	15 boxes (240 items)
FIXED WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	12
BOXES PER PALLET (MOQ)	15 boxes (180 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....	
<u>ARMONICO FIXED WITH HEIGHT ADJUSTMENT</u>	
POLISHED	1020458
BLACK PAINTED	1020457
<u>ARMONICO FIXED W/O HEIGHT ADJUSTMENT</u>	
POLISHED	1020466
BLACK PAINTED	1020465

TECHNICAL DRAWING

ARMONICO FIXED WITH HEIGHT ADJUSTMENT




SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC COVER



SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLE	7° backwards, 4° forwards
FACTORY SEAT SETUP	2,5° backwards
[OPT.] HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 70 x 90 mm [2.76 x 3.54 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
TILT WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	12
BOXES PER PALLET (MOQ)	15 boxes (180 items)
TILT W/O HEIGHT ADJUSTMENT	
ITEMS PER BOX	16
BOXES PER PALLET (MOQ)	15 boxes (240 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....
ARMONICO TILT WITH HEIGHT ADJUSTMENT

POLISHED 1020404

BLACK PAINTED 1020403


ARMONICO TILT W/O HEIGHT ADJUSTMENT

POLISHED 1020411

BLACK PAINTED 1020410

TECHNICAL DRAWING

ARMONICO TILT WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER



BLACK PLASTIC LEVER, COVER

TECHNICAL DRAWING

ARMONICO TILT W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC COVER




SPECIFICATIONS	
TYPE	Tilt mechanism with tilt lock button
TILT ANGLE	7° backwards, 4° forwards
FACTORY SEAT SETUP	3° backwards
TILT LOCKING	1 position, by lower button
[OPT.] HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 70 x 90 mm [2.76 x 3.54 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
ITEMS PER BOX	20
BOXES PER PALLET (MOQ)	15 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

<u>ARMONICO TILT LOCK WITH HEIGHT ADJ.</u>	
POLISHED	1020604
BLACK PAINTED	1020603
<u>ARMONICO TILT LOCK W/O HEIGHT ADJ.</u>	
POLISHED	1020611
BLACK PAINTED	1020610

TECHNICAL DRAWING

ARMONICO TILT LOCK WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER



BLACK PLASTIC LEVER, COVER, BUTTON

TECHNICAL DRAWING

ARMONICO TILT LOCK W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC COVER, BUTTON



SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLE	7° backwards, 4° forwards
FACTORY SEAT SETUP	2,5° backwards
[OPT.] HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
TILT WITH HEIGHT ADJUSTMENT	
ITEMS PER BOX	12
BOXES PER PALLET [MOQ]	15 boxes (180 items)
TILT W/O HEIGHT ADJUSTMENT	
ITEMS PER BOX	16
BOXES PER PALLET [MOQ]	15 boxes (240 items)
PALLET SIZE [LxWxH]	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

ARMONICO TILT WITH HEIGHT ADJUSTMENT

POLISHED 1020445

BLACK PAINTED 1020443


ARMONICO TILT W/O HEIGHT ADJUSTMENT

POLISHED 1020416

BLACK PAINTED 1020415

TECHNICAL DRAWING

ARMONICO TILT WITH HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LEVER, COVER

TECHNICAL DRAWING

ARMONICO TILT W/O HEIGHT ADJUSTMENT



SURFACE COLOURS / FINISHES




POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC COVER



SPECIFICATIONS	
TYPE	Knee-tilt mechanism
TILT ANGLE	16°
TILT LOCKING	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment crank
SEAT CONNECTION	— Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Black painted — Polished
LEVER FINISH	Black
COVER FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	34
BOXES PER PALLET (MOQ)	4 boxes (136 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

<u>D165 TILT BOLT-ON PLATE 153 X 200 mm</u>	
BLACK PAINTED	1020810
POLISHED	1020811
<u>D165 TILT BOLT-ON PLATE 200 X 200 mm</u>	
BLACK PAINTED	1020830
POLISHED	1020831

TECHNICAL DRAWING

D165 TILT BOLT-ON PLATE 153 X 200 mm

D165 TILT BOLT-ON PLATE 200 X 200 mm



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



POLISHED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS



ANTHRACITE GREY (RAL 7016) PLASTIC COVERS



SPECIFICATIONS


TYPE	Fixed mechanism
FACTORY SEAT SETUP	— 2,5° backward (standard version) — 6° backward (lounge version)
[OPT.] HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Bolt-on plate 153 x 153 mm [6.02 x 6.02 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak)
DESIGN BY	Strand + Hvass

PRODUCT CODES

<u>INSTAR FIXED WITH HEIGHT ADJUSTMENT</u>	
POLISHED (STANDARD VER.)	On request
BLACK PAINTED (STANDARD VER.)	1022800
POLISHED (LOUNGE VER.)	On request
BLACK PAINTED (LOUNGE VER.)	1022850
<u>INSTAR FIXED W/O HEIGHT ADJUSTMENT</u>	
POLISHED (STANDARD VER.)	1022814
BLACK PAINTED (STANDARD VER.)	1022810
POLISHED (LOUNGE VER.)	On request
BLACK PAINTED (LOUNGE VER.)	1022860

TECHNICAL DRAWING

INSTAR FIXED - STANDARD VER.



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE




BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER

TECHNICAL DRAWING

INSTAR FIXED - LOUNGE VER.



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER



SPECIFICATIONS

TYPE	Fixed support
FACTORY SEAT SETUP	— 2,5° backward (standard version) — 6° backward (loungue version)
[OPT.] HEIGHT ADJUSTMENT	By Bowden cable
SEAT CONNECTION	Bolt-on plate 153 x 153 mm [6.02 x 6.02 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
DESIGN BY	Strand + Hvass


PRODUCT CODES

.....
INSTAR CABLE FIXED WITH HEIGHT ADJUSTMENT

POLISHED (STANDARD VER.)	1022501
BLACK PAINTED (STANDARD VER.)	1022500
POLISHED (LOUNGE VER.)	On request
BLACK PAINTED (LOUNGE VER.)	On request

TECHNICAL DRAWING

INSTAR CABLE FIXED - STANDARD VER.



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE




BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER

TECHNICAL DRAWING

INSTAR CABLE FIXED - LOUNGE VER.



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER



SPECIFICATIONS


TYPE	— Tilt mechanism — Tilt mechanism with tilt lock
TILT ANGLES	— 7° backward, 4° forward (W/O tilt lock) — 7° backward (with tilt lock)
[OPT.] TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	— 2,5° backward (standard version) — 6° backward (loungue version)
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 153 mm [6.02 x 6.02 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak)
DESIGN BY	Strand + Hvass

PRODUCT CODES

<u>INSTAR TILT - WITH TILT LOCK</u>	
POLISHED (STANDARD VER.)	1022601
BLACK PAINTED (STANDARD VER.)	1022600
POLISHED (LOUNGE VER.)	1022651
BLACK PAINTED (LOUNGE VER.)	1022650
<u>INSTAR TILT - W/O TILT LOCK</u>	
POLISHED (STANDARD VER.)	1022401
BLACK PAINTED (STANDARD VER.)	1022400
POLISHED (LOUNGE VER.)	1022451
BLACK PAINTED (LOUNGE VER.)	1022450

TECHNICAL DRAWING

INSTAR TILT - STANDARD VER.



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE




BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER

TECHNICAL DRAWING

INSTAR TILT - LOUNGE VER.



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC COVER



WINDOW GREY (RAL 7040) PLASTIC COVER



SPECIFICATIONS

TYPE	— Tilt mechanism — Tilt mechanism with tilt lock
TILT ANGLES	— 7° backward / 4° forward (W/O tilt lock) — 7° backward (with tilt lock)
[OPT.] TILT LOCKING	— 1 position, by Bowden cable — 1 position, by Bowden activated lever
FACTORY SEAT SETUP	— 2,5° backward (standard version) — 6° backward (loungé version)
HEIGHT ADJUSTMENT	— By Bowden cable — By Bowden cable activated lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on plate 153 x 153 mm [6.02 x 6.02 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
DESIGN BY	Strand + Hvass


PRODUCT CODES

.....

<u>INSTAR CABLE TILT - WITH TILT LOC</u>		
POLISHED STANDARD, CABLES ONLY		1022701
POLISHED STANDARD, POLISHED ELLE LEVERS		1022703
BLACK STANDARD, CABLES ONLY		1022700
BLACK STANDARD, BLACK ELLE LEVERS		1022702
WHITE STANDARD, WHITE ELLE LEVERS		1022704
POLISHED LOUNGE, CABLES ONLY		On request
BLACK LOUNGE, CABLES ONLY		On request
<u>INSTAR CABLE TILT - W/O TILT LOCK</u>		
POLISHED STANDARD, CABLE ONLY		1022501
BLACK STANDARD, CABLE ONLY		1022500
POLISHED LOUNGE, CABLE ONLY		On request
BLACK LOUNGE, CABLE ONLY		On request

TECHNICAL DRAWING

INSTAR CABLE TILT - STANDARD VERSION



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, ZAMAK LEVERS



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE, ZAMAK LEVERS



WHITE PAINTED ALUMINIUM HOUSING, ZAMAK LEVERS



WINDOW GREY (RAL 7040) PLASTIC COVER




BLACK PLASTIC COVER



TRAFFIC WHITE (RAL 9016) PLASTIC COVER

TECHNICAL DRAWING

INSTAR CABLE TILT - LOUNGE VERSION



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, ZAMAK LEVERS



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE, ZAMAK LEVERS



WHITE PAINTED ALUMINIUM HOUSING, ZAMAK LEVERS




WINDOW GREY (RAL 7040) PLASTIC COVER



BLACK PLASTIC COVER



TRAFFIC WHITE (RAL 9016) PLASTIC COVER



SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLES	16°
TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	1,5° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome — Black painted
LOWER KNOB & COVER FINISH	— Black — Basalt grey (RAL 7012)
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....
MPD38 ALUMINIUM PLATE

POLISHED	1020191
BLACK PAINTED	1020190

TECHNICAL DRAWING

MPD38 ALUMINIUM PLATE



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING, SEAT PLATE



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BASALT GREY (RAL 7012) PLASTIC LOWER KNOB, COVERS



BLACK PLASTIC LOWER KNOB, COVERS




SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLES	13°
TILT LOCKING	1 position, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT (PU SPRING)	Tension fine-tuning by hex key
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome — Black painted
COVER FINISH	— Black — Basalt grey (RAL 7012)
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

MPD38 ALUMINIUM PLATE W/O KNOB (PU SPRING)	
POLISHED	1020301
BLACK PAINTED	1020300

TECHNICAL DRAWING

MPD38 ALUMINIUM PLATE W/O KNOB (PU SPRING)




SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM
HOUSING, SEAT PLATE



CHROMED ZAMAK
LEVER




BLACK PAINTED
ALUMINIUM HOUSING,
LEVER, SEAT PLATE



BASALT GREY
(RAL 7012) PLASTIC
COVERS



BLACK PLASTIC
COVERS




SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLES	13°
TILT LOCKING	1 position, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT (COIL SPRING)	Tension fine-tuning by hex key
SEAT CONNECTION	Aluminium plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome — Black painted
COVER FINISH	— Black — Basalt grey (RAL 7012)

PRODUCT CODES

.....	
<u>MPD38 ALUMINIUM PLATE W/O KNOB (COIL SPRING)</u>	
<u>WITH HEIGHT ADJUSTMENT</u>	
POLISHED	1021302
BLACK PAINTED	1021300
<u>W/O HEIGHT ADJUSTMENT</u>	
POLISHED	On request
BLACK PAINTED	1021301

TECHNICAL DRAWING

MPD38 ALUMINIUM PLATE W/O KNOB (COIL SPRING)



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM
HOUSING, SEAT PLATE



CHROMED ZAMAK
LEVER




BLACK PAINTED
ALUMINIUM HOUSING,
LEVER, SEAT PLATE



BASALT GREY
(RAL 7012) PLASTIC
COVERS



BLACK PLASTIC
COVERS




SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLES	16°
TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	1,5° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Steel plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome (Zamak) — Black painted (Zamak) — Black (Nylon)
LOWER KNOB & COVER FINISH	Black
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

MPD38 STEEL PLATE - ZAMAK LEVER	
POLISHED	1020181
BLACK PAINTED	1020180
MPD38 STEEL PLATE - NYLON LEVER	
POLISHED	On request
BLACK PAINTED	1020162
BLACK PAINTED ECO (W/O PLASTIC COVERS)	1020161

TECHNICAL DRAWING

MPD38 STEEL PLATE



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING




CHROMED ZAMAK LEVER



BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BLACK PLASTIC LEVER, LOWER KNOB, COVERS




SPECIFICATIONS	
TYPE	Tilt mechanism
TILT ANGLES	13°
TILT LOCKING	1 position, by lever
FACTORY SEAT SETUP	1,5° backwards
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Steel plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Polished — Black painted
GAS LEVER FINISH	— Chrome — Black painted
COVER FINISH	— Black — Basalt grey (RAL 7012)
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....	
<u>MPD38 STEEL PLATE W/O KNOB</u>	
POLISHED	1020311
BLACK PAINTED	1020310

TECHNICAL DRAWING

MPD38 METAL PLATE W/O KNOB



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM HOUSING



CHROMED ZAMAK LEVER




BLACK PAINTED ALUMINIUM HOUSING, LEVER, SEAT PLATE



BASALT GREY (RAL 7012) PLASTIC COVERS



BLACK PLASTIC COVERS



SPECIFICATIONS

TYPE	Tilt mechanism
TILT ANGLES	16°
TILT LOCKING	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
GAS LEVER FINISH	Black
LOWER KNOB & COVER FINISH	Black
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	4 boxes (336 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....

MPD38	
MULTIBLOCK	1020012

TECHNICAL DRAWING

MPD38 MULTIBLOCK



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC LEVER, COVERS



[OPT.] HEIGHT
ADJUSTMENT LEVER

GAS SPRING COVER
Ø 45 mm [1.77 in]
KIT AVAILABLE

SPECIFICATIONS

TYPE	Nylon support
[OPT.] HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Fixing holes 100 x 100 mm [3.94 x 3.94 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black
GAS LEVER FINISH	Black

PRODUCT CODES

PLANE 100x100


WITH HEIGHT ADJUSTMENT	4515225
W/O HEIGHT ADJUSTMENT	4515226

OPTIONAL

GAS SPRING COVER KIT [h. 295 mm / 11.6 in]	1005140
--------------------------------------------	---------

TECHNICAL DRAWING

PLANE 100x100 WITH HEIGHT ADJUSTMENT




SURFACE FINISHES



BLACK PLASTIC
SUPPORT AND LEVER

TECHNICAL DRAWING


PLANE 100x100 W/O HEIGHT ADJUSTMENT



SURFACE FINISHES



BLACK PLASTIC SUPPORT



(OPT.) HEIGHT
ADJUSTMENT LEVER

TWO SEAT ANGLE SETUPS:
2,5° AND 6,0°

SPECIFICATIONS	
TYPE	Aluminium support
HEIGHT ADJUSTMENT	By lever
FACTORY SEAT SETUP	— 2,5° backward — 6,0° backward
SEAT CONNECTION	Fixing slot holes 140 x 140 ~ 153 x 153 mm [5.51 x 5.51 ~ 6.02 x 6.02 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black
GAS LEVER FINISH	— Black painted (Zamak) — Black (Nylon)


PRODUCT CODES

PLANE MAJOR

2,5° BACKWARD / ZAMAK LEVER	1050650
2,5° BACKWARD / NYLON LEVER	1050651
6° BACKWARD / ZAMAK LEVER	1050670
6° BACKWARD / NYLON LEVER	1050671

TECHNICAL DRAWING

PLANE MAJOR - 2,5° BACKWARD / ZAMAK LEVER



SURFACE FINISHES




BLACK PAINTED ALUMINIUM HOUSING



BLACK PAINTED ZAMAK LEVER

TECHNICAL DRAWING

PLANE MAJOR - 2,5° BACKWARD / NYLON LEVER



SURFACE FINISHES




BLACK PAINTED ALUMINIUM HOUSING



BLACK NYLON LEVER

TECHNICAL DRAWING

PLANE MAJOR - 6° BACKWARD / ZAMAK LEVER



SURFACE FINISHES




BLACK PAINTED ALUMINIUM HOUSING AND LEVER



BLACK PAINTED ZAMAK LEVER

TECHNICAL DRAWING

PLANE MAJOR - 6° BACKWARD / NYLON LEVER



SURFACE FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK NYLON LEVER



SPECIFICATIONS	
TYPE	Swivel support
FACTORY SEAT SETUP	4° backwards
(OPT.) HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	<ul style="list-style-type: none"> — Polished / Painted — Painted — Sandblasted — Other colours available on request
GAS LEVER SURFACE FINISH	<ul style="list-style-type: none"> — Chrome — Painted
DESIGN	Marcello Ziliani
ITEMS PER BOX	25
BOXES PER PALLET (MOQ)	20 boxes (500 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....

SPIDER SWIVEL WITH HEIGHT ADJUSTMENT


POLISHED / BLACK PAINTED	1050505
BLACK PAINTED	1050509
SANDBLASTED	1050508

SPIDER SWIVEL W/O HEIGHT ADJUSTMENT

POLISHED / BLACK PAINTED	1050558
BLACK PAINTED	1050548
SANDBLASTED	1050559

TECHNICAL DRAWING

SPIDER SWIVEL WITH HEIGHT ADJUSTMENT



SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT



SANDBLASTED
ALUMINIUM SUPPORT




PAINTED
ALUMINIUM SUPPORT,
ZAMAK GAS LEVER



CHROME
ZAMAK GAS LEVER

TECHNICAL DRAWING

SPIDER SWIVEL W/O HEIGHT ADJUSTMENT



SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT



SANDBLASTED
ALUMINIUM SUPPORT



PAINTED
ALUMINIUM SUPPORT

RELATED PRODUCTS

SPIDER SWIVEL WITH HEIGHT ADJUSTMENT



UNICA BASE COLLECTION



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODICE: 4500085

SPIDER SWIVEL W/O HEIGHT ADJUSTMENT



UNICA BASE COLLECTION



SWIVEL ADAPTERS
EXT. Ø 40mm
CODES: 4510160/1/2/3



SPECIFICATIONS

TYPE	Fixed support
FACTORY SEAT SETUP	4° backwards
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.02 x 7.87 in]
TAPERED PIN DIAMETER	39,5 mm [1.56 in]
MECHANISM SURFACE FINISH	<ul style="list-style-type: none"> — Polished / Painted — Painted — Sandblasted — Other colours available on request
DESIGN	Marcello Ziliani
ITEMS PER BOX	25
BOXES PER PALLET (MOQ)	25 boxes (625 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


.....

SPIDER FIXED

POLISHED / BLACK PAINTED	1050500
BLACK PAINTED	On request
SANDBLASTED	1050503

TECHNICAL DRAWING

SPIDER FIXED




SURFACE FINISHES



PAINTED TOP
POLISHED BOTTOM
ALUMINIUM SUPPORT



SANDBLASTED
ALUMINIUM SUPPORT



PAINTED
ALUMINIUM SUPPORT

RELATED PRODUCTS



UNICA BASE COLLECTION



FIXING KIT
CODE: 4510155



SPECIFICATIONS	
TYPE	Swivel support
FACTORY SEAT SETUP	3° backwards
[OPT.] HEIGHT ADJUSTMENT	By lever
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.02 x 7.87 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	<ul style="list-style-type: none"> — Polished — Painted — Sandblasted — Other colours available on request
GAS LEVER FINISH	<ul style="list-style-type: none"> — Chrome — Painted

PRODUCT CODES

.....
SUPERLEGGERO SWIVEL WITH HEIGHT ADJUSTMENT

POLISHED 1050620

WHITE (RAL 9002) PAINTED 1050621

SUPERLEGGERO SWIVEL W/O HEIGHT ADJUSTMENT


POLISHED 1050610

WHITE (RAL 9002) PAINTED 1050611

SANDBLASTED 1050612

TECHNICAL DRAWING

SUPERLEGGERO SWIVEL WITH HEIGHT ADJUSTMENT



SURFACE FINISHES



POLISHED ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



WHITE PAINTED (RAL 9002) ALUMINIUM SUPPORT



CHROME ZAMAK GAS LEVER

RELATED PRODUCTS



SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION




SG215 40 B CHROME GAS SPRING
EXT. $\varnothing 44$ mm
CODE: 4500085



TAPERED PLASTIC BUSHING
EXT. $\varnothing 50$ mm>INT. $\varnothing 40$ mm
CODE: 4510165

TECHNICAL DRAWING

SUPERLEGGERO SWIVEL W/O HEIGHT ADJUSTMENT



SURFACE FINISHES



POLISHED ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



WHITE PAINTED (RAL 9002) ALUMINIUM SUPPORT

RELATED PRODUCTS



SUPERLEGGERA 4 STAR (MORSE CONE Ø 40mm) BASE COLLECTION



SWIVEL ADAPTERS EXT. Ø 40mm CODES: 4510160/1/2/3



SPECIFICATIONS

TYPE	Fixed support
FACTORY SEAT SETUP	3° backwards
SEAT CONNECTION	Fixing holes 153 x 200 mm [6.02 x 7.87 in]
TAPERED PIN DIAMETER	39,5 mm [1.56 in]
MECHANISM SURFACE FINISH	<ul style="list-style-type: none"> — Polished — Painted — Sandblasted — Other colours available on request


PRODUCT CODES

SUPERLEGGERO FIXED

POLISHED	1050600
WHITE (RAL 9002) PAINTED	1050601

TECHNICAL DRAWING

SUPERLEGGERO FIXED



SURFACE FINISHES



POLISHED ALUMINIUM SUPPORT



SANDBLASTED ALUMINIUM SUPPORT



WHITE PAINTED (RAL 9002) ALUMINIUM SUPPORT

RELATED PRODUCTS




SUPERLEGGERA 4 AND 5 STAR BASE COLLECTION



FIXING KIT CODE: 4510155



| **Synchro & multi tilt mechanisms** |



SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	26° backrest / 16° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
[OPT.] SEAT ANGLE ADJUSTMENT	5° backrest / 3° seat
COMFORT	Quick side tension adjustment knob
SEAT CONNECTION	Donati quick connection seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	24
BOXES PER PALLET (MOQ)	4 boxes (96 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES



<u>CORE</u>	
SYNCHRON	1025560
SYNCHRON SEAT ANGLE ADJUSTMENT	1025561

TECHNICAL DRAWING

CORE SYNCHRON

CORE SYNCHRON SEAT ANGLE ADJUSTMENT

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS, SEAT RAILS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS	
TYPE	Synchro knee-tilt mechanism
TILT ANGLE	25° backrest / 16° seat
FACTORY SEAT SETUP	3° forward
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment crank
SEAT CONNECTION	— Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in] — Bolt-on plate 200,0 x 200,0 mm [7.87 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	— Black painted — Polished
LEVER FINISH	Black
COVER FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	24
BOXES PER PALLET (MOQ)	4 boxes (96 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....
D165 SYNCHRON BOLT-ON PLATE 153 X 200 mm

BLACK PAINTED 1030810

POLISHED 1030811

D165 SYNCHRON BOLT-ON PLATE 200 X 200 mm

BLACK PAINTED 1030830




POLISHED 1030831

TECHNICAL DRAWING

D165 SYNCHRON BOLT-ON PLATE 153 X 200 mm

D165 SYNCHRON BOLT-ON PLATE 200 X 200 mm

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION [WIDTH 90,0 mm [3,54 in]]



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



POLISHED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS



ANTHRACITE GREY (RAL 7016) PLASTIC COVERS


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] OR 200x200 mm [7.9x7.9 in] CONNECTION



SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	26° backrest / 10° seat
BACKREST TILT LOCK OR	— 11 positions, by lever
BACKREST TRAVEL RESTRICTION	— 4 positions, by lever
HEIGHT ADJUSTMENT	By lever
FORWARD TILT ADJUSTMENT	6° backrest / 2,4° seat
COMFORT	Side tension adjustment crank
SEAT CONNECTION	Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Customisable
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

DYNAMIC PLUS	
SYNCHRON	1080101
SYNCHRON TRAVEL RESTRICTION	1080151

TECHNICAL DRAWING

DYNAMIC PLUS SYNCHRON

DYNAMIC PLUS SYNCHRON TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVER


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION




SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	21° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....		
<u>EPRON</u>		
SYNCHRON		1060604




SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	16° backrest / 9° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....	
<u>EPRON</u>	
FLEX	1060770

TECHNICAL DRAWING

EPRON FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




SPECIFICATIONS	
TYPE	Multi tilt mechanism
TILT ANGLE	15° backrest
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	From 4° backward to 8° forward
COMFORT	Lower tension adjustment knob
SEAT CONNECTION	Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....		
<u>EPRON</u>		
ASYNCHRON		1060624

TECHNICAL DRAWING

EPRON ASYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING, SEAT PLATE



BLACK PLASTIC LEVERS, SEAT PLATE, COVER


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



SPECIFICATIONS


TYPE	Synchro tilt mechanism
TILT ANGLE	20° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Lower tension adjustment knob
SEAT DEPTH ADJUSTMENT	— 60 mm [2.36 in], by lever — 73 mm [2.87 in], by lever
SEAT CONNECTION	Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

<u>EPRON TRASLA</u>	
60 mm SEAT DEPTH ADJUSTMENT	1060728
73 mm SEAT DEPTH ADJUSTMENT	On request

TECHNICAL DRAWING

EPRON TRASLA



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.0 in] CONNECTION




SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	22° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	— Side tension adjustment crank <u>or</u> — Side tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....	
<u>EPRON PLUS</u>	
SYNCHRON	1061815

TECHNICAL DRAWING

EPRON PLUS SYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 8,5° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	— Side tension adjustment crank <u>or</u> — Side tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	33
BOXES PER PALLET (MOQ)	4 boxes (132 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


.....

EPRON PLUS

FLEX 1061715

TECHNICAL DRAWING

EPRON PLUS FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS	
TYPE	Multi tilt mechanism
TILT ANGLE	17,5° backrest
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	From 2,5° backward to 6,5° forward
COMFORT	— Side tension adjustment crank <u>or</u> — Side tension adjustment knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	32
BOXES PER PALLET (MOQ)	4 boxes (128 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

EPRON PLUS




ASYNCHRON

1061761

TECHNICAL DRAWING

EPRON PLUS ASYNCHRON

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	22° backrest / 10° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	— Side tension adjustment crank <u>or</u> — Side tension adjustment knob
SEAT DEPTH ADJUSTMENT	— 60 mm [2.36 in], by lever — 73 mm [2.87 in], by lever
SEAT CONNECTION	Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	34
BOXES PER PALLET (MOQ)	4 boxes (136 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

EPRON PLUS TRASLA

60 mm SEAT DEPTH ADJUSTMENT	1061650
73 mm SEAT DEPTH ADJUSTMENT	On request

TECHNICAL DRAWING

EPRON PLUS TRASLA



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER

RELATED PRODUCTS




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.0 in] CONNECTION



EPD
INTERNATIONAL EPO SYSTEM




SPECIFICATIONS	
TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 10° seat
BACKREST TILT LOCK OR BACKREST TRAVEL RESTRICTION	— 5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — Traffic grey (RAL 7043)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE [LxWxH]	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....	
<u>EPRON RV</u>	
SYNCHRON	1061001
SYNCHRON TRAVEL RESTRICTION	1061055

TECHNICAL DRAWING

EPRON RV SYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOB



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION




DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270

TECHNICAL DRAWING

EPRON RV SYNCHRON TRAVEL RESTRICTION



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 10° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — Traffic grey (RAL 7043)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


.....

EPRON RV

FLEX 1061100

TECHNICAL DRAWING

EPRON RV FLEX



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOB



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION




DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 10° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
BACKREST ANGLE ADJUSTMENT	±4°, by lever
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — Traffic grey (RAL 7043)


PRODUCT CODES

.....
EPRON RV

BACKREST ANGLE ADJUSTMENT 1061407

TECHNICAL DRAWING

EPRON RV BACKREST ANGLE ADJUSTMENT



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOBS



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION ADAPTER PLATE
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 10° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	4° forward, by lever
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — Traffic grey (RAL 7043)

PRODUCT CODES

EPRON RV




SEAT ANGLE ADJUSTMENT

1061300

TECHNICAL DRAWING

EPRON RV SEAT ANGLE ADJUSTMENT

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOBS



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY




DONATI QUICK CONNECTION SLIDING ADAPTER PLATE
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS

TYPE	Synchro tilt mechanism
TILT ANGLE	21° backrest / 8° seat
BACKREST TILT LOCK OR BACKREST TRAVEL RESTRICTION	— 6 positions, by side knob
HEIGHT ADJUSTMENT	By lever
FORWARD TILT ADJUSTMENT	5° backrest / 2° seat
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — Traffic grey (RAL 7043)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


EPRON RV

FORWARD TILT ADJUSTMENT	1061200
FORWARD TILT ADJ. TRAVEL RESTRICTION	1061055



TECHNICAL DRAWING

EPRON RV FORWARD TILT ADJUSTMENT – EPRON RV

FORWARD TILT ADJUSTMENT TRAVEL RESTRICTION



RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOBS



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION




DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS


TYPE	Synchro tilt mechanism
TILT ANGLE	23° backrest / 10° seat
BACKREST TILT LOCK OR BACKREST TRAVEL RESTRICTION	— 5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick side tension adjustment (7 steps) knob
SEAT DEPTH ADJUSTMENT	— 60 mm [2.36 in], by lever — 73 mm [2.87 in], by lever
SEAT CONNECTION	Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	— Black — Traffic grey (RAL 7043)
ITEMS PER BOX	30
BOXES PER PALLET (MOQ)	4 boxes (120 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....	
<u>EPRON RV TRASLA (60 mm SEAT DEPTH ADJ.)</u>	
TILT LOCK	1061031
TRAVEL RESTRICTION	On request
<u>EPRON RV TRASLA (73 mm SEAT DEPTH ADJ.)</u>	
TILT LOCK	1061035
TRAVEL RESTRICTION	On request

TECHNICAL DRAWING

EPRON RV TRASLA



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVER, SIDE KNOBS



TRAFFIC GREY (RAL 7043) PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.0 in] CONNECTION



SPECIFICATIONS


TYPE	Synchro tilt mechanism
TILT ANGLE	21° backrest / 11° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black

PRODUCT CODES

.....	
<u>EPRON SOLO</u>	
SYNCHRON	1064604

TECHNICAL DRAWING

EPRON SOLO SYNCHRON



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS

TYPE	Synchro tilt mechanism with forward pivot point
TILT ANGLE	22° backrest / 9° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment knob
SEAT CONNECTION	Donati quick connection seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	26
BOXES PER PALLET (MOQ)	4 boxes (104 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....

<u>TECNO</u>	
QUICK CONNECTION SEAT PLATE	1080620

TECHNICAL DRAWING

TECNO (QUICK CONNECTION PLATE)



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVER

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING ADAPTER PLATE
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Synchro tilt mechanism with forward pivot point
TILT ANGLE	22° backrest / 9° seat
BACKREST TILT LOCK	5 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Side tension adjustment knob
SEAT CONNECTION	Bolt-on plate 153,0 x 200,0 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	26
BOXES PER PALLET (MOQ)	4 boxes (104 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....	
<u>TECNO</u>	
BOLT-ON PLATE	1080600

TECHNICAL DRAWING

TECNO (BOLT-ON PLATE)

RECOMMENDED FIXING HOLES FOR BACK SUPPORT CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVER

RELATED PRODUCTS




DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.0x7.9 in] CONNECTION



Weight-activated mechanisms



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	3 positions, by push-pull button
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE BUTTON FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

<u>D109 ENTRY LEVEL</u>	
QUICK CONNECTION SEAT RAILS	1062655

TECHNICAL DRAWING

D109 ENTRY LEVEL QUICK CONNECTION SEAT RAILS

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC PUSH-BUTTON

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	3 positions, by push-button
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE BUTTON FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES



<u>D109 ENTRY LEVEL</u>	
BOLT-ON SEAT PLATE	1062615

TECHNICAL DRAWING

D109 ENTRY LEVEL BOLT-ON SEAT PLATE



RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING, BOLT-ON PLATE



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC PUSH-BUTTON


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....

D109 TILT LOCK




QUICK CONNECTION SEAT RAILS

1062650

TECHNICAL DRAWING

D109 QUICK CONNECTION SEAT RAILS

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....	
<u>D109 TILT LOCK</u>	
BOLT-ON SEAT PLATE	1062600

TECHNICAL DRAWING

D109 BOLT-ON SEAT PLATE

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE [LxWxH]	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....

D109 TRAVEL RESTRICTION



QUICK CONNECTION SEAT RAILS

1062850

TECHNICAL DRAWING

D109 TRAVEL RESTRICTION QUICK CONNECTION RAILS

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
[WIDTH 90,0 mm [3,54 in]]



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION PLATE ADAPTER
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


.....
D109 TRAVEL RESTRICTION

BOLT-ON SEAT PLATE



1062800

TECHNICAL DRAWING

D109 TRAVEL RESTRICTION BOLT-ON PLATE



RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION (WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	<ul style="list-style-type: none"> — 0° — 5° forward — Free float
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	28
BOXES PER PALLET (MOQ)	4 boxes (112 items)
PALLET SIZE [LxWxH]	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....



D109 FLEX

TILT LOCK 1062700

TECHNICAL DRAWING

D109 FLEX

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
[WIDTH 90,0 mm [3,54 in]]



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270




SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	32
BOXES PER PALLET (MOQ)	4 boxes (128 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....

D109 FLEX

TRAVEL RESTRICTION 1062705



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	4° forward, by lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
ITEMS PER BOX	34
BOXES PER PALLET (MOQ)	4 boxes (136 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

<u>D109 SEAT ANGLE ADJUSTMENT</u>	
TILT LOCK	1062652

TECHNICAL DRAWING

D109 SEAT ANGLE ADJUSTMENT TILT LOCK

RECOMMENDED FIXING HOLES
FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
LEVERS, SEAT RAILS,
COVERS

RELATED PRODUCTS




DONATI QUICK
CONNECTION SLIDING
SEAT FAMILY



DONATI QUICK
CONNECTION SLIDING
PLATE ADAPTER
CODE: 4515220



DONATI QUICK
CONNECTION SLIDING
ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by side knob
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	5° forward, by lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	44
BOXES PER PALLET (MOQ)	4 boxes (176 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....	
<u>D109 SEAT ANGLE ADJUSTMENT</u>	
TRAVEL RESTRICTION	1062852

TECHNICAL DRAWING

D109 SEAT ANGLE ADJUSTMENT TRAVEL RESTRICTION

RECOMMENDED FIXING HOLES
FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED
ALUMINIUM HOUSING



BLACK PLASTIC
LEVERS, SEAT RAILS,
COVERS



ANTHRACITE GREY
(RAL 7016) PLASTIC
SIDE KNOB

RELATED PRODUCTS




DONATI QUICK
CONNECTION SLIDING
SEAT FAMILY



DONATI QUICK
CONNECTION SLIDING
PLATE ADAPTER
CODE: 4515220



DONATI QUICK
CONNECTION SLIDING
ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by seat integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Trasla 2 Cable seat only
ARMREST CONNECTION	— Type-B armrest interface — Type-N armrest interface
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
SEAT FINISH	Black
ITEMS PER BOX	16
BOXES PER PALLET (MOQ)	4 boxes (64 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....	
D109 CABLE	1062950
(SEAT 4515190 INCLUDED, TYPE-B ARMREST INTERF.)	
UPHOLSTERY PLATE	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
LARGE WITH FOAM & BLACK UPHOLSTERY	4580060

TECHNICAL DRAWING

SMALL UPHOLSTERY PLATE


4515173



TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE

4515171





SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
LEVER & COVER FINISH	Black
ITEMS PER BOX	75
BOXES PER PALLET (MOQ)	4 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....
DOPOTUTTO 1062002

TECHNICAL DRAWING

DOPOTUTTO

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PLASTIC
LEVERS, SEAT PLATE,
COVERS

RELATED PRODUCTS



DONATI QUICK
CONNECTION SLIDING
SEAT FAMILY



DONATI BOLT-ON
SLIDING OR FIXED
SEAT FAMILY



BOLT-ON SEATS
153x200 mm [6.02x7.87 in]
CONNECTION



DONATI QUICK
CONNECTION SLIDING
PLATE ADAPTER
CODE: 4515220



DONATI QUICK
CONNECTION SLIDING
ADAPTER MODULA 1
CODE: 4515270





SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	70 mm [2.76], by seat integrated lever
COMFORT	Factory setup
SEAT CONNECTION	Dopotutto Duo seat only (included)
ARM/BACKREST CONNECTION	Type-D armrest interface (Special side back-arm attachment)
MORSE CONE DIAMETER	28,0 mm [1.10 in]
LEVER & COVER FINISH	Black

PRODUCT CODES

.....	
<u>DOPOTUTTO DUO</u>	1062050
<u>UPHOLSTERY PLATE</u>	4515248

TECHNICAL DRAWING

DOPOTUTTO DUO




SURFACE COLOURS / FINISHES



BLACK PLASTIC
COVERS

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	21° backrest / 6,5° seat
BACKREST TILT LOCK	1 position, by seat integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	70 mm [2.76], by seat integrated lever
SEAT CONNECTION	Integrated with the mechanism
UPHOLSTERY FIXING	By draw string on upholstery plate
COMFORT	Factory setup
ARMREST CONNECTION	Type-N armrest interface
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
CERTIFICATIONS	EN1335
MORSE CONE DIAMETER	28,0 mm [1.10 in]
LEVER & COVER FINISH	Black



PRODUCT CODES

.....	
<u>EPSILON INTEGRATED SEAT</u>	1065002
<u>UPHOLSTERY PLATE</u>	4515247

TECHNICAL DRAWING

EPSILON INTEGRATED SEAT

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)


RELATED PRODUCTS



TYPE-N ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



UNIVERSAL PLATE FOR
BOLT-ON SEATS AND
QUICK CONNECTION SEATS

HEIGHT ADJUSTMENT
LEVER (UP-DOWN)
BACKREST TILT LOCK
(FORWARDS-BACKWARDS)

SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	21° backrest / 6,5° seat
BACKREST TILT LOCK	1 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Factory setup
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
SURFACE FINISH	Black



PRODUCT CODES

.....
EPSILON UNIVERSAL PLATE 1065101

TECHNICAL DRAWING

EPSILON UNIVERSAL PLATE


RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	21° backrest / 6,5° seat
BACKREST TILT LOCK	1 position, by seat integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	70 mm [2.76], by seat integrated lever
SEAT CONNECTION	Integrated with the mechanism
UPHOLSTERY FIXING	By draw string on upholstery plate
COMFORT	Tension adjustment by lower handle
ARMREST CONNECTION	Type-N armrest interface
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
CERTIFICATIONS	EN1335
MORSE CONE DIAMETER	28,0 mm [1.10 in]
LEVER & COVER FINISH	Black



PRODUCT CODES

.....	
<u>EPSILON INTEGRATED SEAT COMFORT ADJ.</u>	1065032
<u>UPHOLSTERY PLATE</u>	4515247

TECHNICAL DRAWING

EPSILON INTEGRATED SEAT & COMFORT ADJUSTMENT

RECOMMENDED FIXING
HOLES FOR BACK BAR
CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)


RELATED PRODUCTS



TYPE-N ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



UNIVERSAL PLATE FOR
BOLT-ON SEATS AND
QUICK CONNECTION SEATS

HEIGHT ADJUSTMENT
LEVER (UP-DOWN)
BACKREST TILT LOCK
(FORWARDS-BACKWARDS)

COMFORT
ADJUSTMENT LEVER

SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	21° backrest / 6,5° seat
BACKREST TILT LOCK	1 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Tension adjustment by lower handle
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
SURFACE FINISH	Black



PRODUCT CODES

.....
EPSILON UNIVERSAL PLATE COMFORT ADJ. 1065130

TECHNICAL DRAWING

EPSILON UNIVERSAL PLATE & COMFORT ADJUSTMENT


RECOMMENDED FIXING
HOLES FOR BACK BAR
CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 1° seat
FACTORY SEAT SETUP	1,5° backward
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
COMFORT	Tension fine-tuning by hex key (provided)
SEAT CONNECTION	Integrated with the mechanism
ARMREST CONNECTION	Type-F armrest interface (BeO Friendly only)
BACK BAR CONNECTION	Width 100,0 mm [3.94 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
LEVER FINISH	Anthracite grey (RAL 7016)
OUTER SEAT COLOR	— Black — Grey white (RAL 9002)
ITEMS PER BOX	24
BOXES PER PALLET (MOQ)	4 boxes (96 items)
PALLET SIZE [LxWxH]	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

FRIENDLY

WITH BLACK OUTER SEAT	1063001
WITH WHITE OUTER SEAT	1063004
W/O OUTER SEAT	1063002

UPHOLSTERY PLATE

4515187


OPTIONALBeO FRIENDLY ARMREST

BLACK	4500590
GREY WHITE [RAL 9002]	4500591

TECHNICAL DRAWING

FRIENDLY WITH OUTER SEAT

4 FIXING HOLES BACK BAR CONNECTION PATTERN



SURFACE COLOURS / FINISHES



BLACK PLASTIC COVERS



GREY WHITE (RAL 9002) PLASTIC COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC LEVERS


RELATED PRODUCTS



TYPE-F ARMREST INTERFACE CONNECTION ONLY [Be0 FRIENDLY]

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 1° seat
FACTORY SEAT SETUP	1,5° backward
BACKREST TILT LOCK	3 positions, by cable activated lever
HEIGHT ADJUSTMENT	By cable activated lever
CABLE LENGTH	320 mm [12.6 in]
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Bolt-on seat rails 175 x 200 mm [6.89 x 7.87 in]
BACK BAR CONNECTION	— 0°, width 100,0 mm [3.94 in] — 16°, width 100,0 mm [3.94 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
LEVER FINISH	— Anthracite grey (RAL 7016) — Chrome (zamak) — Black painted (zamak)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....	
FRIENDLY 2 [16° BACK BAR CONNECTION]	
WITH ANTHRACITE LEVERS	1063050
WITH CHROME LEVERS	1063056
FRIENDLY 2 [0° BACK BAR CONNECTION]	
WITH CHROME LEVERS	1063059
MECHANISM COVER KIT	
WINDOW GREY	4501219
BLACK	4501224
CHROME LEVER COVER KIT	
WINDOW GREY	4501222
BLACK	4501223

TECHNICAL DRAWING

FRIENDLY 2

4 FIXING HOLES BACK BAR CONNECTION PATTERN



SURFACE COLOURS / FINISHES



SANDBLASTED ALUMINIUM HOUSING



WINDOW GREY (RAL 7040) PLASTIC COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC LEVERS



CHROME ZAMAK LEVERS



CHROME ZAMAK LEVERS

RELATED PRODUCTS




BOLT-ON SEATS 175x200 mm [6.89x7.87 in] CONNECTION



MECHANISM COVER KIT



CHROME LEVER COVER KIT



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 1° seat
FACTORY SEAT SETUP	1,5° backward
BACKREST TILT LOCK	3 positions, by cable activated lever
HEIGHT ADJUSTMENT	By cable activated lever
CABLE LENGTH	320 mm [12.6 in]
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Bolt-on seat rails 183 x 225 mm [7.20 x 8.86 in]
BACK BAR CONNECTION	16°, width 100,0 mm [3.94 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
COVER FINISH	Window grey (RAL 7040)
LEVER FINISH	— Chrome (zamak) — Black painted (zamak)
ITEMS PER BOX	58
BOXES PER PALLET (MOQ)	4 boxes (232 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....	
<u>FRIENDLY 2 ELLE [16° BACK BAR CONNECTION]</u>	
WITH CHROME LEVERS	1063055
W/O LEVERS (MEETING CHAIR VERSION)	1063057
<u>MECHANISM COVER KIT</u>	
WINDOW GREY	4501219
BLACK	4501224
<u>CHROME LEVER COVER KIT</u>	
WINDOW GREY	4501222
BLACK	4501223

TECHNICAL DRAWING

FRIENDLY 2 ELLE

4 FIXING HOLES BACK BAR CONNECTION PATTERN



SURFACE COLOURS / FINISHES



SANDBLASTED ALUMINIUM HOUSING



WINDOW GREY (RAL 7040) PLASTIC COVERS



BLACK PLASTIC COVERS



CHROME ZAMAK LEVERS



CHROME ZAMAK LEVERS

RELATED PRODUCTS



BOLT-ON SEATS 175x200 mm [6.89x7.87 in] CONNECTION




ELLE BOLT-ON SEAT 183x225 mm [7.20x8.86 in] CONNECTION



MECHANISM COVER KIT



CHROME LEVER COVER KIT



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	18° backrest / 1° seat
FACTORY SEAT SETUP	6° backward
BACKREST TILT LOCK	Any position, by cable activated lever
(OPT.) HEIGHT ADJUSTMENT	By cable activated lever
CABLE LENGTH	300 mm [11.8 in]
COMFORT	Factory setup
SEAT CONNECTION	Bolt-on seat rails 175 x 200 mm [6.89 x 7.87 in]
BACK BAR CONNECTION	16°, width 100,0 mm [3.94 in]
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Sandblasted aluminium
COVER FINISH	Window grey (RAL 7040)
LEVER FINISH	— Chrome (zamak) — Black painted (zamak)


PRODUCT CODES

.....	
<u>FRIENDLY 2 LOUNGE (TILT LOCK AND HEIGHT ADJ.)</u>	
CABLES ONLY	1063070
WITH CHROME LEVERS	1063074
<u>FRIENDLY 2 LOUNGE (TILT LOCK)</u>	
CABLE ONLY	1063071
WITH CHROME LEVER	1063075

TECHNICAL DRAWING

FRIENDLY 2 LOUNGE

4 FIXING HOLES BACK BAR CONNECTION PATTERN



SURFACE COLOURS / FINISHES



SANDBLASTED ALUMINIUM HOUSING



WINDOW GREY (RAL 7040) PLASTIC COVERS



CHROME ZAMAK LEVERS



CHROME ZAMAK LEVERS

RELATED PRODUCTS



BOLT-ON SEATS
175 x 200 mm [6.89 x 7.87 in]
CONNECTION



CHROME LEVER
COVER KIT




SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
SEAT DEPTH TRAVEL	<ul style="list-style-type: none"> — 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	<ul style="list-style-type: none"> — EN1335 — BIFMA
COMFORT	Tension fine-tuning by hex key
SEAT CONNECTION	Integrated with the mechanism
ARMREST CONNECTION	<ul style="list-style-type: none"> — Type-B armrest interface — Type-N armrest interface
BACK BAR CONNECTION	Width 100,0 mm [3.94 in]
UPHOLSTERY FIXING	By quick connection upholstery plate
MORSE CONE DIAMETER	28,0 mm [1.10 in]
OUTER FINISH	Black

PRODUCT CODES

.....	
FRIENDLY 3 (SEAT INCLUDED)	
WITH TYPE-B ARMREST INTERFACE SEAT	1063200
WITH TYPE-N ARMREST INTERFACE SEAT	1063205
UPHOLSTERY PLATE	4515188

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6° seat
BACKREST TILT LOCK	3 positions, by integrated lever
HEIGHT ADJUSTMENT	By seat integrated lever
SEAT ANGLE ADJUSTMENT	4° forward, by lever
SEAT DEPTH ADJUSTMENT	By seat integrated lever
SEAT DEPTH TRAVEL	<ul style="list-style-type: none"> — 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	<ul style="list-style-type: none"> — EN1335 — BIFMA
COMFORT	Tension fine-tuning by lower knob
SEAT CONNECTION	Integrated with the mechanism
ARMREST CONNECTION	<ul style="list-style-type: none"> — Type-B armrest interface — Type-N armrest interface
BACK BAR CONNECTION	Width 100,0 mm [3.94 in]
UPHOLSTERY FIXING	By quick connection upholstery plate
MORSE CONE DIAMETER	28,0 mm [1.10 in]
OUTER FINISH	Black

PRODUCT CODES

FRIENDLY 3 PLUS (BOLT-ON BACK BAR CONNECTION)

WITH TYPE-B ARMREST INTERFACE SEAT 1063250

WITH TYPE-N ARMREST INTERFACE SEAT 1063251

FRIENDLY 3 PLUS (INTEGRATED BACK BAR CONNECTION)

WITH TYPE-B ARMREST INTERFACE SEAT On request


WITH TYPE-N ARMREST INTERFACE SEAT On request

UPHOLSTERY PLATE 4515188

TECHNICAL DRAWING

FRIENDLY 3 PLUS - BOLT-ON BACK BAR CONNECTION & TYPE-B ARMREST INTERFACE

4 FIXING HOLES BACK BAR CONNECTION PATTERN



SURFACE COLOURS / FINISHES



BLACK PLASTIC COVERS

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

WIDTH ADJ. - W/O ARMBAR (EN1335 & BIFMA) 4501120

FOR NYLON ARMREST

WIDTH ADJ. - W/O ARMBAR (EN1335 & BIFMA) 4501121


RELATED PRODUCTS



TYPE-B ARMREST INTERFACE CONNECTION ONLY

TECHNICAL DRAWING

FRIENDLY 3 PLUS - BOLT-ON BACK BAR CONNECTION & TYPE-N ARMREST INTERFACE



SURFACE COLOURS / FINISHES



BLACK PLASTIC COVERS

TYPE-N ARMREST FIXING KIT CODES

FOR NYLON ARMREST

WIDTH ADJUSTABLE - W/O ARMBAR (BIFMA) 4501111


RELATED PRODUCTS



TYPE-N ARMREST INTERFACE CONNECTION ONLY

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES



.....
INEDITO TILT LOCK

QUICK CONNECTION SEAT RAILS 1063650

TECHNICAL DRAWING

INEDITO QUICK CONNECTION SEAT RAILS

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....

INEDITO TILT LOCK



BOLT-ON SEAT PLATE

1063600

TECHNICAL DRAWING

INEDITO BOLT-ON SEAT PLATE

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....

INEDITO TRAVEL RESTRICTION



QUICK CONNECTION SEAT RAILS

1063850

TECHNICAL DRAWING

INEDITO TRAVEL RESTRICTION QUICK CONN. RAILS

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS




DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Bolt-on seat plate 153 x 200 mm [6.02 x 7.87 in]
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....
INEDITO TRAVEL RESTRICTION



BOLT-ON SEAT PLATE

1063800

TECHNICAL DRAWING

INEDITO TRAVEL RESTRICTION BOLT-ON SEAT PLATE

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB


RELATED PRODUCTS



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY



BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	28
BOXES PER PALLET (MOQ)	4 boxes (112 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....	
<u>INEDITO FLEX</u>	
TILT LOCK	1063700

TECHNICAL DRAWING

INEDITO FLEX TILT LOCK

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT PLATE, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS	
TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TRAVEL RESTRICTION	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	— 0° — 5° forward — Free float
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Donati universal seat plate
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	28
BOXES PER PALLET (MOQ)	4 boxes (112 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....	
<u>INEDITO FLEX</u>	
TRAVEL RESTRICTION	1063705

TECHNICAL DRAWING

INEDITO FLEX TRAVEL RESTRICTION

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI BOLT-ON SLIDING OR FIXED SEAT FAMILY




BOLT-ON SEATS 153x200 mm [6.02x7.87 in] CONNECTION



DONATI QUICK CONNECTION PLATE ADAPTER CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1 CODE: 4515270



SPECIFICATIONS

TYPE	Weight-activated synchronized mechanism
TILT ANGLES	20° backrest / 6,5° seat
BACKREST TILT LOCK	4 positions, by lever
HEIGHT ADJUSTMENT	By lever
SEAT ANGLE ADJUSTMENT	4° forward, by lever
COMFORT	Quick tension fine-tuning by side knob
SEAT CONNECTION	Donati quick connection sliding seat rails
BACK BAR CONNECTION	Donati standard (width 90,0 mm [3.54 in])
MORSE CONE DIAMETER	28,0 mm [1.10 in]
MECHANISM SURFACE FINISH	Black painted
LEVER FINISH	Black
SIDE KNOB FINISH	Anthracite grey (RAL 7016)
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....
INEDITO




SEAT ANGLE ADJUSTMENT

1063652

TECHNICAL DRAWING

INEDITO SEAT ANGLE ADJUSTMENT

RECOMMENDED FIXING HOLES FOR BACK BAR CONNECTION
(WIDTH 90,0 mm [3,54 in])



SURFACE COLOURS / FINISHES



BLACK PAINTED ALUMINIUM HOUSING



BLACK PLASTIC LEVERS, SEAT RAILS, COVERS



ANTHRACITE GREY (RAL 7016) PLASTIC SIDE KNOB

RELATED PRODUCTS



DONATI QUICK CONNECTION SLIDING SEAT FAMILY



DONATI QUICK CONNECTION SLIDING PLATE ADAPTER
CODE: 4515220



DONATI QUICK CONNECTION SLIDING ADAPTER MODULA 1
CODE: 4515270

Aluminium bases





SPECIFICATIONS	
TYPE	5 star pivoting base
MATERIAL	Aluminium
TILT ANGLE	± 7° in any direction (*)
EXTERNAL DIAMETER	708,0 mm [27.88 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	184,0 mm [7.24 in]
SURFACE COLOURS / FINISHES	<ul style="list-style-type: none"> — Polished — Black painted — Sandblasted

PRODUCT CODES

.....
ABACO

POLISHED

5010950

BLACK PAINTED

On request



SANDBLASTED

On request

(*) Depending on the final configuration of the chair, the swing angle of the base may differ from what is declared.

TECHNICAL DRAWING

ABACO



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



Ø23 x 25 mm
CHROME GLIDE
HARD FLOOR: 4510026
CARPET FLOOR: 4510028



Ø23 x 25 mm
BLACK GLIDE
HARD FLOOR: 4510025
CARPET FLOOR: 4510027



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	644,5 mm [25.37 in]
GLIDES / CASTERS DIAMETER	620,0 mm [24.41 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	80,0 mm [3.15 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,69 Kg [3,73 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

B.KROS

POLISHED	5010225
BLACK PAINTED	5010226
SANDBLASTED	On request

TECHNICAL DRAWING

B. KROS



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	708,0 mm [27.88 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	94,0 mm [3.70 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,56 Kg [5,64 lb]
ITEMS PER BOX	48
BOXES PER PALLET (MOQ)	2 boxes (96 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

.....	
<u>B.YOU</u>	
POLISHED	5010215
BLACK PAINTED	5010216
SANDBLASTED	5010217

TECHNICAL DRAWING

B.YOU



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	682,5 mm [26.87 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	79,0 mm [3.11 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,73 Kg [3,82 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

.....	
B1	
POLISHED	5010200
BLACK PAINTED	5010201
SANDBLASTED	5010202

TECHNICAL DRAWING

B1



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	688,0 mm [27.09 in]
GLIDES / CASTERS DIAMETER	660,0 mm [25.98 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	127,0 mm [5.00 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,89 Kg [4,17 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]



PRODUCT CODES

B1T (ALUMINIUM)

POLISHED	5010260
BLACK PAINTED	5010261
SANDBLASTED	5010264

TECHNICAL DRAWING

B1T (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



B1T (NYLON)
CODE: 5012010



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	— Aluminium — Anti-slip nylon inserts
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	683,5 mm [26.91 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	82,0 mm [3.23 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted — Sandblasted
WEIGHT	1,85 Kg [4,08 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

.....	
DB1.6 (ALUMINIUM)	
POLISHED / BLACK PAINTED	5010247
BLACK PAINTED	5010246
SANDBLASTED	5010241

TECHNICAL DRAWING

DB1.6 (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED



INSERTS: TEXTURED
(NOVATEX 016)

RELATED PRODUCTS



DB1.6 (NYLON)
CODE: 5012007



\varnothing 28.5 x 22 mm
CHROME GLIDE
HARD FLOOR: 4510016
CARPET FLOOR: 4510011




\varnothing 28.5 x 22 mm
BLACK GLIDE
HARD FLOOR: 4510015
CARPET FLOOR: 4510010



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: CHROME
OR BLACK GLIDE



MEDIUM & LARGE
VERSION AVAILABLE

SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	631,0 mm [24.84 in]
GLIDES / CASTERS DIAMETER	602,0 mm [23.70 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,65 Kg [3,64 lb]
ITEMS PER BOX	102
BOXES PER PALLET (MOQ)	2 boxes (204 items)
PALLET SIZE [LxWxH]	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

.....
DB1.8 - Ø 630 mm - MORSE CONE Ø 50 mm

POLISHED 5010400

BLACK PAINTED 5010401

SANDBLASTED 5010402

DB1.8 - Ø 630 mm - MORSE CONE Ø 40 mm


POLISHED 5010405

BLACK PAINTED 5010406

SANDBLASTED 5010407

TECHNICAL DRAWING

DB1.8 - 4 STAR - Ø 630 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50 / 40$ mm [1.97 / 1.57 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - 4 STAR
BASE COLLECTION



$\varnothing 28.5 \times 22$ mm
CHROME GLIDE
HARD FLOOR: 4510016
CARPET FLOOR: 4510011




$\varnothing 28.5 \times 22$ mm
BLACK GLIDE
HARD FLOOR: 4510015
CARPET FLOOR: 4510010



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: CHROME
OR BLACK GLIDE



SMALL & LARGE
VERSION AVAILABLE

SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	731,0 mm [28.78 in]
GLIDES / CASTERS DIAMETER	702,0 mm [26.64 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,90 Kg [4,19 lb]
ITEMS PER BOX	102
BOXES PER PALLET (MOQ)	2 boxes (204 items)
PALLET SIZE [LxWxH]	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

DB1.8 - Ø 730 mm - MORSE CONE Ø 50 mm

POLISHED 5010410

BLACK PAINTED 5010411

SANDBLASTED 5010412

DB1.8 - Ø 730 mm - MORSE CONE Ø 40 mm


POLISHED 5010415

BLACK PAINTED 5010416

SANDBLASTED 5010417

TECHNICAL DRAWING

DB1.8 - 4 STAR - Ø 730 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 / 40 mm [1.97 / 1.57 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - 4 STAR
BASE COLLECTION



Ø28.5 x 22 mm
CHROME GLIDE
HARD FLOOR: 4510016
CARPET FLOOR: 4510011




Ø28.5 x 22 mm
BLACK GLIDE
HARD FLOOR: 4510015
CARPET FLOOR: 4510010



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: CHROME
OR BLACK GLIDE



SMALL & MEDIUM
VERSION AVAILABLE

SPECIFICATIONS


TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	831,0 mm [32.71 in]
GLIDES / CASTERS DIAMETER	802,0 mm [31.57 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,24 Kg [4,93 lb]
ITEMS PER BOX	80
BOXES PER PALLET (MOQ)	2 boxes (160 items)
PALLET SIZE [LxWxH]	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

.....	
<u>DB1.8 - Ø 830 mm - MORSE CONE Ø 50 mm</u>	
POLISHED	5010420
BLACK PAINTED	5010421
SANDBLASTED	5010422
<u>DB1.8 - Ø 830 mm - MORSE CONE Ø 40 mm</u>	
POLISHED	5010425
BLACK PAINTED	5010426
SANDBLASTED	5010427

TECHNICAL DRAWING

DB1.8 - 4 STAR - Ø 830 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 / 40 mm [1.97 / 1.57 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 - 4 STAR
BASE COLLECTION



Ø28.5 x 22 mm
CHROME GLIDE
HARD FLOOR: 4510016
CARPET FLOOR: 4510011



Ø28.5 x 22 mm
BLACK GLIDE
HARD FLOOR: 4510015
CARPET FLOOR: 4510010



NYLON VERSION
AVAILABLE



OPTIONAL: CHROME
OR BLACK GLIDE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	688,5 mm [27.10 in]
GLIDES / CASTERS DIAMETER	660,0 mm [25.98 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,02 Kg [4,46 lb]
ITEMS PER BOX	96
BOXES PER PALLET (MOQ)	2 boxes (192 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

DB1.8 (ALUMINIUM)

POLISHED	5010280
BLACK PAINTED	5010281
SANDBLASTED	5010282

TECHNICAL DRAWING

DB1.8 (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.8 (NYLON)
CODE: 5012030



\varnothing 28.5 x 22 mm
CHROME GLIDE
HARD FLOOR: 4510016
CARPET FLOOR: 4510011



\varnothing 28.5 x 22 mm
BLACK GLIDE
HARD FLOOR: 4510015
CARPET FLOOR: 4510010



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE


SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	711,5 mm [28.01 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	69,0 mm [2.72 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted — Sandblasted
WEIGHT	1,98 Kg [4,37 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Olle Lundberg

PRODUCT CODES

DB1.9 (ALUMINIUM)	
POLISHED / BLACK PAINTED	5010290
BLACK PAINTED	5010291
SANDBLASTED	5010292

TECHNICAL DRAWING

DB1.9 (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.9 (NYLON)
CODE: 5012035



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	681,0 mm [26.81 in]
GLIDES / CASTERS DIAMETER	654,0 mm [25.75 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	93,6 mm [3.69 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,74 Kg [3.84 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

DB1.13 - 4 STAR

POLISHED	5010450
BLACK PAINTED	5010451
SANDBLASTED	5010452

TECHNICAL DRAWING

DB1.13 - 4 STAR



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50$ mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	707,5 mm [27.85 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	92,5 mm [3.64 in]
SURFACE COLOURS / FINISHES	<ul style="list-style-type: none"> — Polished — Black painted — Sandblasted
WEIGHT	2,17 Kg [4,79 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]



PRODUCT CODES

.....
DB1.13 (ALUMINIUM) - Ø 708 mm

POLISHED	5010300
BLACK PAINTED	5010301
SANDBLASTED	5010302

TECHNICAL DRAWING

DB1.13 (ALUMINIUM) - Ø 708 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.13 (NYLON)
CODE: 5012045



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	688,0 mm [27,09 in]
GLIDES / CASTERS DIAMETER	660,0 mm [25.99 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	89,1 mm [3.51 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,10 Kg [4,63 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES


.....

DB1.13 (ALUMINIUM) - Ø 688 mm

POLISHED	5010370
BLACK PAINTED	5010371
SANDBLASTED	5010372

TECHNICAL DRAWING

DB1.13 (ALUMINIUM) - Ø 688 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50$ mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.13 - Ø 688 mm
(NYLON)
CODE: 5012510



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	737,5 mm [29.03 in]
GLIDES / CASTERS DIAMETER	710,0 mm [27.85 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	92,5 mm [3.64 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,93 Kg [4.25 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

.....
DB1.13 XL (ALUMINIUM) - Ø 737 mm

POLISHED	5010870
BLACK PAINTED	5010871
SANDBLASTED	5010872

TECHNICAL DRAWING

DB1.13 XL (ALUMINIUM) - Ø 737 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15-20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB1.13 XL - Ø 737 mm
(NYLON)
CODE: 5012080



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,0 mm [27.56 in]
GLIDES / CASTERS DIAMETER	670,0 mm [26.38 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	104,5 mm [4.11 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,23 Kg [4,91 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]



PRODUCT CODES

.....
DB1.17

POLISHED	5010340
BLACK PAINTED	5010341
SANDBLASTED	5010342

TECHNICAL DRAWING

DB1.17



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	679,0 mm [26.73 in]
GLIDES / CASTERS DIAMETER	655,0 mm [25.79 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	85,0 mm [3.35 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,29 Kg [5,04 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]
DESIGN	Olle Lundberg


PRODUCT CODES

DB2.6 (ALUMINIUM)

POLISHED	5010270
BLACK PAINTED	5010271
SANDBLASTED	5010272

TECHNICAL DRAWING

DB2.6 (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



DB2.6 (NYLON)
CODE: 5012015



NYLON VERSION
AVAILABLE

SPECIFICATIONS


TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	678,0 mm [26.69 in]
GLIDES / CASTERS DIAMETER	655,0 mm [25.79 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	120,0 mm [4.72 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted
WEIGHT	2,24 Kg [4,93 lb]
ITEMS PER BOX	66
BOXES PER PALLET (MOQ)	2 boxes (132 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]
DESIGN	Hans Thyge

PRODUCT CODES

.....	
DB2.13 (ALUMINIUM)	
POLISHED / BLACK PAINTED	5010715
BLACK PAINTED	5010716

TECHNICAL DRAWING

DB2.13 (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



DB2.13 (NYLON)
CODE: 5012040



EPD
INTERNATIONAL EPO SYSTEM



Ø 700 mm [27.56 IN]
VERSION AVAILABLE

SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	625,0 mm [24.61 in]
GLIDES / CASTERS DIAMETER	580,0 mm [22.83 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	73,0 mm [2.87 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,71 Kg [3,77 lb]
ITEMS PER BOX	102
BOXES PER PALLET (MOQ)	2 boxes (204 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

.....	
<u>K600</u>	
POLISHED	5010543
BLACK PAINTED	5010542
SANDBLASTED	5010549

TECHNICAL DRAWING

K600



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



K720 (ALUMINIUM)
CODE: 5010541



EPD
INTERNATIONAL EPO SYSTEM



Ø 656 mm [25.83 in]
VERSION AVAILABLE

SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	720,0 mm [28.35 in]
GLIDES / CASTERS DIAMETER	675,0 mm [26.57 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	73,0 mm [2.87 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,19 Kg [4,84 lb]
ITEMS PER BOX	96
BOXES PER PALLET (MOQ)	2 boxes (192 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

.....	
<u>K720</u>	
POLISHED	5010541
BLACK PAINTED	5010540
SANDBLASTED	5010550

TECHNICAL DRAWING

K720



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



K600 (ALUMINIUM)
CODE: 5010543



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	631,5 mm [24.86 in]
GLIDES / CASTERS DIAMETER	602,5 mm [23.72 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	68,0 mm [2.68 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,46 Kg [3,22 lb]
ITEMS PER BOX	204
BOXES PER PALLET (MOQ)	2 boxes (102 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

.....	
<u>L1023</u>	
POLISHED / BLACK PAINTED	5010013
BLACK PAINTED	5010012
SANDBLASTED	5010010

TECHNICAL DRAWING

L1023



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED



EPD
INTERNATIONAL EPO SYSTEM



Ø 700 mm [27.56 IN]
VERSION AVAILABLE

SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	656,0 mm [25.83 in]
GLIDES / CASTERS DIAMETER	610,0 mm [24.02 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	72,5 mm [2.85 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,89 Kg [4,17 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]

PRODUCT CODES

.....	
<u>L1080</u>	
POLISHED	5010110
BLACK PAINTED	5010111
SANDBLASTED	5010112

TECHNICAL DRAWING

L1080



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



L2080 [ALUMINIUM]
CODE: 5010115



EPD
INTERNATIONAL EPO SYSTEM



Ø 656 mm [25.83 in]
VERSION AVAILABLE

SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,0 mm [27.56 in]
GLIDES / CASTERS DIAMETER	654,0 mm [25.75 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	72,5 mm [2.85 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,06 Kg [4,54 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

.....	
<u>L2080</u>	
POLISHED	5010115
BLACK PAINTED	5010116
SANDBLASTED	5010117

TECHNICAL DRAWING

L2080



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



L1080 [ALUMINIUM]
CODE: 5010110



EPD
INTERNATIONAL EPO SYSTEM

METEORA 2: HIGHER
MORSE CONE VERSION



NYLON VERSION
AVAILABLE



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	663,0 mm [26.10 in]
GLIDES / CASTERS DIAMETER	640,0 mm [25.20 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	92,0 mm [3.62 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,83 Kg [4,03 lb]
ITEMS PER BOX	48
BOXES PER PALLET (MOQ)	2 boxes (96 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]



PRODUCT CODES

METEORA (ALUMINIUM)

POLISHED	5010146
BLACK PAINTED	5010145
SANDBLASTED	5010147

TECHNICAL DRAWING

METEORA (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



METEORA (NYLON)
CODE: 5012005



EPD
INTERNATIONAL EPO SYSTEM

METEORA: LOWER
MORSE CONE VERSION



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	663,0 mm [26.10 in]
GLIDES / CASTERS DIAMETER	640,0 mm [25.20 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	134,0 mm [5.28 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted
WEIGHT	1,71 Kg [3,76 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]



PRODUCT CODES

METEORA 2

POLISHED	5010251
BLACK PAINTED	5010250

TECHNICAL DRAWING

METEORA 2



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	668,0 mm [26.29 in]
GLIDES / CASTERS DIAMETER	640,0 mm [25.20 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	85,0 mm [3.35 in]
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted — Sandblasted
WEIGHT	1,60 Kg [3,53 lb]
ITEMS PER BOX	54
BOXES PER PALLET (MOQ)	2 boxes (108 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]


PRODUCT CODES

.....
OCTOPUS

POLISHED / BLACK PAINTED	5010151
BLACK PAINTED	5010150
SANDBLASTED	5010152

TECHNICAL DRAWING

OCTOPUS



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50$ mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED



SANDBLASTED



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	682,5 mm [26.87 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	126,0 mm [4.72 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,08 Kg [4,58 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]



PRODUCT CODES

PRESTO (ALUMINIUM)

POLISHED	5010181
BLACK PAINTED	5010180
SANDBLASTED	5010182

TECHNICAL DRAWING

PRESTO (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



PRESTO (NYLON)
CODE: 5012003



EPD
INTERNATIONAL EPO SYSTEM



SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	715,0 mm [28.15 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	71,5 mm [2.81 in]
SURFACE COLOURS / FINISHES	<ul style="list-style-type: none"> — Polished — Black painted — Sandblasted


PRODUCT CODES

QUOIN 4 STAR LOW

POLISHED	5010860
BLACK PAINTED	5010861
SANDBLASTED	5010862

TECHNICAL DRAWING

QUOIN 4 STAR LOW



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS




QUOIN 5 STAR
ALUMINIUM & NYLON
BASE COLLECTION



\varnothing 24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



\varnothing 24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	701,0 mm [27.60 in]
GLIDES / CASTERS DIAMETER	670,0 mm [26.38 in]
MORSE CONE DIAMETER	40,0 mm [1.57 in]
CONE TAPER HEIGHT	308,8 mm [12.16 in]
SURFACE COLOURS / FINISHES	<ul style="list-style-type: none"> — Polished — Black painted — Sandblasted


PRODUCT CODES

.....

<u>QUOIN 4 STAR - HIGH (ALUMINIUM)</u>	
POLISHED	5010900
BLACK PAINTED	5010901
SANDBLASTED	5010903

TECHNICAL DRAWING

QUOIN 4 STAR HIGH (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



QUOIN HIGH (NYLON)
CODE: 5012300




Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	715,0 mm [28.15 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	74,0 mm [2.91 in]
SURFACE COLOURS / FINISHES	<ul style="list-style-type: none"> — Polished — Black painted — Sandblasted



PRODUCT CODES

..... QUOIN 5 STAR LOW (ALUMINIUM)

POLISHED	5010365
BLACK PAINTED	5010366
SANDBLASTED	5010367

TECHNICAL DRAWING

QUOIN 5 STAR LOW (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



QUOIN LOW (NYLON)
CODE: 5012055



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



EPD
INTERNATIONAL EPO SYSTEM



NYLON VERSION
AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	715,0 mm [28.15 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	160,4 mm [6.31 in]
SURFACE COLOURS / FINISHES	<ul style="list-style-type: none"> — Polished — Black painted — Sandblasted


PRODUCT CODES

QUOIN 5 STAR MEDIUM (ALUMINIUM)

POLISHED	5010910
BLACK PAINTED	5010911
SANDBLASTED	On request

TECHNICAL DRAWING

QUOIN 5 STAR MEDIUM (ALUMINIUM)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15-20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



QUOIN MEDIUM (NYLON)
CODE: 5012110



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



4 STAR MEDIUM & HIGH
BASES AVAILABLE



SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	820,5 mm [32.30 in]
GLIDES / CASTERS DIAMETER	800,0 mm [31.50 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	158,0 mm [6.22 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,32 Kg [5,11 lb]
ITEMS PER BOX	55
BOXES PER PALLET (MOQ)	2 boxes (110 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore

PRODUCT CODES

.....
SUPERLEGGERA - LOW - MORSE CONE Ø 50 mm

POLISHED 5010465

BLACK PAINTED 5010467

SANDBLASTED 5010468

SUPERLEGGERA - LOW - MORSE CONE Ø 40 mm


POLISHED 5010470

BLACK PAINTED 5010472

SANDBLASTED 5010473

TECHNICAL DRAWING

SUPERLEGGERA - 4 STAR - LOW



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50 / 40$ mm [1.97 / 1.57 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



$\varnothing 40$ mm GAS SPRING
COVER
CODE: 4510166



$\varnothing 24 \times 5$ mm
SMALL GLIDE
HARD FLOOR: 4510100



$\varnothing 24 \times 5$ mm
SMALL GLIDE
CARPET FLOOR: 4510101



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: HARD FLOOR OR
CARPET FLOOR GLIDE



4 STAR LOW & HIGH
BASES AVAILABLE

SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	221,0 mm [8.70 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,91 Kg [4,21 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE [LxWxH]	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore

PRODUCT CODES

SUPERLEGGERA - MEDIUM - MORSE CONE Ø 50 mm


POLISHED	5010460
BLACK PAINTED	5010461
SANDBLASTED	5010462

SUPERLEGGERA - MEDIUM - MORSE CONE Ø 40 mm

POLISHED	5010455
BLACK PAINTED	5010456
SANDBLASTED	5010457

TECHNICAL DRAWING

SUPERLEGGERA- 4 STAR - MEDIUM



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50 / 40$ mm [1.97 / 1.57 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



SUPERLEGGERO
SUPPORT COLLECTION



$\varnothing 40$ mm GAS SPRING
COVER
CODE: 4510166



$\varnothing 24 \times 5$ mm
SMALL GLIDE
HARD FLOOR: 4510100
CARPET FLOOR: 4510101



TAPERED PLASTIC
BUSHING
EXT. $\varnothing 50$ mm>INT. $\varnothing 40$ mm
CODE: 4510165



EPD
INTERNATIONAL EPO SYSTEM



OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



4 STAR LOW & MEDIUM
BASES AVAILABLE



SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	690,5 mm [27.18 in]
GLIDES / CASTERS DIAMETER	670,0 mm [26.38 in]
MORSE CONE DIAMETER	— 40,0 mm [1.57 in] — 44,0 mm [1.73 in]
CONE TAPER HEIGHT	308,0 mm [12.13 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,18 Kg [4,80 lb]
ITEMS PER BOX	54
BOXES PER PALLET (MOQ)	2 boxes (108 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]

PRODUCT CODES

SUPERLEGGERA - HIGH - MORSE CONE Ø 40 mm

POLISHED 5010480

BLACK PAINTED 5010481

SANDBLASTED 5010482

SUPERLEGGERA - HIGH - MORSE CONE Ø 44 mm


POLISHED 5010490

BLACK PAINTED 5010491

SANDBLASTED 5010492

TECHNICAL DRAWING

SUPERLEGGERA - 4 STAR - HIGH



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 40 / 44 mm [1.57 / 1.73 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



SUPERLEGGERO
SUPPORT COLLECTION



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4500085



SWIVEL ADAPTERS
EXT. Ø 40mm
CODES: 4510160/1/2/3



Ø 40mm GAS
SPRING COVER
CODE: 4510166



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



TAPERED PLASTIC
BUSHING
EXT.Ø44mm>INT.Ø40mm
CODE: 4516007



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



Ø 640 mm [24.41 IN]
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	162,5 mm [6.42 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,99 Kg [4,38 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore


PRODUCT CODES

.....
SUPERLEGGERA - Ø 700 mm

POLISHED	5010320
BLACK PAINTED	5010321
SANDBLASTED	5010322

TECHNICAL DRAWING

SUPERLEGGERA - 5 STAR - Ø 700 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED



EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



Ø 700 mm [27.57 IN]
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	640,5 mm [25.22 in]
GLIDES / CASTERS DIAMETER	621,9 mm [24.41 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	162,5 mm [6.42 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	1,81 Kg [3,99 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Alberto Lievore



PRODUCT CODES

.....
SUPERLEGGERA - Ø 640 mm

POLISHED	5010330
BLACK PAINTED	5010331
SANDBLASTED	5010332

TECHNICAL DRAWING

SUPERLEGGERA - 5 STAR - Ø 640 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



SUPERLEGGERO
SUPPORT COLLECTION



TG C2 - 130 GAS SPRING
EXT. Ø50mm
BLACK: CODE 4501505
CHROME: CODE 4501504



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4500085



Ø 40mm GAS
SPRING COVER
CODE: 4510166



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



TAPERED PLASTIC BUSHING
EXT. Ø50mm>INT. Ø40mm
CODE: 4510165




EPD
INTERNATIONAL EPO SYSTEM

OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



NYLON VERSION
AVAILABLE



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon + GF
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	220,8 mm [8.69 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted — Sandblasted
WEIGHT	2,12 Kg [4,67 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

SUPERLEGGERA MEDIUM - 5 STAR

POLISHED	5010890
BLACK PAINTED	5010891
SANDBLASTED	5010892

TECHNICAL DRAWING

SUPERLEGGERA MEDIUM - 5 STAR



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 40 / 44$ mm [1.57 / 1.73 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED



BLACK PAINTED



SANDBLASTED

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



SUPERLEGGERO
SUPPORT COLLECTION



TG C2 - 130 GAS SPRING
EXT. Ø50mm
BLACK: CODE 4501505
CHROME: CODE 4501504



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4500085



Ø 40mm GAS
SPRING COVER
CODE: 4510166



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



TAPERED PLASTIC BUSHING
EXT. Ø50mm>INT. Ø40mm
CODE: 4510165



SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	715,0 mm [28.15 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	65,5 mm [2.58 in]
SURFACE COLOURS / FINISHES	— Polished — Black painted
DESIGN	Alejandro Valdés


PRODUCT CODES

.....

<u>TREVI</u>	
POLISHED / BLACK PAINTED	5010850
BLACK PAINTED	5010855

TECHNICAL DRAWING

TREVI - 4 STAR



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



TREVI
4 AND 5 STAR
BASE COLLECTION

RELATED PRODUCTS




Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



EPD
INTERNATIONAL EPO SYSTEM



BASE AVAILABLE IN TWO SIZES:
 – Ø 715 mm [28.15 in]
 – Ø 655 mm [25.79 in]

SPECIFICATIONS



TYPE	5 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	– 715,0 mm [28.15 in] – 655,0 mm [25.79 in]
GLIDES / CASTERS DIAMETER	– 680,0 mm [26.77 in] – 620,0 mm [24.41 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	– 66,0 mm [2.60 in] (External Ø 715 mm) – 63,5 mm [2.50 in] (External Ø 655 mm)
SURFACE COLOURS / FINISHES	– Polished – Black painted
DESIGN	Alejandro Valdés

PRODUCT CODES

.....		
<u>TREVI - Ø 715 mm</u>		
POLISHED / BLACK PAINTED		5010345
BLACK PAINTED		5010350
<u>TREVI - Ø 655 mm</u>		
POLISHED / BLACK PAINTED		5010355
BLACK PAINTED		5010360

TECHNICAL DRAWING

TREVI - 5 STAR - Ø 715 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



TREVI
4 AND 5 STAR
BASE COLLECTION

RELATED PRODUCTS





Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101

TECHNICAL DRAWING

TREVI - 5 STAR - Ø 655 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



TREVI
4 AND 5 STAR
BASE COLLECTION


RELATED PRODUCTS



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



SPECIFICATIONS	
TYPE	4 star pivoting base
MATERIAL	Aluminium
TILT ANGLE	± 8° in any direction (*)
EXTERNAL DIAMETER	840,0 mm [33.07 in]
GLIDES / CASTERS DIAMETER	800,0 mm [31.50 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in] (Fixed version only)
CONE TAPER HEIGHT	— 79,6 mm [3.13 in] (Pivoting version) — 77,5 [3.05 in] (Fixed version)
SURFACE COLOURS / FINISHES	— Polished / Black painted — Black painted

PRODUCT CODES

.....
TREVI XL - PIVOTING

POLISHED / BLACK PAINTED 5010820

BLACK PAINTED 5010821

TREVI XL - FIXED (MORSE CONE Ø 50 mm)

POLISHED / BLACK PAINTED 5010830

BLACK PAINTED 5010831

TREVI XL - FIXED (MORSE CONE Ø 40 mm)


POLISHED / BLACK PAINTED 5010840

BLACK PAINTED 5010841

(*) Depending on the final configuration of the chair, the swing angle of the base may differ from what is declared.

TECHNICAL DRAWING

TREVI XL - PIVOTING



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



\varnothing 24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



\varnothing 24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101




\varnothing 23 x 25 mm
CHROME GLIDE
HARD FLOOR: 4510026
CARPET FLOOR: 4510028



\varnothing 23 x 25 mm
BLACK GLIDE
HARD FLOOR: 4510025
CARPET FLOOR: 4510027

TECHNICAL DRAWING

TREVI XL - FIXED



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50 / 40$ mm [1.97 / 1.57 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE COLOURS / FINISHES



POLISHED TOP
BLACK PAINTED BOTTOM



BLACK PAINTED

RELATED PRODUCTS



$\varnothing 24 \times 5$ mm
SMALL GLIDE
HARD FLOOR: 4510100



$\varnothing 24 \times 5$ mm
SMALL GLIDE
CARPET FLOOR: 4510101



$\varnothing 23 \times 25$ mm
CHROME GLIDE
HARD FLOOR: 4510026
CARPET FLOOR: 4510028



$\varnothing 23 \times 25$ mm
BLACK GLIDE
HARD FLOOR: 4510025
CARPET FLOOR: 4510027



OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



SPECIFICATIONS

TYPE	4 star base
MATERIAL	Aluminium
EXTERNAL DIAMETER	725,5 mm [28.56 in]
GLIDES / CASTERS DIAMETER	700,0 mm [27.56 in]
MORSE CONE DIAMETER	— 40,0 mm [1.57 in] — 44,0 mm [1.73 in]
CONE TAPER HEIGHT	309,0 mm [12.17 in]
SURFACE COLOURS / FINISHES	— Polished / Painted — Painted — Sandblasted
WEIGHT	2,76 Kg [6.08 lb]
ITEMS PER BOX	54 / 60
BOXES PER PALLET (MOQ)	2 boxes (108 / 120 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN BY	Marcello Ziliani

PRODUCT CODES

.....
UNICA - MORSE CONE Ø 40 mm

POLISHED / BLACK PAINTED 5010430

BLACK PAINTED 5010434


SANDBLASTED 5010433

UNICA - MORSE CONE Ø 44 mm

On request

TECHNICAL DRAWING

UNICA



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 40 / 44$ mm [1.57 / 1.73 in].
- Minimum recommended distance between gas cylinder and ground for aluminium bases: 15~20 mm [0.59 ~ 0.79 in].

SURFACE FINISHES



POLISHED TOP
PAINTED BOTTOM



PAINTED



SANDBLASTED

RELATED PRODUCTS



SPIDER SUPPORT
COLLECTION



SWIVEL ADAPTERS
EXT. Ø 40mm
CODES: 4510160/1/2/3



SG215 40 B
CHROME GAS SPRING
EXT. Ø44mm
CODE: 4500085



TAPERED PLASTIC
BUSHING
EXT. Ø44mm > INT. Ø40mm
CODE: 4516007



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



Nylon bases



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	687,5 mm [27.07 in]
GLIDES / CASTERS DIAMETER	660,0 mm [25.98 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	127,0 mm [5.00 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 140)
WEIGHT	1,54 Kg [3,40 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]


PRODUCT CODES

B1T (NYLON)

5012010

TECHNICAL DRAWING

B1T (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30–35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 140)

RELATED PRODUCTS



B1T (ALUMINIUM)
CODE: 5010260



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	681,0 mm [26.81 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	82,0 mm [3.23 in]
SURFACE COLOURS / FINISHES	— Base: Textured (Novatex 716) — Inserts: Textured (Novatex 016)
WEIGHT	1,63 Kg [3,60 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]
DESIGN	Olle Lundberg


PRODUCT CODES

DB1.6 (NYLON)

5012007

TECHNICAL DRAWING

DB1.6 (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30–35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



BASE: TEXTURED
[NOVATEX 716]




INSERTS: TEXTURED
[NOVATEX 016]

RELATED PRODUCTS



DB1.6 (ALUMINIUM)
CODE: 5010247



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	708,5 mm [27.89 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	50,5 mm [1.99 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 136)
WEIGHT	1,61 Kg [3,54 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

DB1.8 (NYLON)

5012030

TECHNICAL DRAWING

DB1.8 (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 136)

RELATED PRODUCTS



DB1.8 (ALUMINIUM)
CODE: 5010280



Ø28.5 x 22 mm
CHROME GLIDE
HARD FLOOR: 4510016
CARPET FLOOR: 4510011



Ø28.5 x 22 mm
BLACK GLIDE
HARD FLOOR: 4510015
CARPET FLOOR: 4510010



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	712,0 mm [28.02 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.76 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	69,0 mm [2.72 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 716)
WEIGHT	1,70 Kg [3,75 lb]
ITEMS PER BOX	84
BOXES PER PALLET (MOQ)	2 boxes (168 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Olle Lundberg


PRODUCT CODES

DB1.9 (NYLON)

5012035

TECHNICAL DRAWING

DB1.9 (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 716)

RELATED PRODUCTS



DB1.9 (ALUMINIUM)
CODE: 5010290



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	707,5 mm [27.85 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	92,5 mm [3.64 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 7381)
WEIGHT	1,65 Kg [3,64 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

DB1.13 (NYLON) - Ø 708 mm

5012045

TECHNICAL DRAWING

DB1.13 (NYLON) - Ø 708 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)

RELATED PRODUCTS



DB1.13 - Ø 708 mm
(ALUMINIUM)
CODE: 5010300



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS	
TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	688,0 mm [27.09 in]
GLIDES / CASTERS DIAMETER	660,0 mm [25.99 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	115,3 mm [4.54 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 340)
WEIGHT	1,58 Kg [3,48 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]



PRODUCT CODES

DB1.13 (NYLON) - Ø 688 mm

5012510

TECHNICAL DRAWING

DB1.13 (NYLON) - Ø 688 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30~35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 340)

RELATED PRODUCTS



DB1.13 - Ø 688 mm
(ALUMINIUM)
CODE: 5010370



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	737,4 mm [29.03 in]
GLIDES / CASTERS DIAMETER	710,0 mm [27.95 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	88,3 mm [3.48 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 340)
WEIGHT	1,73 Kg [3,81 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

DB1.13 XL (NYLON) - Ø 737 mm

5012080

TECHNICAL DRAWING

DB1.13 XL (NYLON) - Ø 737 mm



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 340)

RELATED PRODUCTS



DB1.13 XL - Ø 737 mm
(ALUMINIUM)
CODE: 5010870



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	678,0 mm [26.69 in]
GLIDES / CASTERS DIAMETER	655,0 mm [25.79 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	85,0 mm [3.35 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 140)
WEIGHT	1,65 Kg [3,64 lb]
ITEMS PER BOX	90
BOXES PER PALLET (MOQ)	2 boxes (180 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]
DESIGN	Olle Lundberg


PRODUCT CODES

DB2.6 (NYLON)

5012015

TECHNICAL DRAWING

DB2.6 (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30–35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 140)

RELATED PRODUCTS



DB2.6 (ALUMINIUM)
CODE: 5010270



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	678,0 mm [26.69 in]
GLIDES / CASTERS DIAMETER	655,0 mm [25.79 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	120,0 mm [4.72 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 7381)
WEIGHT	1,60 Kg [3,53 lb]
ITEMS PER BOX	72
BOXES PER PALLET (MOQ)	2 boxes (144 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]
DESIGN	Hans Thyge


PRODUCT CODES

DB2.13 (NYLON)

5012040

TECHNICAL DRAWING

DB2.13 (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50$ mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30–35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)

RELATED PRODUCTS



DB2.13 (ALUMINIUM)
CODE: 5010715



SPECIFICATIONS

TYPE	Round fixed base
MATERIAL	Nylon + GF / Aluminium
EXTERNAL DIAMETER	470,0 mm [18.50 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	— 118,9 mm [4.68 in] (Morse cone Ø 50 mm) — 108,5 mm [4.27 in] (Morse cone Ø 40 mm)
SURFACE COLOURS / FINISHES	— Textured base / Polished pivot — Textured base / Black painted pivot

PRODUCT CODES

DISKO - MORSE CONE Ø 50 mm

POLISHED PIVOT 4510303

BLACK PAINTED PIVOT On request


DISKO - MORSE CONE Ø 40 mm

POLISHED PIVOT On request

BLACK PAINTED PIVOT 4510300

TECHNICAL DRAWING

DISKO - MORSE CONE Ø 50 mm



SURFACE COLOURS / FINISHES



POLISHED
PIVOT




BLACK PAINTED
PIVOT



TEXTURED
[NOVATEX 340]
BASE

TECHNICAL DRAWING

DISKO - MORSE CONE Ø 40 mm



SURFACE COLOURS / FINISHES



POLISHED
PIVOT



BLACK PAINTED
PIVOT



TEXTURED
[NOVATEX 340]
BASE



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	663,0 mm [26.10 in]
GLIDES / CASTERS DIAMETER	640,0 mm [25.20 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	92,0 mm [3.62 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 140)
WEIGHT	1,54 Kg [3,38 lb]
ITEMS PER BOX	48
BOXES PER PALLET (MOQ)	2 boxes (96 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]


PRODUCT CODES

METEORA (NYLON)

5012005

TECHNICAL DRAWING

METEORA (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30–35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 140)

RELATED PRODUCTS



METEORA (ALUMINIUM)
CODE: 5010146



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	677,0 mm [26.66 in]
GLIDES / CASTERS DIAMETER	654,5 mm [25.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	126,0 mm [4.72 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 140)
WEIGHT	1,60 Kg [3,53 lb]
ITEMS PER BOX	78
BOXES PER PALLET (MOQ)	2 boxes (156 items)
PALLET SIZE (LxWxH)	103 x 143 x 220 cm [40.6 x 56.3 x 86.6 in]


PRODUCT CODES

PRESTO (NYLON)

5012003

TECHNICAL DRAWING

PRESTO (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES




TEXTURED
(NOVATEX 140)

RELATED PRODUCTS



PRESTO (ALUMINIUM)
CODE: 5010181



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS



TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	715,0 mm [28.15 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	74,0 mm [2.91 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 7381)

PRODUCT CODES

.....
QUOIN 5 STAR LOW (NYLON) - Ø 715 mm 5012055

TECHNICAL DRAWING

QUOIN 5 STAR LOW (NYLON) - Ø 715 MM



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)

RELATED PRODUCTS



QUOIN LOW
(ALUMINIUM)
CODE: 5010365

RELATED PRODUCTS



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
EXTERNAL DIAMETER	653,5 mm [25.73 in]
GLIDES / CASTERS DIAMETER	620,0 mm [24.41 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	74,4 mm [2.93 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 7381)



PRODUCT CODES

.....

QUOIN 5 STAR LOW (NYLON) - Ø 655 mm 5012070

TECHNICAL DRAWING

QUOIN 5 STAR LOW (NYLON) - Ø 655 MM



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 7381)


RELATED PRODUCTS



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	715,0 mm [28.07 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	160,3 mm [6.31 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 340)


PRODUCT CODES

.....

QUOIN 5 STAR MEDIUM (NYLON) 5012110

TECHNICAL DRAWING

QUOIN 5 STAR MEDIUM (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper \varnothing 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30–35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 340)

RELATED PRODUCTS



QUOIN MEDIUM
(ALUMINIUM)
CODE: 5010910


RELATED PRODUCTS



\varnothing 24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



\varnothing 24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	701,0 mm [27.60 in]
GLIDES / CASTERS DIAMETER	670,0 mm [26.38 in]
MORSE CONE DIAMETER	40,0 mm [1.97 in]
CONE TAPER HEIGHT	308,8 mm [12.16 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 340)


PRODUCT CODES

QUOIN 4 STAR HIGH (NYLON)

5012300

TECHNICAL DRAWING

QUOIN 4 STAR - HIGH (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper $\varnothing 50$ mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30~35 mm [1.18 ~ 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
[NOVATEX 340]

RELATED PRODUCTS



QUOIN HIGH
[ALUMINIUM]
CODE: 5010900

RELATED PRODUCTS





$\varnothing 24 \times 5$ mm
SMALL GLIDE
HARD FLOOR: 4510100



$\varnothing 24 \times 5$ mm
SMALL GLIDE
CARPET FLOOR: 4510101



OPTIONAL: HARD FLOOR
OR CARPET FLOOR GLIDE



ALUMINIUM
VERSION AVAILABLE

SPECIFICATIONS

TYPE	5 star base
MATERIAL	Nylon + GF
AVAILABLE ALSO IN	Aluminium
EXTERNAL DIAMETER	700,5 mm [27.58 in]
GLIDES / CASTERS DIAMETER	680,0 mm [26.77 in]
MORSE CONE DIAMETER	50,0 mm [1.97 in]
CONE TAPER HEIGHT	220,8 mm [8.69 in]
SURFACE COLOURS / FINISHES	Textured (Novatex 340)
WEIGHT	1,82 Kg [4,01 lb]
ITEMS PER BOX	60
BOXES PER PALLET (MOQ)	2 boxes (120 items)
PALLET SIZE (LxWxH)	160 x 115 x 220 cm [63.0 x 45.3 x 86.6 in]


PRODUCT CODES

SUPERLEGGERA MEDIUM (NYLON) - 5 STAR

BLACK	5012090
WHITE RAL 9016	5012091

TECHNICAL DRAWING

SUPERLEGGERA MEDIUM (NYLON)



NOTES

- Cone taper height: measured from ground (w/o casters or glides) to Morse cone taper Ø 50 mm [1.97 in].
- Minimum recommended distance between gas cylinder and ground for nylon bases 30-35 mm [1.18 - 1.38 in].

SURFACE COLOURS / FINISHES



TEXTURED
(NOVATEX 340)
BLACK



TEXTURED
(NOVATEX 340)
WHITE RAL 9016

RELATED PRODUCTS



SUPERLEGGERA
4 AND 5 STAR
BASE COLLECTION



SUPERLEGGERO
SUPPORT COLLECTION

RELATED PRODUCTS



Ø24 x 5 mm
SMALL GLIDE
HARD FLOOR: 4510100



Ø24 x 5 mm
SMALL GLIDE
CARPET FLOOR: 4510101



SPECIFICATIONS	
TYPE	Round pivoting base
MATERIAL	Nylon + GF / Aluminium
TILT ANGLE	± 7° in any direction (*)
EXTERNAL DIAMETER	400 mm [15.7 in]
MORSE CONE DIAMETER	— 50,0 mm [1.97 in] — 40,0 mm [1.57 in]
CONE TAPER HEIGHT	— 121,7 mm [4.79 in] (Morse cone Ø 50 mm) — 108,0 mm [4.25 in] (Morse cone Ø 40 mm)
SURFACE COLOURS / FINISHES	— Textured base / Polished pivot — Textured base / Painted pivot


(*) Depending on the final configuration of the chair, the swing angle of the base may differ from what is declared.

PRODUCT CODES

.....	
<u>ZIGGURAT - MORSE CONE Ø 50 mm</u>	
BLACK BASE / POLISHED PIVOT	4510201
BLACK BASE / BLACK PIVOT	4510202
WHITE BASE / POLISHED PIVOT	On request
WHITE BASE / WHITE PIVOT	On request
<u>ZIGGURAT - MORSE CONE Ø 40 mm</u>	
BLACK BASE / POLISHED PIVOT	4510200
BLACK BASE / BLACK PIVOT	4510203
WHITE BASE / POLISHED PIVOT	On request
WHITE BASE / WHITE PIVOT	4510204

TECHNICAL DRAWING

ZIGGURAT - MORSE CONE Ø 50 mm



SURFACE COLOURS / FINISHES



POLISHED
PIVOT




BLACK PAINTED
PIVOT



TEXTURED
[NOVATEX 340]
BASE

TECHNICAL DRAWING

ZIGGURAT - MORSE CONE Ø 40 mm



SURFACE COLOURS / FINISHES




POLISHED PIVOT



BLACK PAINTED PIVOT



TEXTURED (NOVATEX 340) BASE


**Ø 24x5 mm GLIDE**

HARD FLOOR GLIDE

4510100

CARPET FLOOR GLIDE

4510101




Ø 23x25 mm GLIDE

HARD FLOOR GLIDE

- BLACK 4510025
- CHROME 4510026

CARPET FLOOR GLIDE

- BLACK 4510027
- CHROME 4510028



Ø 28.5x22 mm GLIDE

HARD FLOOR GLIDE

- BLACK 4510015
- CHROME 4510016

CARPET FLOOR GLIDE

- BLACK 4510010
- CHROME 4510011

Quick connection seats






SPECIFICATIONS	
TYPE	Quick connection mesh seat
SEAT DEPTH ADJUSTMENT	— 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	— EN1335 — BIFMA
MESH FIXING	By quick fixing system
ARMREST CONNECTION	— Type-B armrest interface — Type-N armrest interface
MECHANISM CONNECTION	— Donati quick connection sliding seat rails — Donati universal seat plate

PRODUCT CODES

.....	
<u>KITE - FIXED ARMREST [TYPE-B INTERFACE]</u>	
COMPLETE ASSEMBLY [BLACK MESH]	4515265
COMPLETE ASSEMBLY [CHARCOAL GREY MESH]	4515266
LOWER SEAT STRUCTURE W/O TOP FRAME	4515260
<u>KITE - ADJUSTABLE ARMREST [TYPE-N INTERFACE]</u>	
COMPLETE ASSEMBLY [BLACK MESH]	4515268
COMPLETE ASSEMBLY [CHARCOAL GREY MESH]	4515269
LOWER SEAT STRUCTURE W/O TOP FRAME	4515259
<u>KITE - TOP FRAME</u>	
TOP FRAME WITH MESH FIXING PROFILES	4515261
TOP FRAME W/O MESH FIXING PROFILES	4515262

TECHNICAL DRAWING

KITE - FIXED ARMREST (TYPE-B INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM / NYLON ARMREST


FIXED - W/O ARMBAR (EN1335 & BIFMA)

4501703

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

KITE - ADJUSTABLE ARMREST (TYPE-N INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-N ARMREST FIXING KIT CODES

FOR NYLON ARMREST

WIDTH ADJUSTABLE - W/O ARMBAR


4501721

[EN1335 & BIFMA]

RELATED PRODUCTS




DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



TYPE-N ARMREST
INTERFACE CONNECTION
ONLY




SPECIFICATIONS	
TYPE	Quick connection seat with upholstery plate
SEAT DEPTH ADJUSTMENT	<ul style="list-style-type: none"> — 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	<ul style="list-style-type: none"> — EN1335 — BIFMA (Fixed armrest version <u>excluded</u>)
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	<ul style="list-style-type: none"> — Type-B armrest interface — Type-N armrest interface
MECHANISM CONNECTION	<ul style="list-style-type: none"> — Donati quick connection sliding seat rails — Donati universal seat plate
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE [LxWxH]	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

<u>TRASLA 2</u>	
FIXED ARMREST (TYPE-B INTERFACE)	4515196
WIDTH ADJ. ARMREST (TYPE-B INTERFACE)	4515193
WIDTH ADJ. ARMREST (TYPE-N INTERFACE)	4515195
<u>UPHOLSTERY PLATE</u>	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
<u>INSTRUCTION HOLDER</u>	4501028

TECHNICAL DRAWING

TRASLA 2 - FIXED ARMREST (TYPE-B INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

FIXED - W/O ARMBAR (EN1335) 4501700


FOR NYLON ARMREST

FIXED - W/O ARMBAR (EN1335) 4501700

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




INSTRUCTION HOLDER
CODE: 4501028




TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

TRASLA 2 - WIDTH ADJ. ARMREST (TYPE-B INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR (EN1335) 4500167

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4500117

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR (EN1335) 4500167

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4500169

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




INSTRUCTION HOLDER
CODE: 4501028



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

TRASLA 2 - WIDTH ADJ. ARMREST (TYPE-N INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-N ARMREST FIXING KIT CODES

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4501112

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



INSTRUCTION HOLDER
CODE: 4501028




TYPE-N ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

SMALL UPHOLSTERY PLATE


4515173




TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE

4515171





SPECIFICATIONS


TYPE	Cable activation seat with upholstery plate
SEAT DEPTH ADJUSTMENT	<ul style="list-style-type: none"> — 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
INTEGRATED FUNCTIONS	<ul style="list-style-type: none"> — Height adjustment, by lever — Backrest tilt lock, by lever
CERTIFICATIONS	<ul style="list-style-type: none"> — EN1335 — BIFMA (Fixed armrest version excluded)
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	<ul style="list-style-type: none"> — Type-B armrest interface — Type-N armrest interface
MECHANISM CONNECTION	D109 Cable only (1062950)
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES


.....	
TRASLA 2 CABLE - FIXED ARMREST (TYPE-B INTERFACE)	
WITH HEIGHT ADJUSTMENT	4515198
WITH HEIGHT ADJUSTMENT & TILT LOCK	4515197
TRASLA 2 CABLE - WIDTH ADJ. ARMREST (TYPE-B INTER.)	
WITH HEIGHT ADJUSTMENT	4515192
WITH HEIGHT ADJUSTMENT & TILT LOCK	4515190
TRASLA 2 CABLE - WIDTH ADJ. ARMREST (TYPE-N INTER.)	
WITH HEIGHT ADJUSTMENT	4515194
WITH HEIGHT ADJUSTMENT & TILT LOCK	4515191
UPHOLSTERY PLATE	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
PORTA ISTRUZIONI	4501028

TECHNICAL DRAWING

TRASLA 2 CABLE - FIXED ARMREST (TYPE-B INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

FIXED - W/O ARMBAR (EN1335) 4501700

FOR NYLON ARMREST

FIXED - W/O ARMBAR (EN1335) 4501700

RELATED PRODUCTS



DONATI D109 CABLE
MECHANISM
CODE: 1062950




INSTRUCTION HOLDER
CODE: 4501028



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

TRASLA 2 CABLE - WIDTH ADJ. ARMREST (TYPE-B INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR (EN1335) 4500167

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4500117

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR (EN1335) 4500167

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4500169

RELATED PRODUCTS



DONATI D109 CABLE
MECHANISM
CODE: 1062950




INSTRUCTION HOLDER
CODE: 4501028



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

TRASLA 2 CABLE - WIDTH ADJ. ARMREST (TYPE-N INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-N ARMREST FIXING KIT CODES

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4501112

RELATED PRODUCTS



DONATI D109 CABLE
MECHANISM
CODE: 1062950



INSTRUCTION HOLDER
CODE: 4501028




TYPE-N ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

SMALL UPHOLSTERY PLATE


4515173




TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE

4515171





SPECIFICATIONS


TYPE	Quick connection seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— 50,0 mm [1.97 in] (with 2 clips) — 70,0 mm [2.76 in] (with 1 clip) — 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	— EN1335 — BIFMA
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	— Type-B armrest interface — Type-N armrest interface
MECHANISM CONNECTION	— Donati quick connection sliding seat rails — Donati universal seat plate
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

TRASLA 3	
WIDTH ADJ. ARMREST (TYPE-B INTERFACE)	4515240
WIDTH ADJ. ARMREST (TYPE-N INTERFACE)	4515241
UPHOLSTERY PLATE	
SMALL	4515173
LARGE	4515171
LARGE WITH PU FOAM	4580055
INSTRUCTION HOLDER	4501028

TECHNICAL DRAWING

TRASLA 3 - WIDTH ADJ. ARMREST (TYPE-B INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

WIDTH ADJ. - W/O ARMBAR (EN1335 & BIFMA) 4501120


FOR NYLON ARMREST

WIDTH ADJ. - W/O ARMBAR (EN1335 & BIFMA) 4501121

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




INSTRUCTION HOLDER
CODE: 4501028



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

TRASLA 3 - WIDTH ADJ. ARMREST (TYPE-N INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-N ARMREST FIXING KIT CODES

FOR NYLON ARMREST

WIDTH ADJUSTABLE - W/O ARMBAR (BIFMA) 4501111

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



INSTRUCTION HOLDER
CODE: 4501028




TYPE-N ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

SMALL UPHOLSTERY PLATE


4515173




TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE

4515171





SPECIFICATIONS	
TYPE	Quick connection seat w/o upholstery plate
SEAT DEPTH ADJUSTMENT	– 50,0 mm [1.97 in] (with 2 clips) – 70,0 mm [2.76 in] (with 1 clip) – 100,0 mm [3.94 in] (without clips)
CERTIFICATIONS	– EN1335 – BIFMA
UPHOLSTERY FIXING	By draw string
ARMREST CONNECTION	– Type-N armrest interface – Type-V3 armrest interface
MECHANISM CONNECTION	– Donati quick connection sliding seat rails – Donati universal seat plate
ITEMS PER BOX	36
BOXES PER PALLET (MOQ)	4 boxes (144 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....	
<u>TRASLA 4</u>	
FIXED ARMREST (TYPE-V3 INTERFACE)	4515210
WIDTH ADJ. ARMREST (TYPE-N INTERFACE)	4515217
PU FOAM	4580072
INSTRUCTION HOLDER	4501028

TECHNICAL DRAWING

TRASLA 3 - FIXED ARMREST (TYPE-V3 INTERFACE)

SEAT DEPTH ADJUSTMENT |
50 mm [1.97] (Clip A + Clip B) |
70 mm [2.76] (Clip A) |
100 mm [3.94] (without clips)



SURFACE COLOURS / FINISHES




PHOTOENGRAVED
(NOVATEX 7381)
SEAT

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




INSTRUCTION HOLDER
CODE: 4501028



TYPE-V3 ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

TRASLA 4 - WIDTH ADJ. ARMREST (TYPE-N INTERFACE)



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT

TYPE-N ARMREST FIXING KIT CODES


FOR NYLON ARMREST

WIDTH ADJUSTABLE - W/O ARMBAR (BIFMA) 4501111

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS





DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




INSTRUCTION HOLDER
CODE: 4501028



TYPE-N ARMREST
INTERFACE CONNECTION
ONLY



Bolt-on seats




SPECIFICATIONS	
TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed — 50,0 mm [1.97 in], by lever
CERTIFICATIONS	— EN1335 — BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
ARMREST CONNECTION	Type-B armrest interface (external armbar)
MECHANISM CONNECTION	— Donati universal seat plate — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
FIXED SEAT	
ITEMS PER BOX	70
BOXES PER PALLET	4 boxes (240 items)
SLIDING SEAT	
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....	
CONKA	
FIXED	4515110
SLIDING (FIXING HOLES 153 x 200 mm)	4515111
SLIDING (FIXING HOLES 200 x 200 mm)	4515114
UPHOLSTERY PLATE	
SMALL	4515112
LARGE	4515116

TECHNICAL DRAWING

CONKA SLIDING - CONNECTION 153 x 200 / 200 x 200 mm



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR 4500118


WIDTH ADJUSTABLE - W/O ARMBAR 4500165

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR 4500162

WIDTH ADJUSTABLE - W/O ARMBAR 4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

CONKA FIXED



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 7381)
SEAT



BLACK PLASTIC
UPHOLSTERY PLATE

TYPE-B ARMREST FIXING KIT CODES


FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



DONATI BOLT-ON
SEAT PLATE MECHANISMS





TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

SMALL UPHOLSTERY PLATE



4515112



TECHNICAL DRAWING

LARGE UPHOLSTERY PLATE

4515116






SPECIFICATIONS	
TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	– Fixed – 80,0 mm [3.15 in], by lever
CERTIFICATIONS	– EN1335 – BIFMA
UPHOLSTERY FIXING	By quick connection upholstery plate
ARMREST CONNECTION	Type-B armrest interface
MECHANISM CONNECTION	– Donati universal seat plate – Bolt-on plate 153 x 200 mm [6.02 x 7.87 in]
FIXED SEAT	
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
SLIDING SEAT	
ITEMS PER BOX	35
BOXES PER PALLET	4 boxes (140 items)
PALLET SIZE [LxWxH]	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....	
<u>DASH</u>	
FIXED	4515147
SLIDING	4515144
<u>UPHOLSTERY PLATE</u>	4515141

TECHNICAL DRAWING

DASH SLIDING



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES

FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167


WIDTH ADJUSTABLE - WITH ARMBAR 4501169

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR 4501117

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

DASH FIXED



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES


FOR ALUMINIUM ARMREST

- WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167
- WIDTH ADJUSTABLE - WITH ARMBAR 4501169

FOR NYLON ARMREST

- WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167
- WIDTH ADJUSTABLE - WITH ARMBAR 4501117

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING


UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



SPECIFICATIONS	
TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	— Fixed — 100,0 mm [3.94 in], by lever
CERTIFICATIONS	— EN1335 — BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
ARMREST CONNECTION	Type-B armrest interface (external armband)
MECHANISM CONNECTION	— Donati universal seat plate — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....
FLAT

FIXED

4515200

SLIDING (FIXING HOLES 153 x 200 mm)

4515201

SLIDING (FIXING HOLES 200 x 200 mm)


4515204

UPHOLSTERY PLATE

4515202

TECHNICAL DRAWING

FLAT SLIDING - CONNECTION 153 x 200 / 200 x 200 mm



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES


FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS




TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

FLAT FIXED



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES


FOR ALUMINIUM ARMREST

- WIDTH ADJUSTABLE - WITH ARMBAR 4500118
- WIDTH ADJUSTABLE - W/O ARMBAR 4500165

FOR NYLON ARMREST

- WIDTH ADJUSTABLE - WITH ARMBAR 4500162
- WIDTH ADJUSTABLE - W/O ARMBAR 4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

UPHOLSTERY PLATE



SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE




SPECIFICATIONS	
TYPE	Bolt-on seat with upholstery plate
SEAT DEPTH ADJUSTMENT	– Fixed – 80,0 mm [3.15 in], by lever
CERTIFICATIONS	– EN1335 – BIFMA
UPHOLSTERY FIXING	By traditional upholstery plate (4 clips)
ARMREST CONNECTION	Type-B armrest interface (external armbar)
MECHANISM CONNECTION	– Donati universal seat plate – Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] – Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]
FIXED SEAT	
ITEMS PER BOX	70
BOXES PER PALLET	4 boxes (240 items)
SLIDING SEAT	
ITEMS PER BOX	40
BOXES PER PALLET	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 170 cm [31.5 x 47.2 x 66.9 in]

PRODUCT CODES

.....	
<u>SLIM</u>	
FIXED	4515100
SLIDING (FIXING HOLES 153 x 200 mm)	4515101
SLIDING (FIXING HOLES 200 x 200 mm)	4515106
<u>UPHOLSTERY PLATE</u>	4515152

TECHNICAL DRAWING

SLIM SLIDING - CONNECTION 153 x 200 / 200 x 200 mm



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES


FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS




TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING

SLIM FIXED



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
SEAT

TYPE-B ARMREST FIXING KIT CODES


FOR ALUMINIUM ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR NYLON ARMREST

WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

RELATED PRODUCTS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS




DONATI BOLT-ON
SEAT PLATE MECHANISMS



TYPE-B ARMREST
INTERFACE CONNECTION
ONLY

TECHNICAL DRAWING


UPHOLSTERY PLATE




SURFACE COLOURS / FINISHES



BLACK PLASTIC
UPHOLSTERY PLATE



Seat adapters



SPECIFICATIONS

TYPE	Sliding plate for wooden / plastic seats
MATERIAL	Nylon
SEAT DEPTH ADJUSTMENT	50,0 mm [1.97 in], by lever
MECHANISM CONNECTION	— Donati quick connection sliding seat rails — Donati universal seat plate
ITEMS PER BOX	130
BOXES PER PALLET (MOQ)	4 boxes (520 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....

SLIDING ADAPTER PLATE 4515220

TECHNICAL DRAWING

SLIDING ADAPTER PLATE



SURFACE COLOURS / FINISHES




PHOTOENGRAVED
[NOVATEX 7381]
ADAPTER

RELATED PRODUCTS




DONATI SEAT
RAILS CONNECTION
MECHANISMS



DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



BOLT-ON SEATS
153x200 mm [6.0x7.9 in]
CONNECTION



SPECIFICATIONS


TYPE	Sliding plate for wooden seats
MATERIAL	Polypropylene + 30% talc
SEAT DEPTH ADJUSTMENT	60,0 mm [2.36 in], by integrated lever
RELATED ARMREST	Bolt-on armrest family
MECHANISM CONNECTION	<ul style="list-style-type: none"> — Donati quick connection sliding seat rails — Donati universal seat plate

PRODUCT CODES

.....	
MODULA 1	4515270

TECHNICAL DRAWING

MODULA 1



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
ADAPTER

RELATED PRODUCTS



DONATI SEAT
RAILS CONNECTION
MECHANISMS




DONATI UNIVERSAL
SEAT PLATE CONNECTION
MECHANISMS



BOLT-ON SEATS
153x200 mm [6.0x7.9 in]
CONNECTION



BOLT-ON ARMRESTS
CONNECTION



SPECIFICATIONS

TYPE	Bolt-on sliding plate for wooden seats
SEAT DEPTH ADJUSTMENT	50,0 mm [1.97 in], by integrated lever
LOCKING POSITIONS	5 positions
MECHANISM CONNECTION	<ul style="list-style-type: none"> — Donati universal seat plate — Bolt-on plate 153 x 200 mm [6.02 x 7.87 in] — Bolt-on plate 200 x 200 mm [7.87 x 7.87 in]

PRODUCT CODES


.....	
TRASLA	1070001

TECHNICAL DRAWING

TRASLA

BOTTOM (MECHANISM CONNECTION)

TOP (SEAT CONNECTION)




SURFACE COLOURS / FINISHES



BLACK PAINTED STEEL ADAPTER

RELATED PRODUCTS



DONATI UNIVERSAL SEAT PLATE CONNECTION MECHANISMS



DONATI BOLT-ON SEAT PLATE MECHANISMS



BOLT-ON SEATS CONNECTION



Aluminium armrests



SPECIFICATIONS	
TYPE	Fixed 12° armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	Fixed
WIDTH ADJUSTMENT	Fixed
	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 432 mm [17.01 in] to 515 mm [20.28 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	Fixed
	40 mm [1.6 in] backwards/forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

.....
BeO FIXED (ALUMINIUM) FIXED PAD

- WITH STANDARD SOFT PAD (PU) 4500560

- WITH MIDI SOFT PAD (PU) 4500561

BeO FIXED (ALUMINIUM) SLIDING PAD


- WITH STANDARD SOFT PAD (PU) 4500555

- WITH MIDI SOFT PAD (PU) 4500556

- WITH COX SOFT PAD (PU) 4500559

TECHNICAL DRAWING

BeO FIXED (ALUMINIUM) – WITH MIDI PAD



SURFACE COLOURS / FINISHES



POLISHED ALUMINIUM ARMRESTS

RELATED PRODUCTS



TYPE-B ARMREST INTERFACE SEATS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA]	4500117
FIXED - W/O ARMBAR [EN1335]	4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA]	4501120
------------------------------------------	---------

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA]	4501703
-------------------------------------	---------

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR	4501169



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H [in]	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H [in]	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H [in]	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000547





SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Midi / Cox / Fox (Sliding pad)
	Complete Donati pad family (Rotating pad)
PAD ADJUSTMENT	— 30 mm [1.2 in] side
	— 45 mm [1.8 in] backwards / forwards
	— 360° rotation
	— 40 mm [1.6 in] backwards / forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

<u>BeO 4D – 12° (ALUMINIUM) SLIDING PAD</u>	
- WITH MIDI SOFT PAD (PU)	4502521
<u>BeO 4D – 12° (ALUMINIUM) ROTATING PAD</u>	
- WITH STANDARD SOFT PAD (PU)	4500520
- WITH MIDI SOFT PAD (PU)	4500521
- WITH SQUARE SOFT PAD (PU)	4500524
- WITH NPR SOFT PAD (PU)	4500525
- WITH FOX SOFT PAD (PU)	4500526
- WITH COX SOFT PAD (PU)	4500529

TECHNICAL DRAWING

BeO 4D – 12° (ALUMINIUM) – SLIDING MIDI PAD



SURFACE COLOURS / FINISHES



BLACK NYLON ARMRESTS



RAL 7610 NYLON BUTTON



POLISHED ALUMINIUM ARMRESTS BRACKET

RELATED PRODUCTS



TYPE-B ARMREST INTERFACE SEATS ONLY



DONATI MIDI, COX & FOX PADS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA]	4500117
FIXED - W/O ARMBAR [EN1335]	4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA]	4501120
------------------------------------------	---------

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA]	4501703
-------------------------------------	---------

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT




WIDTH ADJUSTABLE - WITH ARMBAR	4500118
WIDTH ADJUSTABLE - W/O ARMBAR	4500165

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR	4501169

TECHNICAL DRAWING

BeO 4D – 12° (ALUMINIUM) – ROTATING STANDARD PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS



POLISHED
ALUMINIUM
ARMRESTS BRACKET

RELATED PRODUCTS



TYPE-B
ARMREST INTERFACE
SEATS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA] 4500117

FIXED - W/O ARMBAR [EN1335] 4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA] 4501120

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA] 4501703

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR 4500118

WIDTH ADJUSTABLE - W/O ARMBAR 4500165

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR 4501169



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H (in)	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS	
TYPE	Adjustable straight armrest
MATERIAL	Aluminium
AVAILABLE ALSO IN	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 360° rotation
	— 40 mm [1.57 in] backwards / forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

BeO 4D — STRAIGHT (ALUMINIUM) ROTATING PAD

- WITH STANDARD SOFT PAD (PU)	4500500
- WITH MIDI SOFT PAD (PU)	4500501
- WITH SQUARE SOFT PAD (PU)	4500503
- WITH NPR SOFT PAD (PU)	4500505
- WITH COX SOFT PAD (PU)	4500507

TECHNICAL DRAWING

BeO 4D – STRAIGHT (ALU) ROTATING STANDARD PAD



SURFACE COLOURS / FINISHES

BLACK NYLON
ARMRESTSRAL 7610 NYLON
BUTTONPOLISHED
ALUMINIUM
ARMRESTS BRACKET

RELATED PRODUCTS

TYPE-B
ARMREST INTERFACE
SEATS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA] 4500117

FIXED - W/O ARMBAR [EN1335] 4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA] 4501120

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA] 4501703

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR 4500118

WIDTH ADJUSTABLE - W/O ARMBAR 4500165

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR 4501169



FOX	
D x W x H [mm]	225 x 99 x 27
D x W x H [in]	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H [mm]	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H [mm]	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H [mm]	216 x 112 x 27
D x W x H [in]	8.50 x 4.41 x 1.06
PU	9000554




COX	
D x W x H [mm]	235 x 100 x 27
D x W x H [in]	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H [mm]	236 x 112 x 27
D x W x H [in]	9.29 x 4.41 x 1.06
PU	9000547



Nylon armrests



SPECIFICATIONS	
TYPE	Fixed 12° armrest
MATERIAL	Nylon
AVAILABLE ALSO IN	Aluminium
WIDTH ADJUSTMENT	Fixed 42 mm [1.65 in] (According to the fixing kit)
WIDTH ADJUSTMENT	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 432 mm [17.01 in] to 515 mm [20.28 in]
RELATED PAD	Midi Fox
PAD ADJUSTMENT	Fixed
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....
BeO FIXED (NYLON) FIXED PAD

- WITH MIDI SOFT PAD (PU)	4500552
- WITH MIDI HARD PAD (PP)	4500550

TECHNICAL DRAWING

BeO FIXED (NYLON) – WITH MIDI PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS

RELATED PRODUCTS



TYPE-B
ARMREST INTERFACE
SEATS ONLY



DONATI
MIDI & FOX
PADS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA]	4500169
FIXED - W/O ARMBAR [EN1335]	4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA]	4501121
------------------------------------------	---------

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA]	4501703
-------------------------------------	---------

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR	4501117



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H [in]	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537





SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed 42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 428 mm [16.85 in] to 512 mm [20.15 in]
RELATED PAD	Midi Cox Fox
PAD ADJUSTMENT	Fixed — 30 mm [1.2 in] side — 45 mm [1.8 in] backwards / forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

<u>BeO 2D – SLIDING PAD AND TYPE-B ARMREST INTERFACE</u>	
- WITH MIDI SOFT PAD (PU)	4502700
- WITH COX SOFT PAD (PU)	4502703
<u>BeO 2D – FIXED PAD AND TYPE-B ARMREST INTERFACE</u>	
- WITH MIDI SOFT PAD (PU)	4500700
- WITH MIDI HARD PAD (PP)	4500701
- WITH COX SOFT PAD (PU)	4500703

TECHNICAL DRAWING

BE0 2D – (TYPE-B INTERFACE) SLIDING MIDI PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

RELATED PRODUCTS



TYPE-B
ARMREST INTERFACE
SEATS ONLY



DONATI
MIDI, COX & FOX
PADS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA] 4500169

FIXED - W/O ARMBAR [EN1335] 4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA] 4501121

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA] 4501703

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR 4500162

WIDTH ADJUSTABLE - W/O ARMBAR 4500164




FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR 4501117

TECHNICAL DRAWING

BeO 2D – (TYPE-B INTERFACE) FIXED MIDI PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

RELATED PRODUCTS



TYPE-B
ARMREST INTERFACE
SEATS ONLY



DONATI
MIDI, COX & FOX
PADS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA] 4500169

FIXED - W/O ARMBAR [EN1335] 4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA] 4501121

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA] 4501703

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR 4500162

WIDTH ADJUSTABLE - W/O ARMBAR 4500164

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR 4501117



SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed (29,0 mm [1.14 in] slot hole)
PAD TO PAD DISTANCE	According to the seat
RELATED PAD	Midi
	Cox
	Fox
PAD ADJUSTMENT	Fixed
	— 30 mm [1.2 in] side
	— 45 mm [1.8 in] backwards / forwards
SEAT CONNECTION	Type-V3 armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 2D — SLIDING PAD AND TYPE-V3 ARMREST INTERFACE


- WITH MIDI SOFT PAD (PU) 4502750
- WITH COX SOFT PAD (PU) 4502753

BeO 2D — FIXED PAD AND TYPE-V3 ARMREST INTERFACE

- WITH MIDI SOFT PAD (PU) 4500750
- WITH MIDI HARD PAD (PP) 4500751

TECHNICAL DRAWING

BeO 2D – (TYPE-V3 INTERFACE) SLIDING MIDI PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

RELATED PRODUCTS



TYPE-V3
ARMREST INTERFACE
SEATS ONLY




CUSTOMERS'S SEAT



DONATI
MIDI, COX & FOX
PADS ONLY

TECHNICAL DRAWING

BeO 2D – (TYPE-V3 INTERFACE) FIXED MIDI PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

RELATED PRODUCTS



TYPE-V3
ARMREST INTERFACE
SEATS ONLY



CUSTOMERS'S SEAT



DONATI
MIDI, COX & FOX
PADS ONLY



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H [in]	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H [in]	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H [in]	9.25 x 3.94 x 1.06
PU	9000551



SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
AVAILABLE ALSO IN	Aluminium
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Midi / Cox / Fox (Sliding pad)
	Complete Donati pad family (Rotating pad)
PAD ADJUSTMENT	— 30 mm [1.2 in] side
	— 45 mm [1.8 in] backwards / forwards
	— 360° rotation
	— 40 mm [1.6 in] backwards / forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES

BeO 4D – 12° (NYLON) SLIDING PAD AND TYPE-B ARMREST INTERFACE



- WITH MIDI SOFT PAD (PU) 4502531

BeO 4D – 12° (NYLON) ROTATING PAD AND TYPE-B ARMREST INTERFACE

- WITH STANDARD SOFT PAD (PU) 4500530
- WITH MIDI SOFT PAD (PU) 4500531
- WITH MIDI HARD PAD (PP) 4500533
- WITH SQUARE SOFT PAD (PU) 4500532
- WITH NPR SOFT PAD (PU) 4500535
- WITH COX SOFT PAD (PU) 4500538

TECHNICAL DRAWING

BeO 4D – 12° (TYPE-N INTERFACE) SLIDING MIDI PAD



Height adjustment:
100 mm [3.94 in]

Pad adjustment: 30 mm [1.18 in] side
45 mm [1.77 in] backwards - forwards

SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

RELATED PRODUCTS



TYPE-B
ARMREST INTERFACE
SEATS ONLY



DONATI
MIDI, COX & FOX
PADS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA]	4500169
FIXED - W/O ARMBAR [EN1335]	4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA]	4501121
------------------------------------------	---------

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA]	4501703
-------------------------------------	---------

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT



WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR	4501117

TECHNICAL DRAWING

BeO 4D – 12° (TYPE-N INTERFACE) ROTATING STANDARD PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

RELATED PRODUCTS



TYPE-B
ARMREST INTERFACE
SEATS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA]	4500169
FIXED - W/O ARMBAR [EN1335]	4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA]	4501121
------------------------------------------	---------

FOR KITE SEAT


FIXED - W/O ARMBAR [EN1335 & BIFMA]	4501703
-------------------------------------	---------

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR	4500162
WIDTH ADJUSTABLE - W/O ARMBAR	4500164

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335]	4500167
WIDTH ADJUSTABLE - WITH ARMBAR	4501117



SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	32 mm [1.26 in]
PAD TO PAD DISTANCE	From 394 mm [15.51 in] to 517 mm [20.35 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 360° rotation — 40 mm [1.57 in] backwards / forwards
SEAT CONNECTION	Type-N armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]




PRODUCT CODES

BeO 4D – 12° (NYLON) ROTATING PAD AND TYPE-N ARMREST INTERFACE

- WITH STANDARD SOFT PAD (PU) 4500580
- WITH SQUARE SOFT PAD (PU) 4500582
- WITH COX SOFT PAD (PU) 4500581

TECHNICAL DRAWING

BeO 4D – 12° (TYPE-N INTERFACE) ROTATING STANDARD PAD



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS



RAL 7610 NYLON
BUTTONS

TYPE-N ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR (BIFMA) 4501112

FOR TRASLA 3 – TRASLA 4 SEAT

WIDTH ADJUSTABLE - W/O ARMBAR (BIFMA) 4501111

RELATED PRODUCTS



TYPE-N
ARMREST INTERFACE
SEATS ONLY



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H (in)	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS	
TYPE	Adjustable straight armrest
MATERIAL	Nylon
AVAILABLE ALSO IN	Aluminium
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
	42 mm [1.65 in] (According to the fixing kit)
PAD TO PAD DISTANCE	From 364 mm [14.33 in] to 510 mm [20.08 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 360° rotation
	— 40 mm [1.57 in] backwards / forwards
SEAT CONNECTION	Type-B armrest interface
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES



.....

BeO 4D — STRAIGHT (NYLON) ROTATING PAD AND TYPE-B ARMREST INTERFACE

- WITH STANDARD SOFT PAD (PU)	4500510
- WITH MIDI SOFT PAD (PU)	4500511
- WITH MIDI HARD PAD (PP)	4500513
- WITH NPR SOFT PAD (PU)	4500515
- WITH COX SOFT PAD (PU)	4500514

TECHNICAL DRAWING

BeO 4D – STRAIGHT (NYLON) ROTATING STANDARD PAD



SURFACE COLOURS / FINISHES

BLACK NYLON
ARMRESTSRAL 7610 NYLON
BUTTONS

RELATED PRODUCTS

TYPE-B
ARMREST INTERFACE
SEATS ONLY

TYPE-B ARMREST FIXING KIT CODES

FOR TRASLA 2 – TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR [BIFMA] 4500169

FIXED - W/O ARMBAR [EN1335] 4501700

FOR TRASLA 3 SEAT

WIDTH ADJ. - W/O ARMBAR [EN1335 & BIFMA] 4501121

FOR KITE SEAT

FIXED - W/O ARMBAR [EN1335 & BIFMA] 4501703

FOR SLIM – CONKA – FLAT – CUSTOMERS' SEAT

WIDTH ADJUSTABLE - WITH ARMBAR 4500162

WIDTH ADJUSTABLE - W/O ARMBAR 4500164

FOR DASH SEAT

WIDTH ADJUSTABLE - WITH ARMBAR [EN1335] 4500167

WIDTH ADJUSTABLE - WITH ARMBAR 4501117



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H (in)	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547



SPECIFICATIONS	
TYPE	Adjustable 12° armrest
MATERIAL	Nylon
HEIGHT ADJUSTMENT	100 mm [3.94 in]
WIDTH ADJUSTMENT	Fixed
PAD TO PAD DISTANCE	From 455 mm [17.91 in] to 515 mm [20.28 in]
RELATED PAD	Complete Donati pad family
PAD ADJUSTMENT	— 360° rotation — 40 mm [1.57 in] backwards / forwards
SEAT CONNECTION	Type-F armrest interface
RELATED MECHANISM	Friendly Friendly without outer seat
ITEMS PER BOX	40
BOXES PER PALLET (MOQ)	4 boxes (160 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]


PRODUCT CODES

.....

<u>BeO FRIENDLY BLACK</u>	
- WITH STANDARD SOFT PAD (PU)	4500590
<u>BEO FRIENDLY BLACK WHITE (RAL 9002)</u>	
- WITH STANDARD SOFT PAD (PU)	4500591

TECHNICAL DRAWING

BeO FRIENDLY - STANDARD PAD



SURFACE COLOURS / FINISHES



BLACK NYLON ARMRESTS



RAL 9002 NYLON ARMRESTS



RAL 7610 NYLON BUTTONS

RELATED PRODUCTS



TYPE-F ARMREST INTERFACE SEATS ONLY (FRIENDLY MECHANISM)



FOX	
D x W x H (mm)	225 x 99 x 27
D x W x H (in)	8.85 x 3.89 x 1.06
PU	4700555



MIDI	
D x W x H (mm)	219 x 100 x 27
D x W x H (in)	8.62 x 3.94 x 1.06
PU	9000538
PP	9000537



STANDARD	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000515



NPR	
D x W x H (mm)	216 x 112 x 27
D x W x H (in)	8.50 x 4.41 x 1.06
PU	9000554



COX	
D x W x H (mm)	235 x 100 x 27
D x W x H (in)	9.25 x 3.94 x 1.06
PU	9000551



SQUARE	
D x W x H (mm)	236 x 112 x 27
D x W x H (in)	9.29 x 4.41 x 1.06
PU	9000547




SPECIFICATIONS							
TYPE	Adjustable 15° armrest						
MATERIAL	Nylon						
HEIGHT ADJUSTMENT	106 mm [4.17 in]						
WIDTH ADJUSTMENT	35 mm [1.38 in]						
PAD TO PAD DISTANCE	From 395 mm [15.55 in] to 515 mm [20.28 in]						
RELATED PAD	Nedo pad only						
PAD ADJUSTMENT	<table border="0"> <tr> <td>NEDO 2D</td> <td>— Fixed</td> </tr> <tr> <td>NEDO 3D</td> <td>— 50 mm [1.97 in] backwards / forwards</td> </tr> <tr> <td>NEDO 4D</td> <td>— 50 mm [1.97 in] backwards / forwards — ±15° rotation (30° total)</td> </tr> </table>	NEDO 2D	— Fixed	NEDO 3D	— 50 mm [1.97 in] backwards / forwards	NEDO 4D	— 50 mm [1.97 in] backwards / forwards — ±15° rotation (30° total)
NEDO 2D	— Fixed						
NEDO 3D	— 50 mm [1.97 in] backwards / forwards						
NEDO 4D	— 50 mm [1.97 in] backwards / forwards — ±15° rotation (30° total)						
SEAT CONNECTION	Type-N armrest interface						
ITEMS PER BOX	40						
BOXES PER PALLET (MOQ)	4 boxes (160 items)						
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]						

PRODUCT CODES

.....	
NEDO 2D	
BLACK	4500900
GREY (RAL 7038)	4500901
WHITE (RAL 9016)	4500902
NEDO 3D	
BLACK	4500920
GREY (RAL 7038)	4500921
WHITE (RAL 9016)	4500922
NEDO 4D	
BLACK	4500940
GREY (RAL 7038)	4500941
WHITE (RAL 9016)	4500942

TECHNICAL DRAWING

NEDO 2D - 3D - 4D



SURFACE COLOURS / FINISHES



BLACK NYLON
ARMRESTS

RELATED PRODUCTS



TYPE-N
ARMREST INTERFACE
SEATS ONLY

TYPE-N ARMREST FIXING KIT CODES

FOR TRASLA 2 / TRASLA 2 CABLE SEAT

WIDTH ADJUSTABLE-WITH ARMBAR (BIFMA) 4501112

FOR TRASLA 3 / TRASLA 4 SEAT

WIDTH ADJUSTABLE-W/O ARMBAR (BIFMA) 4501720

FOR KITE SEAT

WIDTH ADJUSTABLE-W/O ARMBAR 4501722

FOR EPSILON INTEGRATED SEAT MECHANISM

WIDTH ADJUSTABLE-W/O ARMBAR (BIFMA) 4501111

FOR FRIENDLY 3 / FRIENDLY 3 PLUS MECHANISM

WIDTH ADJUSTABLE-W/O ARMBAR (BIFMA) 4501720



Pads & Armrest fixing kit



COX	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	235 x 100 x 27 mm [9.25 x 3.94 x 1.06 in]
RELATED ARMREST	<ul style="list-style-type: none"> – BeO 2D – BeO Friendly – BeO 4D Aluminum family – BeO 4D Nylon family

PRODUCT CODES

.....
 COX - PU (SOFT) 9000551



FOX	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	225 x 99 x 27 mm [8.85 x 3.89 x 1.06 in]
RELATED ARMREST	<ul style="list-style-type: none"> – BeO Fixed aluminium – BeO Fixed nylon – BeO Friendly – BeO 4D Aluminum family Rotating pad version <u>only</u> – BeO 4D Nylon family Rotating pad version <u>only</u>

PRODUCT CODES

.....
 FOX - PU (SOFT) 4700555



MIDI	
TYPE	Pad for BeO armrests
AVAILABLE IN	– PU – PP
DIMENSIONS	219 x 100 x 27 mm [8.62 x 3.94 x 1.06 in]
RELATED ARMREST	– BeO Fixed aluminium – BeO Fixed nylon – BeO 2D – BeO Friendly – BeO 4D Aluminum family – BeO 4D Nylon family

PRODUCT CODES

.....

<u>MIDI</u>	
PU (SOFT)	9000538
PP (HARD)	9000537



NPR	
TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	216 x 112 x 27 mm [8.50 x 4.41 x 1.06 in]
RELATED ARMREST	– BeO Friendly – BeO 4D Aluminum family Rotating pad version <u>only</u> – BeO 4D Nylon family Rotating pad version <u>only</u>

PRODUCT CODES

.....

NPR - PU (SOFT)	9000554
-----------------	---------



SQUARE

TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	236 x 112 x 27 mm [9.29 x 4.41 x 1.06 in]
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Friendly — BeO 4D Aluminum family Rotating pad version <u>only</u> — BeO 4D Nylon family Rotating pad version <u>only</u>

PRODUCT CODES

.....
 SQUARE - PU (SOFT) 9000547



STANDARD

TYPE	Pad for BeO armrests
AVAILABLE IN	PU only
DIMENSIONS	236 x 112 x 27 mm [9.29 x 4.41 x 1.06 in]
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Friendly — BeO 4D Aluminum family Rotating pad version <u>only</u> — BeO 4D Nylon family Rotating pad version <u>only</u>

PRODUCT CODES

.....
 STANDARD - PU (SOFT) 9000515



STAFFA ECO

SPECIFICATIONS

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	<ul style="list-style-type: none"> — With armbar (BIFMA) — With ECO armbar (EN1335)
CONNECTION INTERFACE	Type-B armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Fixed aluminium (4500561 / 4500555) — BeO 4D 12°aluminium (4502521 / 4500521) — BeO 4D Straight aluminium (4500501) — BeO Fixed nylon (4500552) — BeO 2D nylon (4502700 / 4500700) — BeO 4D 12° nylon (4502531 / 4500531) — BeO 4D Straight nylon (4500511)
RELATED SEAT	<ul style="list-style-type: none"> — Trasla 2 (4515193) — Trasla 2 Cable (4515192 / 4515190) — Dash (4515147 / 4515144)

PRODUCT CODES

.....
ADJ. ATTACHMENT KIT WITH ARMBAR (BIFMA)

- FOR BeO ALUMINIUM	4500117
- FOR BeO NYLON	4500169

ADJ. ATTACHMENT KIT WITH ECO ARMBAR (EN1335)

- FOR BeO ALUMINIUM & NYLON	4500167
-----------------------------	---------



SPECIFICATIONS

TYPE	Fixed armrest attachment kit
SEAT ARMBAR	W/O armbar (EN1335)
CONNECTION INTERFACE	Type-B armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Fixed aluminium (4500561 / 4500555) — BeO Fixed nylon (4500552) — BeO 2D nylon (4502700 / 4500700) — BeO 4D 12° aluminium (4502521 / 4500521) — BeO 4D 12° nylon (4502531 / 4500531) — BeO 4D Straight aluminium (4500501) — BeO 4D Straight nylon (4500511)
RELATED SEAT	<ul style="list-style-type: none"> — Trasla 2 (4515196) — Trasla 2 Cable (4515198 / 4515197)

PRODUCT CODES

.....

FIXED ATTACHMENT KIT 4501700



SPECIFICATIONS

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	With armbar (BIFMA)
CONNECTION INTERFACE	Type-N armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO 4D 12° nylon (4500580) — Nedo 2D (4500900 / 4500901 / 4500902) — Nedo 3D (4500920 / 4500921 / 4500922) — Nedo 4D (4500940 / 4500941 / 4500942)
RELATED SEAT	<ul style="list-style-type: none"> — Trasla 2 (4515195) — Trasla 2 Cable (4515194 / 4515191)

PRODUCT CODES

.....

ADJUSTABLE ATTACHMENT KIT 4501112



SPECIFICATIONS

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	<ul style="list-style-type: none"> — With armbar — W/O armbar
CONNECTION INTERFACE	Type-B armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Fixed aluminium (4500561 / 4500555) — BeO 4D 12°aluminium (4502521 / 4500521) — BeO 4D Straight aluminium (4500501) — BeO Fixed nylon (4500552) — BeO 2D nylon (4502700 / 4500700) — BeO 4D 12° nylon (4502531 / 4500531) — BeO 4D Straight nylon (4500511)
RELATED SEAT	<ul style="list-style-type: none"> — Slim (4515100 / 4515101) — Conka (4515110 / 4515111) — Flat (4515200 / 4515201)

PRODUCT CODES

.....
ADJ. ATTACHMENT KIT WITH ARMBAR

- FOR BeO ALUMINIUM 4500118

- FOR BeO NYLON 4500162

ADJ. ATTACHMENT KIT W/O ARMBAR

- FOR BeO ALUMINIUM 4500165

- FOR BeO NYLON 4500164



SPECIFICATIONS

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	W/O armbar (EN1335 & BIFMA)
CONNECTION INTERFACE	Type-B armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Fixed aluminium (4500561 / 4500555) — BeO 4D 12°aluminium (4502521 / 4500521) — BeO 4D Straight aluminium (4500501)
	<ul style="list-style-type: none"> — BeO Fixed nylon (4500552) — BeO 2D nylon (4502700 / 4500700) — BeO 4D 12° nylon (4502531 / 4500531) — BeO 4D Straight nylon (4500511)
RELATED SEAT	<ul style="list-style-type: none"> — Trasla 3 (4515240) — Friendly 3 (1063200 / 1063205) — Friendly 3 Plus (1063250 / 1063251)

PRODUCT CODES

.....
ADJUSTABLE ATTACHMENT KIT

- FOR BeO ALUMINIUM	4501120
- FOR BeO NYLON	4501121



SPECIFICATIONS

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	W/O armbar (BIFMA)
CONNECTION INTERFACE	Type-N armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO 4D 12° nylon (4500580)
	<ul style="list-style-type: none"> — Nedo 2D (4500900 / 4500901 / 4500902) — Nedo 3D (4500920 / 4500921 / 4500922) — Nedo 4D (4500940 / 4500941 / 4500942)
RELATED SEAT	<ul style="list-style-type: none"> — Trasla 3 (4515241) — Friendly 3 (1063205) — Friendly 3 Plus (1063205)

PRODUCT CODES

.....
ADJUSTABLE ATTACHMENT KIT

- FOR BeO 4D 12°	4501111
- FOR NEDO	4501720



SPECIFICHE

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	W/O armbar (BIFMA)
CONNECTION INTERFACE	Type-N armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO 4D 12° nylon (4500580) — Nedo 2D (4500900 / 4500901 / 4500902) — Nedo 3D (4500920 / 4500921 / 4500922) — Nedo 4D (4500940 / 4500941 / 4500942)
RELATED SEAT	<ul style="list-style-type: none"> — Trasla 4 (4515217) — Epsilon Integrated seat (1065002)

CODICI DI PRODOTTO

.....

TRASLA 4 SEAT ADJ. ATTACHMENT KIT

— FOR BeO 4D 12° 4501111

— FOR NEDO 4501720

EPSILON INTEGRATED SEAT ADJ. ATTACHMENT KIT

— FOR BeO 4D 12° On request

— FOR NEDO 4501111



SPECIFICATIONS

TYPE	Adjustable armrest attachment kit
SEAT ARMBAR	W/O armbar (EN1335 & BIFMA)
CONNECTION INTERFACE	Type-N armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO 4D 12° nylon (4500580) — Nedo 2D (4500900 / 4500901 / 4500902) — Nedo 3D (4500920 / 4500921 / 4500922) — Nedo 4D (4500940 / 4500941 / 4500942)
RELATED SEAT	Kite (4515268 / 4515269)

PRODUCT CODES

.....
ADJUSTABLE ATTACHMENT KIT

— FOR BeO 4D 12°	4501721
— FOR NEDO	4501722



SPECIFICATIONS

TYPE	Fixed armrest attachment kit
SEAT ARMBAR	W/O armbar (EN1335 & BIFMA)
CONNECTION INTERFACE	Type-B armrest interface
RELATED ARMREST	<ul style="list-style-type: none"> — BeO Fixed aluminium (4500561 / 4500555) — BeO Fixed nylon (4500552) — BeO 2D nylon (4502700 / 4500700) — BeO 4D 12° aluminium (4502521 / 4500521) — BeO 4D 12° nylon (4502531 / 4500531) — BeO 4D Straight aluminium (4500501) — BeO 4D Straight nylon (4500511)
RELATED SEAT	Kite (4515265 / 4515266)

PRODUCT CODES

.....
FIXED ATTACHMENT KIT

4501703

Other components





SPECIFICATIONS	
TYPE	Adjustable back bar
MATERIAL	Nylon + GF
HEIGHT ADJUSTMENT	— 65 mm [2.6 in], by button — 72 mm [2.8 in], by button
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
ANGLE	91°
ITEMS PER BOX	20
BOXES PER PALLET (MOQ)	16 boxes (320 items)
PALLET SIZE [LXWXH]	80 x 120 x 160 cm [31.5 x 47.2 x 63.0 in]



PRODUCT CODES

.....

<u>ACTIVA</u>	
65 mm HEIGHT ADJUSTMENT	4520950
72 mm HEIGHT ADJUSTMENT	4520959

TECHNICAL DRAWING

ACTIVA




SURFACE COLOURS / FINISHES



BLACK NYLON
BACK BAR



RAL 7610 NYLON
BUTTON



SPECIFICATIONS	
TYPE	Adjustable back bar
MATERIAL	Nylon + GF
HEIGHT ADJUSTMENT	65 mm [2.56 in], ratchet
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
ANGLE	— 83° — 88°
ITEMS PER BOX	15
BOXES PER PALLET (MOQ)	20 boxes (300 items)
PALLET SIZE (LxWxH)	80 x 120 x 160 cm [31.5 x 47.2 x 63.0 in]


PRODUCT CODES

UP / DOWN

83°	4520900
88°	4520902

TECHNICAL DRAWING

UP / DOWN - 83°




SURFACE COLOURS / FINISHES



BLACK NYLON
BACK BAR

TECHNICAL DRAWING

UP / DOWN - 88°



SURFACE COLOURS / FINISHES



BLACK NYLON
BACK BAR



AVAILABLE WITH
MESH ASSEMBLED

SPECIFICATIONS

TYPE	Mesh / upholstered backrest
MATERIAL	Nylon + GF
LUMBAR SUPPORT HEIGHT ADJ.	100,0 mm [3.94 in]
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
MESH/UPHOLSTERY FIXING	<ul style="list-style-type: none"> — By draw string — By staples
SURFACE FINISHES	Photoengraved (Novatex 7381)
COLOUR FINISHES	<ul style="list-style-type: none"> — Black — Other colours available on request

PRODUCT CODES


.....

CLIPPER

On request

TECHNICAL DRAWING

CLIPPER



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
[NOVATEX 7381]
BACKREST



SPECIFICATIONS	
TYPE	Mesh / upholstered backrest
MATERIAL	Nylon + GF
LUMBAR SUPPORT HEIGHT ADJ.	80,0 mm [3.15 in]
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
MESH/UPHOLSTERY FIXING	— By draw string + staples — By staples
SURFACE FINISHES	Photoengraved (Novatex 104)
BACKREST FINISHES	Black
LUMBAR SUPPORT FINISHES	— Black — White (RAL 9010)

PRODUCT CODES


KIVA

.....	
COMPLETE ASSEMBLY (BLACK MESH)	4515320
BACK FRAME + MECHANISM FIXING KIT	4515085
MESH FIXING FRAME	4515086
LUMBAR SUPPORT (BLACK)	4515087
LUMBAR SUPPORT (WHITE RAL 9010)	4515089

TECHNICAL DRAWING

KIVA

4 FIXING HOLES BACK BAR
CONNECTION PATTERN



SURFACE COLOURS / FINISHES



PHOTOENGRAVED
(NOVATEX 104)
BLACK BACKREST &
LUMBAR SUPPORT



PHOTOENGRAVED
(NOVATEX 104)
WHITE RAL 9010
LUMBAR SUPPORT



SPECIFICATIONS	
TYPE	Adjustable backrest with back bar
MATERIAL	Polypropylene + GF
HEIGHT ADJUSTMENT	100,0 mm [3.94 in]
MECHANISM CONNECTION	DONATI standard (width 90 mm [3.54 in])
UPHOLSTERY FIXING (OPT.)	Upholstery plate (fixing by 9 clips)
SURFACE FINISHES	Photoengraved (Novatex 508)
COLOUR FINISHES	— Black — Grey (RAL 7037) — White (RAL 9002) — Other colours available on request

PRODUCT CODES

WHY [BLACK KIT]

- BACKREST	4515090
- BACK BAR	4515094
- UPHOLSTERY PLATE FIXING CLIPS	4501020

WHY [GREY RAL 7037 KIT]

- BACKREST	4515092
- BACK BAR	On request
- UPHOLSTERY PLATE FIXING CLIPS	4501021

WHY [WHITE RAL 9002 KIT]

- BACKREST	4515093
- BACK BAR	4515355
- UPHOLSTERY PLATE FIXING CLIPS	4501022


UPHOLSTERY PLATE 4515350

UPHOLSTERY PLATE + FOAM 4580070


TECHNICAL DRAWING

WHY

4 FIXING HOLES BACK BAR CONNECTION PATTERN




Height adjustment: 100 mm [3.94 in]



SURFACE COLOURS / FINISHES




PHOTOENGRAVED (NOVATEX 508) BLACK BACKREST AND BACK BAR



PHOTOENGRAVED (NOVATEX 508) GREY RAL 7037 BACKREST AND BACK BAR



PHOTOENGRAVED (NOVATEX 508) WHITE RAL 9002 BACKREST AND BACK BAR




SPECIFICATIONS	
TYPE	Adjustable footrest for standard gas spring
MATERIAL	Aluminium
GAS SPRING DIAMETER	50 mm (2.0 inch)
GAS SPRING COVER LENGTH	— 290 mm [11.4 in] — 340 mm [13.4 in] — Other dimensions available on request
FOOTREST SURFACE FINISHES	— Chrome — Polished — Black painted
GAS SPRING COVER FINISHES	— Chrome — Black painted
ITEMS PER BOX	10
BOXES PER PALLET (MOQ)	15 boxes (150 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]

PRODUCT CODES	
.....	
<u>D17 FOOTREST</u>	
CHROME	1005150
POLISHED	1005151
BLACK PAINTED	1005152
<u>GAS SPRING COVER 290 mm</u>	
CHROME	1005120
BLACK PAINTED	1005121
<u>GAS SPRING COVER 340 mm</u>	
CHROME	1005100
BLACK PAINTED	1005101
<u>GAS SPRING TAPERED ADAPTER</u>	1005130

TECHNICAL DRAWING

D17 FOOTREST



SURFACE COLOURS / FINISHES




CHROME
FOOTREST



POLISHED
GAS SPRING COVER,
FOOTREST



BLACK PAINTED
GAS SPRING COVER,
FOOTREST



SPECIFICATIONS	
TYPE	4 star round footrest for standard gas spring
MATERIAL	Aluminium
EXTERNAL DIAMETER	455 mm (17.9 inch)
GAS SPRING DIAMETER	50 mm (1.97 inch)
FOOTREST SURFACE FINISHES	Polished / Black painted
ITEMS PER BOX	15
BOXES PER PALLET (MOQ)	13 boxes (195 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]


PRODUCT CODES

L1060 FOOTREST

1005011

TECHNICAL DRAWING

L1060 FOOTREST



SURFACE COLOURS / FINISHES




POLISHED
FOOTREST



BLACK PAINTED
FOOTREST



BLACK PLASTIC
KNOB



SPECIFICATIONS	
TYPE	5 star round footrest for standard gas spring
MATERIAL	Aluminium
EXTERNAL DIAMETER	500 mm (19.7 inch)
GAS SPRING DIAMETER	50 mm (1.97 inch)
FOOTREST SURFACE FINISHES	Polished / Black painted
ITEMS PER BOX	18
BOXES PER PALLET (MOQ)	10 boxes (180 items)
PALLET SIZE (LxWxH)	150 x 104 x 220 cm [59.1 x 40.9 x 86.6 in]


PRODUCT CODES

L1065 FOOTREST

1005050

TECHNICAL DRAWING

L1065 FOOTREST



SURFACE COLOURS / FINISHES




POLISHED
FOOTREST



BLACK PAINTED
FOOTREST



BLACK PLASTIC
KNOB



SPECIFICATIONS

TYPE	Quick height adjustment footrest
MATERIAL	Aluminium
EXTERNAL DIAMETER	475,3 mm (18.71 inch)
HEIGHT ADJUSTMENT	By quick-release integrated lever
GAS SPRING DIAMETER	50,0 mm (1.97 inch)
FOOTREST SURFACE FINISHES	Brushed / Black painted

PRODUCT CODES


.....

TRIM FOOTREST

1005060

TECHNICAL DRAWING

TRIM FOOTREST



SURFACE COLOURS / FINISHES



BRUSHED ALUMINIUM FOOTREST



BLACK PAINTED FOOTREST



BLACK PLASTIC LEVER

EXTENSION
FROM CONE TAPER
∅ 40 mm TO ∅ 28 mm



SPECIFICATIONS	
TYPE	Fixed column
BASE CONNECTION DIAMETER	40,0 mm [1.58 in]
TAPER HEIGHT ∅ 40 mm	50,0 mm [1.97 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	— 65,5 mm [2.58 in] — 85,6 mm [3.37 in] — 105,6 mm [4.16 in]
EXTENSION	— 15,5 mm [0.61 in] — 35,5 mm [1.40 in] — 55,5 mm [2.19 in]
SURFACE FINISH	Black

PRODUCT CODES

.....
FIXED COLUMN ∅ 40 mm

15 mm EXTENSION	4510182
35 mm EXTENSION	4510183
55 mm EXTENSION	4510184

TECHNICAL DRAWING

SWIVEL SUPPORT EXT. 15 / 35 / 55 mm



SURFACE COLOURS / FINISHES



BLACK METAL COLUMN

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE — HIGH
MORSE CONE Ø 40 mm
CODE: 5010480



UNICA
4 STAR BASE
MORSE CONE Ø 40 mm
CODE: 5010430



SUPERLEGGERO
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050610



SPIDER
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050540



ARMONICO COLLECTION
(W/O HEIGHT ADJ.)



SPECIFICATIONS	
TYPE	Swivel column
BASE CONNECTION DIAMETER	40,0 mm [1.58 in]
TAPER HEIGHT ∅ 40 mm	69,5 mm [2.74 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	— 84,5 mm [3.33 in] — 92,5 mm [3.64 in] — 104,5 mm [4.11 in] — 124,5 mm [4.90 in] — 144,5 mm [5.69 in]
EXTENSION	— 15,0 mm [0.59 in] — 23,0 mm [0.91 in] — 35,0 mm [1.38 in] — 55,0 mm [2.16 in] — 75,0 mm [2.95 in]
COVER SURFACE FINISH	— Chrome (Plastic) — Black
ITEMS PER BOX	20 / 16
BOXES PER PALLET (MOQ)	60 boxes (1200 / 960 items)
PALLET SIZE (LxWxH)	80 x 120 x 210 cm [31.5 x 47.2 x 82.7 in]



PRODUCT CODES

.....
SWIVEL COLUMN ∅ 40 mm

15 mm EXTENSION (NO COVER)	4511160
23 mm EXTENSION (NO COVER)	4511188
35 mm EXTENSION	4511161
+ CHROME COVER	4510170
+ BLACK COVER	4510171
55 mm EXTENSION	4511162
+ CHROME COVER	4510172
+ BLACK COVER	4510173
75 mm EXTENSION	4511163
+ CHROME COVER	4510174
+ BLACK COVER	4510175

TECHNICAL DRAWING

SWIVEL SUPPORT EXT. 15 / 23 mm (NO COVER)



SURFACE COLOURS / FINISHES



BLACK PLASTIC COLUMN



CHROME PLASTIC COVER



BLACK PLASTIC COVER

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE — HIGH
MORSE CONE Ø 40 mm
CODE: 5010480



UNICA
4 STAR BASE
MORSE CONE Ø 40 mm
CODE: 5010430



SUPERLEGGERO
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050610




SPIDER
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050540



ARMONICO COLLECTION
(W/O HEIGHT ADJ.)

TECHNICAL DRAWING

SWIVEL SUPPORT EXT. 35 / 55 / 75 mm



SURFACE COLOURS / FINISHES



BLACK PLASTIC COLUMN



CHROME PLASTIC COVER



BLACK PLASTIC COVER

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE — HIGH
MORSE CONE ∅ 40 mm
CODE: 5010480



UNICA
4 STAR BASE
MORSE CONE ∅ 40 mm
CODE: 5010430



SUPERLEGGERO
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050610



SPIDER
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050540



ARMONICO COLLECTION
[W/O HEIGHT ADJ.]



SPECIFICATIONS	
TYPE	Self-return swivel column
BASE CONNECTION DIAMETER	40 mm [1.58 in]
TAPER HEIGHT ∅ 40 mm	100,0 mm [3.94 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	— 115,0 mm [4.53 in] — 135,0 mm [5.31 in] — 155,0 mm [6.10 in]
EXTENSION	— 15,0 mm [0.58 in] — 35,0 mm [1.38 in] — 55,0 mm [2.15 in]
COVER SURFACE FINISH	— Chrome (Plastic) — Black
SURFACE FINISH	Black


PRODUCT CODES

.....

SELF-RETURN SWIVEL COLUMN ∅ 40 mm	
15 mm EXTENSION	4510400
35 mm EXTENSION	4510401
+ CHROME COVER	4510170
+ BLACK COVER	4510171
55 mm EXTENSION	4510402
+ CHROME COVER	4510172
+ BLACK COVER	4510173

TECHNICAL DRAWING

SELF-RETURN SWIVEL COLUMN - 15 mm EXTENSION



SURFACE COLOURS / FINISHES



BLACK PLASTIC COLUMN

RELATED PRODUCTS



SUPERLEGGERA
 4 STAR BASE - HIGH
 MORSE CONE Ø 40 mm
 CODE: 5010480



UNICA
 4 STAR BASE
 MORSE CONE Ø 40 mm
 CODE: 5010430



SUPERLEGGERO
 SWIVEL SUPPORT
 [W/O HEIGHT ADJ.]
 CODE: 1050610




SPIDER
 SWIVEL SUPPORT
 [W/O HEIGHT ADJ.]
 CODE: 1050540



ARMONICO COLLECTION
 [W/O HEIGHT ADJ.]

TECHNICAL DRAWING

SELF-RETURN SWIVEL COLUMN - 35 mm EXTENSION



SURFACE COLOURS / FINISHES



BLACK PLASTIC COLUMN



CHROME PLASTIC COVER



BLACK PLASTIC COVER

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE - HIGH
MORSE CONE Ø 40 mm
CODE: 5010480



UNICA
4 STAR BASE
MORSE CONE Ø 40 mm
CODE: 5010430



SUPERLEGGERO
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050610




SPIDER
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050540



ARMONICO COLLECTION
(W/O HEIGHT ADJ.)

TECHNICAL DRAWING

SELF-RETURN SWIVEL COLUMN - 55 mm EXTENSION



SURFACE COLOURS / FINISHES



BLACK PLASTIC COLUMN



CHROME PLASTIC COVER



BLACK PLASTIC COVER

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE — HIGH
MORSE CONE Ø 40 mm
CODE: 5010480



UNICA
4 STAR BASE
MORSE CONE Ø 40 mm
CODE: 5010430




SUPERLEGGERO
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050610



SPIDER
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050540



ARMONICO COLLECTION
[W/O HEIGHT ADJ.]



TAPERED PLASTIC BUSHING AVAILABLE IN TWO EXTERNAL DIAMETERS


SPECIFICATIONS	
TYPE	Gas spring
BASE CONNECTION DIAMETER	40,0 mm [1.57 in]
TAPER HEIGHT ∅ 40 mm	42,0 mm [1.7 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	237,0 ~ 349,0 mm [9.33 ~ 13.74 in]
STROKE	112,0 mm [4.41 in]
GAS SPRING HEIGHT	270,0 ~ 382,0 mm [10.63 ~ 15.00 in]
CLASS	3
FORCE	300N
GAS SPRING SURFACE FINISH	— Chrome — Black
ITEMS PER BOX (MOQ)	20 / 600

PRODUCT CODES

.....	
<u>SG215 40 B GAS SPRING ∅ 40 mm</u>	
BLACK	4501510
CHROME	4500085
<u>TAPERED PLASTIC BUSHING</u>	
EXT. ∅ 50 mm > INT. ∅ 40 mm	4510165
EXT. ∅ 44 mm > INT. ∅ 40 mm	4516007

TECHNICAL DRAWING

SG215 40 B GAS SPRING



SURFACE COLOURS / FINISHES



CHROME STEEL
GAS SPRING



BLACK PAINTED
GAS SPRING

TAPERED BUSHING



TAPERED PLASTIC
BUSHING
EXT. Ø50mm > INT. Ø40mm
CODE: 4510165



TAPERED PLASTIC
BUSHING
EXT. Ø44mm > INT. Ø40mm
CODE: 4516007

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE — HIGH
MORSE CONE Ø 44 mm
CODE: 5010490



UNICA
4 STAR BASE
MORSE CONE Ø 44 mm
CODE: ON REQUEST




SUPERLEGGERO
SWIVEL SUPPORT
WITH HEIGHT ADJ.
CODE: 1050620



SPIDER SWIVEL
SUPPORT WITH
HEIGHT ADJ.
CODE: 1050530



ARMONICO COLLECTION
WITH HEIGHT ADJ.



SPECIFICATIONS	
TYPE	Swivel column
BASE CONNECTION DIAMETER	50 mm [1.97 in]
TAPER HEIGHT ∅ 50 mm	– 45,0 mm [1.71 in] – 56,0 mm [2.20 in] – 60,0 mm [2.36 in] – 75,0 mm [2.95 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
EXTENSION	– 17,0 mm [0.67 in] – 25,0 mm [0.98 in] – 50,0 mm [1.97 in] – 72,0 mm [2.83 in] – 101,0 mm [3.98 in]
HOUSING SURFACE FINISH	– Chrome – Black

PRODUCT CODES



.....

SWIVEL COLUMN ∅ 50 mm

17 mm EXTENSION	
- BLACK	4501585
- CHROME	4501586
25 mm EXTENSION	
- BLACK	4501587
- CHROME	4501588
50 mm EXTENSION	
- BLACK	4501589
- CHROME	4501590
72 mm EXTENSION	
- BLACK	4501591
- CHROME	4501592
101 mm EXTENSION	
- BLACK	4501593
- CHROME	4501594

TECHNICAL DRAWING

SWIVEL COLUMN EXT. 17 / 25 mm



SURFACE COLOURS / FINISHES



CHROME STEEL COLUMN



BLACK PAINTED COLUMN

RELATED PRODUCTS



SUPERLEGGERA - LOW
4 STAR BASE
MORSE CONE Ø 50 mm
CODE: 5010465



TREVI XL
4 STAR BASE
MORSE CONE Ø 50 mm
CODE: 5010830



SUPERLEGGERO
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050610





SPIDER
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050540



ARMONICO COLLECTION
[W/O HEIGHT ADJ.]

TECHNICAL DRAWING

SWIVEL COLUMN EXT. 50 / 72 mm



SURFACE COLOURS / FINISHES



CHROME STEEL COLUMN



BLACK PAINTED COLUMN

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE – LOW
MORSE CONE Ø 50 mm
CODE: 5010465



TREVI XL
4 STAR BASE
MORSE CONE Ø 50 mm
CODE: 5010830



SUPERLEGGERO
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050610




SPIDER
SWIVEL SUPPORT
[W/O HEIGHT ADJ.]
CODE: 1050540



ARMONICO COLLECTION
[W/O HEIGHT ADJ.]

TECHNICAL DRAWING

SWIVEL COLUMN EXT. 101 mm



SURFACE COLOURS / FINISHES



CHROME STEEL COLUMN



BLACK PAINTED COLUMN

RELATED PRODUCTS



SUPERLEGGERA
4 STAR BASE – LOW
MORSE CONE Ø 50 mm
CODE: 5010465



TREVI XL
4 STAR BASE
MORSE CONE Ø 50 mm
CODE: 5010830




SUPERLEGGERO
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050610



SPIDER
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050540



ARMONICO COLLECTION
(W/O HEIGHT ADJ.)



AUTOMATIC
POSITION RETURN

EXTENSION
FROM CONE TAPER
∅ 50 mm TO ∅ 28 mm



BLACK OR CHROME
FINISH AVAILABLE

SPECIFICATIONS

TYPE	Self-return swivel column
BASE CONNECTION DIAMETER	50 mm [1.97 in]
TAPER HEIGHT ∅ 50 mm	90,0 mm [3.54 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	107,0 mm [4.21 in]
EXTENSION	17,0 mm [0.58 in]
SURFACE FINISH	— Chrome — Black


PRODUCT CODES

.....

<u>SELF-RETURN SWIVEL COLUMN ∅ 50 mm</u>	
BLACK	4501650
CHROME	4501651

TECHNICAL DRAWING

SELF-RETURN SWIVEL COLUMN



SURFACE COLOURS / FINISHES



CHROME STEEL COLUMN



BLACK PAINTED COLUMN

RELATED PRODUCTS



SUPERLEGGERA – LOW
4 STAR BASE
MORSE CONE Ø 50 mm
CODE: 5010465



TREVI XL
4 STAR BASE
MORSE CONE Ø 50 mm
CODE: 5010830



SUPERLEGGERO
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050610



SPIDER
SWIVEL SUPPORT
(W/O HEIGHT ADJ.)
CODE: 1050540



ARMONICO COLLECTION
(W/O HEIGHT ADJ.)



SPECIFICATIONS	
TYPE	Gas spring
BASE CONNECTION DIAMETER	50,0 mm [1.97 in]
TAPER HEIGHT ∅ 50 mm	— 70,0 mm [2.76 in] (TGS 210 - NE/CR) — 105,0 mm [4.13 in] (TGS 210 - NC/CC) — 155,0 mm [6.10 in] (TGS 210 - NX/XX)
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	219,0 ~ 353,0 mm [8.62 ~ 13.90 in]
STROKE	134,0 mm [5.28 in]
GAS SPRING HEIGHT	252,0 ~ 386,0 mm [9.92 / 15.20 in]
CLASS	3
FORCE	400N
GAS SPRING SURFACE FINISH	— Chrome — Black
ITEMS PER BOX (MOQ)	20 / 600

PRODUCT CODES

.....
TGS 210 - NE/CR ∅ 50 mm

BLACK (NE) 4500087

CHROME (CR) 4500088

TGS 210 - NC/CC ∅ 50 mm

BLACK (NC) 4500089

CHROME (CC) 4500093


TGS 210 - NX/XX ∅ 50 mm

BLACK (NX) 4500084

CHROME (XX) 4500086

TECHNICAL DRAWING

TGS 210 - NE/CR GAS SPRING



SURFACE COLOURS / FINISHES




CHROME STEEL
GAS SPRING



BLACK PAINTED
GAS SPRING

TECHNICAL DRAWING

TGS 210 - NC/CC GAS SPRING



SURFACE COLOURS / FINISHES




CHROME STEEL HOUSING



BLACK PAINTED HOUSING

TECHNICAL DRAWING

TGS 210 - NX/XX GAS SPRING



SURFACE COLOURS / FINISHES



CHROME STEEL HOUSING



BLACK PAINTED HOUSING



SPECIFICATIONS

TYPE	Gas spring
BASE CONNECTION DIAMETER	50,0 mm [1.97 in]
TAPER HEIGHT ∅ 50 mm	204,5 mm [8.05 in]
MECHANISM CONN. DIAMETER	28,0 mm [1.10 in]
TAPER HEIGHT ∅ 28 mm	230,0 ~ 356,0 mm [9.06 ~ 14.02 in]
STROKE	126,0 mm [4.96 in]
GAS SPRING HEIGHT	263,0 ~ 389,0 mm [10.35 ~ 15.32 in]
CLASS	3
FORCE	300N
GAS SPRING SURFACE FINISH	— Chrome — Black
ITEMS PER BOX (MOQ)	20 / 600


PRODUCT CODES

.....
TG C2 - 130 GAS SPRING ∅ 50 mm

BLACK	4501505
CHROME	4501504

TECHNICAL DRAWING

TG C2 - 130 GAS SPRING



SURFACE COLOURS / FINISHES



CHROME STEEL
GAS SPRING



BLACK PAINTED
GAS SPRING

RELATED PRODUCTS



SUPERLEGGERA - MID
4 STAR BASE
MORSE CONE ∅ 50 mm
CODE: 5010460



SUPERLEGGERA
5 STAR BASE
MORSE CONE ∅ 50 mm
CODE: 5010320

DONATI

Donati S.p.A.

Via Paderno, 15/F
25050 Rodengo Saiano (BS)
phone +39.030.6818711
fax +39.030.6810448
info@donati.eu

www.donati.eu

Edition

February 2026 - REV000

Design

Studio Pitis

Graphic & rendering

Matteo Veneziani

Terms & conditions

Each DONATI product is made in Italy in accordance with a quality process meeting regulations 9001 ISO.

DONATI S.p.A. reserves the right to make changes to the products described in the catalogue, any time without prior notice.

Copyright Notice — Trademarks

® Donati is a registered trademark of Donati S.p.A. — All rights reserved.

All information and content on this document is the property of Donati S.p.A. or its licensors. The content is protected by copyright laws, trademark and design rights. Any unauthorized use of the content will be considered a violation intellectual property rights. Unless otherwise stated in this document, no content may be copied, distributed, published or used in any way, in whole or in part, without prior written agreement from Donati S.p.A.

Donati S.p.A.

Via Paderno, 15/F
25050 Rodengo Saiano (BS)
Italy

phone +39.030.6818711
fax +39.030.6810448
info@donati.eu

www.donati.eu